

UK Renal Registry 16th Annual Report: Appendix F Additional Data Tables for 2012 new and existing patients

F:1 Patients starting renal replacement therapy in 2012

Table F.1.1. Number of patients on dialysis at 90 days (incident cohort 1/10/2011 to 30/09/2012)

	Aged <65		Aged ≥65	
	HD N	PD N	HD N	PD N
England	1,769	702	2,063	434
N Ireland	61	18	75	9
Scotland	196	48	195	27
Wales	95	42	152	28
UK	2,121	810	2,485	498

Table F.1.3. First treatment modality (2012 incident cohort)

Centre	% HD	% PD	% transplant
England			
B Heart	80	19	1
B QEH	79	13	8
Basldn	72	28	
Bradfd	80	15	4
Brightn	68	32	1
Bristol	76	18	5
Camb	68	10	23
Carlis	37	53	11
Carsh	74	17	10
Chelms	87	13	
Colchr	100		
Covnt	63	31	5
Derby	64	35	1
Donc	83	18	
Dorset	63	33	4
Dudley	63	38	
Exeter	81	15	4
Glouc	77	22	1
Hull	61	38	1
Ipswi	65	33	2
Kent	68	21	11

Table F.1.2. Number of patients per treatment modality at 90 days (incident cohort 1/10/2011 to 30/09/2012)

	HD	PD	Transplant	Stopped treatment	Died
England	3,832	1,136	496	16	317
N Ireland	136	27	23	4	15
Scotland	391	75	22	0	21
Wales	247	70	29	5	26
UK	4,606	1,308	570	25	379

Centre	% HD	% PD	% transplant
Prestn	79	10	11
Redng	63	30	7
Salford	74	24	2
Sheff	77	16	7
Shrew	74	26	
Stevng	73	15	13
Sthend	92	8	
Stoke	77	18	5
Sund	85	10	6
Truro	76	18	6
Wirral	78	20	2
Wolve	54	45	1
York	64	30	6
N Ireland			
Antrim	81	19	
Belfast	71	10	19
Newry	67	33	
Ulster	90	10	
West NI	86	14	
Scotland			
Abrdn	83	17	
Airdrie	87	11	2

Table F.1.3. Continued

Centre	% HD	% PD	% transplant	Centre	% HD	% PD	% transplant
L Barts	71	26	3	D & Gall	63	37	
L Guys	78	12	10	Dundee	85	15	
L Kings	75	23	2	Dunfn	93	7	
L Rfree	68	24	8	Edinb	76	13	11
L St.G	81	11	8	Glasgw	78	11	10
L West	83	6	11	Inverns	54	46	
Leeds	71	16	14	Klmarnk	85	15	
Leic	72	17	11	Wales			
Liv Ain	78	21	2	Bangor	71	29	
Liv RI	64	22	15	Cardff	71	15	14
M RI	59	21	19	Clwyd	82	18	
Middlbr	82	6	13	Swanse	69	31	
Newc	69	21	10	Wrexm	68	24	9
Norwch	69	28	3	England	72	20	8
Nottm	52	40	8	N Ireland	77	14	9
Oxford	68	21	11	Scotland	80	14	5
Plymth*	68	25	7	Wales	71	22	8
Ports	70	21	9	UK	73	20	7

*Plymouth had 75 incident patients in 2012 but only 47 of these were included in the data extract to the UKRR. Treatment at start was available for the extra 28 patients and so these could be included in this table and in table F.1.4 (but not in the other three tables in this section)

Table F.1.4. First treatment modality, patient numbers (2012 incident cohort)

	HD	PD	Transplant
England	4,215	1,174	437
N Ireland	143	26	17
Scotland	417	74	28
Wales	255	78	27
UK	5,030	1,352	509

Table F.1.5. Gender breakdown by treatment modality at 90 days (2012 incident cohort)

Centre	HD			PD		
	% male	% female	M:F ratio	% male	% female	M:F ratio
England						
B Heart	72	28	2.6	67	33	2.0
B QEH	65	35	1.8	63	38	1.7
Basldn	62	38	1.6	80	20	4.0
Bradfd	56	44	1.3	50	50	1.0
Brightn	61	40	1.5	56	44	1.3
Bristol	72	28	2.6	74	26	2.8
Camb	74	26	2.9	85	15	5.5
Carlis	80	20	4.0	50	50	1.0
Carsh	66	34	2.0	63	37	1.7
Chelms	60	41	1.5	60	40	1.5
Colchr	61	39	1.5	100		
Covnt	55	45	1.2	63	37	1.7
Derby	57	43	1.3	46	54	0.9
Donc	45	55	0.8	100		
Dorset	63	37	1.7	52	48	1.1
Dudley	63	38	1.7	64	36	1.8
Exeter	66	34	1.9	79	21	3.8
Glouc	58	42	1.4	69	31	2.2
Hull	62	38	1.6	74	26	2.9
Ipswi	82	18	4.5	36	64	0.6
Kent	65	35	1.9	65	35	1.9

Table F.1.5. Continued

Centre	HD			PD		
	% male	% female	M:F ratio	% male	% female	M:F ratio
L Barts	59	41	1.4	69	31	2.2
L Guys	74	26	2.8	50	50	1.0
L Kings	61	39	1.6	63	37	1.7
L Rfree	68	32	2.2	55	45	1.2
L St.G	58	42	1.4	44	56	0.8
L West	61	39	1.6	47	53	0.9
Leeds	66	34	2.0	73	27	2.7
Leic	60	40	1.5	44	56	0.8
Liv Ain	68	32	2.1	69	31	2.2
Liv RI	54	46	1.2	61	39	1.5
M RI	67	33	2.1	61	39	1.6
Middlbr	58	42	1.4	25	75	0.3
Newc	59	42	1.4	82	18	4.7
Norwch	64	37	1.7	43	57	0.8
Nottm	58	42	1.4	47	53	0.9
Oxford	62	38	1.6	66	34	1.9
Plymth*						
Ports	69	31	2.2	76	24	3.1
Prestn	60	40	1.5	65	35	1.9
Redng	65	35	1.9	74	26	2.9
Salford	68	32	2.1	60	40	1.5
Sheff	61	39	1.6	71	29	2.4
Shrew	62	38	1.6	57	43	1.3
Stevng	59	41	1.4	53	47	1.1
Sthend	78	22	3.5	75	25	3.0
Stoke	59	41	1.4	75	25	3.0
Sund	67	33	2.0	75	25	3.0
Truro	58	42	1.4	56	44	1.3
Wirral	59	41	1.4	57	43	1.3
Wolve	67	33	2.0	52	48	1.1
York	60	40	1.5	57	43	1.3
N Ireland						
Antrim	61	39	1.6	80	20	4.0
Belfast	71	29	2.4	56	44	1.3
Newry	47	53	0.9	38	63	0.6
Ulster	61	39	1.6		100	
West NI	57	44	1.3		100	
Scotland						
Abrdn	67	33	2.0	63	38	1.7
Airdrie	51	49	1.0	56	44	1.3
D & Gall	44	56	0.8	29	71	0.4
Dundee	48	52	0.9	50	50	1.0
Dunfn	52	48	1.1	50	50	1.0
Edinb	55	45	1.2	63	38	1.7
Glasgw	64	36	1.8	58	42	1.4
Inverns	44	56	0.8	67	33	2.0
Klmarnk	62	39	1.6	67	33	2.0
Wales						
Bangor	64	36	1.7	100		
Cardff	60	41	1.5	69	31	2.2
Clwyd	73	27	2.7		100	
Swanse	59	41	1.5	57	43	1.3
Wrexm	64	36	1.8	33	67	0.5
England	63	37	1.7	62	38	1.6
N Ireland	63	38	1.7	44	56	0.8
Scotland	58	42	1.4	56	44	1.3
Wales	61	39	1.5	59	41	1.4
UK	63	37	1.7	61	39	1.6

*Breakdowns not shown for Plymouth as not all data was available (see table F.1.3)

F:2 Prevalent patients on 31/12/2012**Table F.2.1.** Treatment modalities for 2012 prevalent patients aged under and over 65

Centre	Patients aged <65				Patients aged ≥65			
	% HD	% PD	% transplant	HD:PD	% HD	% PD	% transplant	HD:PD
England								
B Heart	53	9	38	5.9	81	4	15	18.0
B QEH	36	8	56	4.2	70	7	23	9.5
Basldn	49	12	39	4.2	76	13	11	6.1
Bradfd	32	5	63	6.3	61	7	32	8.6
Brightn	31	8	60	3.8	62	13	26	4.9
Bristol	23	5	72	4.5	62	5	33	13.5
Camb	16	2	82	9.6	60	6	34	10.2
Carlis	20	10	70	2.1	45	18	37	2.5
Carsh	36	6	58	6.1	72	10	19	7.4
Chelms	42	11	47	3.8	72	12	16	5.9
Colchr	100	0	0	n/a	100	0	0	n/a
Covnt	27	8	65	3.4	62	16	22	3.8
Derby	35	16	48	2.1	61	22	18	2.8
Donc	55	12	33	4.6	79	10	11	7.8
Dorset	28	5	67	5.8	58	11	31	5.2
Dudley	43	23	34	1.9	67	17	17	4.0
Exeter	28	7	65	3.7	70	11	19	6.3
Glouc	35	7	58	4.7	72	10	18	7.2
Hull	29	10	61	3.0	65	14	20	4.5
Ipswi	28	7	65	4.1	57	14	30	4.2
Kent	27	6	67	4.6	63	8	29	7.9
L Barts	38	8	54	4.7	67	15	19	4.5
L Guys	27	2	72	17.1	61	2	37	25.8
L Kings	44	9	47	5.1	70	11	19	6.6
L Rfree	26	5	69	4.8	62	9	29	7.3
L St.G	28	7	65	4.2	58	9	33	6.7
L West	33	1	65	23.2	69	2	29	32.8
Leeds	24	6	70	3.8	59	6	35	9.6
Leic	32	6	62	5.3	64	12	25	5.6
Liv Ain	87	13	0	6.7	92	8	0	11.9
Liv RI	23	4	73	5.6	47	8	46	6.1
M RI	22	3	74	6.3	51	9	40	6.0
Middlbr	30	2	68	19.0	66	1	33	62.3
Newc	25	4	71	6.7	41	8	51	5.4
Norwch	36	8	56	4.3	70	10	20	7.2
Nottm	24	7	70	3.6	63	11	26	5.8
Oxford	19	4	77	4.5	48	9	43	5.4
Plymth	18	6	77	3.2	47	11	42	4.2
Ports	28	5	67	6.1	57	8	35	7.3
Prestn	41	5	55	8.8	67	10	24	6.9
Redng	29	10	61	3.1	57	12	31	4.6
Salford	34	11	56	3.2	61	14	25	4.4
Sheff	34	4	62	8.2	67	8	26	8.9
Shrew	44	12	45	3.8	70	12	18	6.0
Stevng	48	3	48	14.5	80	7	13	11.6
Sthend	42	6	52	7.2	68	7	25	9.4
Stoke	32	8	60	4.1	63	17	20	3.7
Sund	35	6	59	6.1	70	4	26	16.8
Truro	26	5	69	5.8	57	8	35	7.3
Wirral	86	14	0	6.0	87	13	0	6.7
Wolve	41	18	41	2.3	74	16	10	4.5
York	23	8	69	3.0	55	9	36	6.3

Table F.2.1. Continued

Centre	Patients aged <65				Patients aged ≥65			
	% HD	% PD	% transplant	HD:PD	% HD	% PD	% transplant	HD:PD
N Ireland								
Antrim	37	6	57	6.0	81	5	14	15.0
Belfast	23	3	74	7.3	57	6	37	9.3
Newry	38	5	57	7.5	66	14	20	4.6
Ulster	51	6	43	8.0	89	5	6	19.0
West NI	37	6	57	5.9	78	9	12	8.4
Scotland								
Abrdn	32	6	62	5.6	76	3	21	23.6
Airdrie	41	3	56	15.3	69	3	28	21.8
D & Gall	34	4	62	8.7	49	25	25	1.9
Dundee	31	4	65	7.3	64	7	29	9.8
Dunfn	39	7	54	5.9	74	8	18	9.1
Edinb	31	3	66	10.7	52	11	37	4.8
Glasgw	29	2	68	12.0	65	4	30	14.9
Inverns	21	6	73	3.7	66	15	19	4.6
Klmarnk	36	13	51	2.7	74	14	12	5.1
Wales								
Bangor	90	10		8.6	82	18		4.7
Cardff	20	3	77	6.2	54	9	38	6.3
Clwyd	41	8	51	5.1	59	14	27	4.3
Swanse	34	10	56	3.2	67	10	23	6.7
Wrexm	26	7	67	3.5	59	11	30	5.2
England	31	6	63	5.2	64	9	27	7.0
N Ireland	31	4	65	6.8	72	7	21	9.8
Scotland	32	4	64	7.6	66	8	27	8.7
Wales	27	6	68	4.8	60	10	30	6.0
UK	31	6	63	5.3	64	9	27	7.1

Table F.2.2. Number of 2012 prevalent patients under and over 65 per treatment modality

	Patients aged <65			Patients aged ≥65		
	HD	PD	Transplant	HD	PD	Transplant
England	9,111	1,765	18,615	10,610	1,507	4,468
N Ireland	294	43	624	400	41	118
Scotland	956	126	1,946	960	110	394
Wales	447	94	1,143	633	106	313
UK	10,808	2,028	22,328	12,603	1,764	5,293

Table F.2.3. Dialysis modalities for 2012 prevalent patients aged under 65

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
England						
B Heart	6	74	5	10	0	4
B QEH	7	12	61	7	0	12
Basldn	0	81	0	7	1	11
Bradfd	2	76	8	1	0	13
Brightn	14	38	27	13	0	8
Bristol	10	18	54	9	0	9
Camb	9	41	41	0	9	0
Carlis	0	47	21	14	0	19
Carsh	4	23	59	4	0	10
Chelms	0	79	0	14	0	7
Colchr	0	100	0	0	0	0
Covnt	8	69	0	23	0	0
Derby	10	58	0	18	0	14
Donc	0	48	34	3	0	15
Dorset	1	20	65	8	0	7
Dudley	9	46	11	22	0	13
Exeter	2	12	65	11	0	11
Glouc	3	71	9	3	0	14
Hull	5	39	32	13	0	12
Ipswi	4	66	10	9	0	10
Kent	8	22	52	18	0	0
L Barts	3	37	43	4	0	14
L Guys	10	14	70	2	0	4
L Kings	2	21	60	5	0	11
L Rfree	3	4	76	3	0	14
L St.G	3	43	35	2	0	17
L West	2	24	70	2	0	3
Leeds	4	22	53	5	0	15
Leic	10	17	57	4	0	12
Liv Ain	4	14	68	1	0	12
Liv RI	11	39	34	8	0	7
M RI	19	32	35	3	0	10
Middlbr	6	36	53	5	0	0
Newc	12	75	0	1	0	12
Norwch	8	48	26	15	0	4
Nottm	16	36	27	7	0	15
Oxford	6	31	45	5	0	14
Plymth	9	67	0	21	0	3
Ports	3	22	61	14	0	0
Prestn	10	20	59	2	0	8
Redng	3	29	43	17	0	8
Salford	6	31	39	11	2	11
Sheff	11	36	42	11	0	0
Shrew	12	40	27	21	0	0
Stevng	10	34	50	6	0	0
Sthend	4	84	0	12	0	0
Stoke	11	43	27	2	0	17
Sund	3	52	31	9	0	5
Truro	8	48	30	7	0	8
Wirral	3	43	40	3	0	12
Wolve	6	22	41	31	0	0
York	14	30	30	24	0	1
N Ireland						
Antrim	8	78	0	2	0	12
Belfast	13	75	0	1	1	11
Newry	2	86	0	0	0	12

Table F.2.3. Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
Ulster	11	78	0	0	0	11
West NI	6	80	0	0	0	14
Scotland*						
Abrdn	3	82	0	7	0	8
Airdrie	0	94	0	5	0	1
D & Gall	3	86	0	10	0	0
Dundee	0	88	0	4	0	8
Dunfn	0	86	0	0	0	14
Edinb	3	88	0	2	0	6
Glasgw	9	83	0	3	0	4
Inverns	14	64	0	7	0	14
Klmarnk	6	67	0	2	0	25
Wales						
Bangor	25	50	15	2	0	8
Cardff	11	16	59	9	0	5
Clwyd	4	80	0	8	8	0
Swanse	11	41	24	17	0	6
Wrexm	2	66	10	22	0	0
England	7	33	44	8	0	8
N Ireland	9	78	0	1	0	12
Scotland*	5	83	0	4	0	8
Wales	11	37	35	12	1	5
UK	7	39	39	7	0	8

*All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis

Table F.2.4. Dialysis modalities for 2012 prevalent patients aged over 65

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
England						
B Heart	1	85	9	4	0	1
B QEH	2	9	80	4	0	6
Basldn	0	85	1	9	0	5
Bradfd	0	66	24	3	0	8
Brightn	4	46	33	11	0	6
Bristol	2	13	78	3	0	4
Camb	1	36	55	0	9	0
Carlis	0	56	16	11	0	18
Carsh	2	16	70	3	0	8
Chelms	0	86	0	9	0	5
Colchr	0	100	0	0	0	0
Covnt	1	78	0	21	0	0
Derby	7	67	0	20	0	7
Donc	0	42	46	0	0	11
Dorset	0	21	62	6	1	9
Dudley	2	56	22	10	0	9
Exeter	0	12	74	6	0	7
Glouc	0	79	9	2	0	10
Hull	0	35	47	8	1	9
Ipswi	2	66	12	11	0	8
Kent	1	23	64	11	0	0
L Barts	0	32	49	8	0	10
L Guys	1	20	75	2	0	2
L Kings	0	20	67	9	0	5
L Rfree	2	3	83	5	0	7

Table F.2.4. Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
L St.G	0	41	46	6	0	7
L West	0	21	76	2	0	1
Leeds	0	16	74	2	0	7
Leic	2	16	66	5	0	10
Liv Ain	1	5	86	4	0	4
Liv RI	4	34	48	12	0	2
M RI	2	30	54	2	0	13
Middlbr	1	26	71	2	0	0
Newc	1	83	0	2	0	14
Norwch	3	50	34	9	0	3
Nottm	2	42	42	9	0	6
Oxford	2	34	48	4	0	12
Plymth	1	80	0	15	0	4
Ports	0	15	73	12	0	0
Prestn	3	18	67	4	0	9
Redng	1	39	43	11	0	7
Salford	3	37	42	10	0	8
Sheff	1	41	47	10	0	0
Shrew	2	51	33	14	0	0
Stevng	3	32	56	8	0	0
Sthend	1	89	0	10	0	0
Stoke	4	50	25	5	0	17
Sund	0	57	37	4	0	2
Truro	0	44	44	6	0	6
Wirral	1	42	44	3	0	10
Wolve	1	25	56	18	0	0
York	1	33	52	14	0	0
N Ireland						
Antrim	0	94	0	1	0	5
Belfast	3	87	0	1	0	9
Newry	4	79	0	0	0	18
Ulster	0	95	0	0	0	5
West NI	2	87	0	0	0	11
Scotland*						
Abrdn	1	95	0	4	0	0
Airdrie	0	96	0	1	0	3
D & Gall	0	66	0	13	0	21
Dundee	0	91	0	2	0	8
Dunfn	0	90	0	0	0	10
Edinb	0	83	0	6	0	11
Glasgw	1	92	0	2	0	5
Inverns	2	80	0	8	0	10
Klmarnk	2	82	0	2	0	14
Wales						
Bangor	4	58	21	9	0	9
Cardff	2	10	75	10	0	4
Clwyd	2	79	0	6	13	0
Swanse	4	52	31	12	0	1
Wrexm	0	68	16	16	0	0
England	1	34	52	7	0	6
N Ireland	2	89	0	0	0	9
Scotland*	1	89	0	3	0	7
Wales	2	38	46	11	1	3
UK	1	40	47	6	0	6

*All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis

Table F.2.5. Prevalent patient 2012, age ranges by centre (%)

Centre	18-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
England								
B Heart	2	7	13	16	20	23	18	3
B QEH	3	7	14	21	23	18	13	3
Basldn	2	5	11	17	16	22	21	5
Bradfd	4	10	15	22	18	19	10	2
Brightn	1	7	11	19	19	22	17	4
Bristol	3	8	12	20	21	20	14	2
Camb	2	7	13	20	22	20	12	3
Carlis	3	6	13	20	24	20	12	1
Carsh	1	5	11	20	18	23	16	5
Chelms	1	3	6	16	23	25	18	8
Colchr	1	2	6	5	19	31	30	7
Covnt	2	6	13	22	19	20	16	2
Derby	1	6	10	19	21	24	15	3
Donc	3	4	7	14	26	21	19	5
Dorset	1	5	9	16	19	29	16	4
Dudley	0	4	8	20	24	21	20	3
Exeter	2	5	10	19	20	24	17	5
Glouc	0	5	11	15	20	23	18	6
Hull	2	7	13	21	22	20	13	3
Ipswi	2	6	11	24	23	22	12	1
Kent	2	6	11	19	21	24	15	2
L Barts	2	9	15	25	23	17	10	1
L Guys	4	9	16	24	21	16	9	2
L Kings	1	6	14	21	22	20	13	2
L Rfree	3	9	14	20	20	18	13	3
L St.G	1	6	14	19	23	20	14	3
L West	1	7	13	21	24	21	12	2
Leeds	4	8	14	21	21	20	11	2
Leic	2	7	13	19	22	22	12	3
Liv Ain	1	4	9	12	22	24	22	7
Liv RI	2	8	15	25	24	17	8	1
M RI	5	7	17	24	21	16	8	1
Middlbr	2	6	12	24	19	19	15	2
Newc	3	7	12	24	23	21	9	1
Norwch	1	6	10	18	18	23	19	6
Nottm	5	7	12	21	20	19	13	3
Oxford	2	8	16	22	21	18	11	2
Plymth	2	7	13	19	22	24	11	2
Ports	2	7	13	22	21	21	12	2
Prestn	2	6	13	21	24	21	12	2
Redng	0	4	13	18	24	23	14	4
Salford	2	6	14	21	23	21	11	2
Sheff	3	7	12	21	23	19	13	3
Shrew	2	6	10	19	19	21	19	3
Stevng	2	5	12	19	20	20	18	3
Sthend	2	7	7	15	17	24	23	4
Stoke	1	8	14	19	19	20	16	2
Sund	2	6	14	21	22	22	11	2
Truro	2	5	12	14	19	24	19	4
Wirral	1	4	7	19	19	22	22	5
Wolve	2	6	11	19	23	21	15	3
York	5	9	12	19	21	22	10	3
N Ireland								
Antrim	1	5	10	21	14	25	20	4
Belfast	3	9	13	28	19	17	9	2
Newry	3	7	11	19	22	23	12	2
Ulster	2	3	7	9	22	26	24	7
West NI	2	7	17	17	19	22	14	2

Table F.2.5. Continued

Centre	18-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Scotland								
Abrdn	4	9	14	17	26	17	12	2
Airdrie	2	8	15	23	19	18	13	1
D & Gall	5	2	10	24	19	23	16	2
Dundee	1	5	15	18	19	22	14	5
Dunfn	3	4	13	18	22	24	14	1
Edinb	2	8	15	26	21	18	9	1
Glasgw	2	6	14	22	24	19	11	2
Inverns	2	5	17	27	21	14	13	2
Klmarnk	1	5	13	25	20	22	11	4
Wales								
Bangor	2	6	6	10	23	30	21	3
Cardff	2	7	14	20	22	20	11	2
Clwyd	2	8	8	17	22	27	15	1
Swanse	2	5	10	16	21	24	18	5
Wrexm	4	8	13	19	16	18	20	1
England	2	7	13	21	21	20	13	3
N Ireland	3	7	13	22	19	21	13	3
Scotland	2	6	14	22	22	19	11	2
Wales	2	7	12	19	21	21	14	3
UK	2	7	13	21	21	20	13	3

Table F.2.6. Dialysis modalities for 2012 prevalent patients without diabetes (all ages)

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
England						
B Heart	3	78	8	8	0	3
B QEH	6	10	68	6	0	9
Basldn	0	85	1	7	1	7
Bradfd	1	66	17	2	0	14
Brightn	7	42	31	13	0	8
Bristol	6	15	65	7	0	7
Camb	3	37	51	0	9	0
Carlis	0	49	19	14	0	17
Carsh	3	19	65	4	0	9
Chelms	0	79	0	14	0	7
Covnt	5	75	0	20	0	0
Derby	8	63	0	18	0	11
Donc	0	45	42	1	0	11
Dorset	1	20	63	7	1	8
Dudley	4	51	18	15	0	11
Exeter	1	12	69	9	0	9
Glouc	1	77	9	3	0	10
Hull	2	36	42	10	1	9
Ipswi	3	68	11	10	0	8
Kent	4	22	61	13	0	0
L Barts	2	35	44	5	0	13
L Guys	8	16	72	2	0	3
L Kings	2	21	64	7	0	7
L Rfree	3	6	79	4	0	9
L St.G	2	40	38	5	0	15
L West	1	22	73	2	0	2
Leeds	3	18	62	4	0	13
Leic	6	16	64	4	0	10

Table F.2.6. Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
Liv Ain	3	8	80	3	0	7
Liv RI	8	37	40	10	0	4
M RI	14	26	45	2	0	13
Middlbr	4	29	64	3	0	0
Newc	8	77	0	2	0	13
Norwch	6	50	30	11	0	4
Nottm	9	35	38	8	0	10
Oxford	4	32	46	5	0	13
Plymth	5	71	0	19	0	5
Ports	2	18	67	13	0	0
Prestn	8	18	62	3	0	9
Redng	2	35	43	14	0	6
Salford	5	37	40	7	2	7
Sheff	7	38	45	10	0	0
Shrew	9	43	32	16	0	0
Stevng	7	33	52	8	0	0
Sthend	3	86	0	11	0	0
Stoke	7	46	28	4	0	16
Sund	2	55	33	6	0	4
Truro	3	41	41	6	0	9
Wirral	3	46	46	1	0	5
Wolve	4	23	48	24	0	0
York	7	32	40	20	0	0
N Ireland						
Antrim	2	89	0	2	0	7
Belfast	9	80	0	1	0	9
Newry	3	82	0	0	0	15
Ulster	4	89	0	0	0	7
West NI	5	81	0	0	0	14
Scotland*						
Abrdn	3	86	0	7	0	5
Airdrie	0	95	0	3	0	2
D & Gall	2	79	0	11	0	8
Dundee	0	88	0	2	0	10
Dunfn	0	88	0	0	0	12
Edinb	3	84	0	4	0	9
Glasgw	6	88	0	2	0	4
Inverns	6	73	0	8	0	13
Klmarnk	5	72	0	2	0	21
Wales						
Bangor	16	52	15	6	0	10
Cardff	5	12	68	9	0	5
Clwyd	3	79	0	6	13	0
Swanse	8	49	26	14	0	3
Wrexm	0	68	14	18	0	0
England	5	33	48	7	0	7
N Ireland	6	83	0	1	0	10
Scotland*	3	85	0	3	0	8
Wales	6	37	40	11	1	4
UK	5	39	42	7	0	7

Excluded one centre with $\geq 40\%$ primary renal diagnosis aetiology uncertain (Colchester)

Patients with diabetes as their primary renal disease and patients with a missing primary renal diagnosis code are excluded from this table

*All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis

Table F.2.7. Number of 2012 prevalent patients without diabetes by treatment modality

	HD	PD	Transplant
England	14,619	2,460	19,858
N Ireland	528	66	682
Scotland	1,509	191	2,124
Wales	825	157	1,278
UK	17,481	2,874	23,942

Excluded one centre with $\geq 40\%$ primary renal diagnosis aetiology uncertain (Colchester)

Patients with diabetes as their primary renal disease and patients with a missing primary renal diagnosis code are excluded from this table

Table F.2.8. Dialysis modalities for 2012 prevalent patients without diabetes aged under 65

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
England						
B Heart	5	73	5	12	0	5
B QEH	8	12	59	8	0	13
Basldn	0	84	0	2	2	12
Bradfd	2	73	8	1	0	17
Brightn	11	37	28	15	0	10
Bristol	11	18	50	10	0	10
Camb	10	41	39	0	10	0
Carlis	0	47	20	17	0	17
Carsh	5	24	57	4	0	11
Chelms	0	74	0	19	0	7
Covnt	10	67	0	23	0	0
Derby	11	58	0	16	0	16
Donc	0	51	31	3	0	15
Dorset	1	21	62	7	0	8
Dudley	6	49	13	19	0	12
Exeter	3	9	63	13	0	13
Glouc	4	75	7	3	0	11
Hull	5	37	33	16	0	10
Ipswi	3	68	8	10	0	11
Kent	9	22	53	16	0	0
L Barts	4	37	41	4	0	14
L Guys	13	15	67	1	0	3
L Kings	2	23	59	6	0	10
L Rfree	4	6	74	3	0	12
L St.G	3	41	33	3	0	20
L West	2	23	70	2	0	3
Leeds	5	21	51	6	0	17
Leic	11	17	58	4	0	10
Liv Ain	5	13	71	0	0	11
Liv RI	12	40	35	8	0	5
M RI	22	29	35	3	0	11
Middlbr	8	35	53	5	0	0
Newc	14	73	0	1	0	12
Norwch	10	47	24	15	0	5
Nottm	18	32	29	7	0	14
Oxford	6	29	46	5	0	14

Table F.2.8. Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
Plymth	13	58	0	25	0	4
Ports	3	21	62	14	0	0
Prestn	11	20	58	2	0	9
Redng	4	28	45	16	0	7
Salford	8	35	37	9	2	10
Sheff	13	36	42	9	0	0
Shrew	17	34	31	18	0	0
Stevng	12	35	45	8	0	0
Sthend	5	79	0	16	0	0
Stoke	13	43	27	3	0	15
Sund	3	53	30	8	0	6
Truro	9	43	30	7	0	11
Wirral	4	47	38	1	0	9
Wolve	8	24	38	30	0	0
York	14	30	29	27	0	0
N Ireland						
Antrim	7	74	0	4	0	15
Belfast	15	75	0	1	1	8
Newry	0	88	0	0	0	12
Ulster	18	73	0	0	0	9
West NI	7	78	0	0	0	15
Scotland*						
Abrdn	4	79	0	9	0	9
Airdrie	0	95	0	5	0	0
D & Gall	4	83	0	13	0	0
Dundee	0	85	0	3	0	11
Dunfn	0	87	0	0	0	13
Edinb	5	87	0	2	0	7
Glasgw	11	82	0	3	0	4
Inverns	13	63	0	9	0	16
Klmarnk	8	64	0	3	0	26
Wales						
Bangor	31	43	11	3	0	11
Cardff	11	17	59	9	0	5
Clwyd	3	82	0	8	8	0
Swanse	16	42	17	18	0	7
Wrexm	0	66	11	24	0	0
England	8	33	43	8	0	8
N Ireland	10	77	0	1	0	11
Scotland*	6	82	0	4	0	8
Wales	12	37	33	12	1	5
UK	8	38	38	7	0	8

Excluded one centre with $\geq 40\%$ primary renal diagnosis aetiology uncertain (Colchester)

Patients with diabetes as their primary renal disease and patients with a missing primary renal diagnosis code are excluded from this table

*All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis

Table F.2.9. Number of 2012 prevalent patients without diabetes aged under 65 by treatment modality

	HD	PD	Transplant
England	6,774	1,331	15,879
N Ireland	219	31	571
Scotland	736	100	1,748
Wales	338	73	996
UK	8,067	1,535	19,194

Excluded one centre with $\geq 40\%$ primary renal diagnosis aetiology uncertain (Colchester)

Patients with diabetes as their primary renal disease and patients with a missing primary renal diagnosis code are excluded from this table

Table F.2.10. Dialysis modalities for 2012 prevalent patients without diabetes aged over 65

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
England						
B Heart	1	83	11	4	0	1
B QEH	2	9	79	4	0	6
Basldn	0	86	1	10	0	3
Bradfd	0	58	28	4	0	10
Brightn	4	45	32	12	1	7
Bristol	2	13	77	4	0	4
Camb	0	35	56	0	9	0
Carlisle	0	51	18	13	0	18
Carsh	2	16	70	3	0	8
Chelms	0	82	0	11	0	6
Covnt	2	81	0	17	0	0
Derby	7	66	0	20	0	7
Donc	0	41	50	0	0	9
Dorset	1	20	64	6	1	8
Dudley	2	53	24	11	0	11
Exeter	0	13	72	8	0	7
Glouc	0	78	10	3	0	10
Hull	1	34	50	6	1	8
Ipswi	3	68	14	10	0	6
Kent	1	22	66	11	0	0
L Barts	0	30	50	8	0	11
L Guys	2	16	78	3	0	2
L Kings	1	17	70	8	0	4
L Rfree	2	5	83	5	0	5
L St.G	0	40	44	8	0	9
L West	0	20	76	2	0	1
Leeds	0	16	73	3	0	8
Leic	2	15	69	4	0	9
Liv Ain	1	4	86	4	0	4
Liv RI	3	33	49	13	0	2
M RI	3	22	58	1	0	16

Table F.2.10. Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
Middlbr	1	25	73	1	0	0
Newc	2	83	0	2	0	13
Norwch	3	51	34	9	0	4
Nottm	1	38	45	9	0	6
Oxford	1	34	47	5	0	13
Plymth	1	78	0	16	0	5
Ports	0	15	72	13	0	0
Prestn	4	16	67	4	0	9
Redng	1	40	42	12	0	5
Salford	1	42	47	5	1	4
Sheff	2	40	48	11	0	0
Shrew	2	50	33	15	0	0
Stevng	3	31	58	8	0	0
Sthend	1	90	0	9	0	0
Stoke	3	48	28	5	0	16
Sund	0	58	36	4	0	2
Truro	0	41	46	6	0	7
Wirral	2	44	55	0	0	0
Wolve	1	22	59	19	0	0
York	1	34	51	14	0	0
N Ireland						
Antrim	0	94	0	1	0	4
Belfast	3	86	0	1	0	10
Newry	5	77	0	0	0	18
Ulster	0	94	0	0	0	6
West NI	3	84	0	0	0	13
Scotland*						
Abrdn	1	95	0	4	0	0
Airdrie	0	95	0	1	0	4
D & Gall	0	77	0	10	0	13
Dundee	0	89	0	1	0	10
Dunfn	0	88	0	0	0	12
Edinb	0	81	0	7	0	12
Glasgw	1	93	0	2	0	4
Inverns	2	80	0	7	0	11
Klmarnk	2	80	0	1	0	16
Wales						
Bangor	5	59	18	9	0	9
Cardff	1	9	75	10	0	5
Clwyd	2	76	0	5	17	0
Swanse	4	52	31	12	0	1
Wrexm	0	70	16	14	0	0
England	1	33	53	7	0	5
N Ireland	2	88	0	1	0	10
Scotland*	1	89	0	3	0	8
Wales	2	38	45	11	1	3
UK	1	40	46	6	0	6

Excluded one centre with $\geq 40\%$ primary renal diagnosis aetiology uncertain (Colchester)

Patients with diabetes as their primary renal disease and patients with a missing primary renal diagnosis code are excluded from this table

*All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis

Table F.2.11. Number of 2012 prevalent patients without diabetes aged over 65 by treatment modality

	HD	PD	Transplant
England	7,845	1,129	3,979
N Ireland	309	35	111
Scotland	773	91	376
Wales	487	84	282
UK	9,414	1,339	4,748

Excluded one centre with $\geq 40\%$ primary renal diagnosis aetiology uncertain (Colchester)

Patients with diabetes as their primary renal disease and patients with a missing primary renal diagnosis code are excluded from this table

Table F.2.12. Dialysis modalities for 2012 prevalent patients with diabetes

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
England						
B Heart	5	84	4	6	0	1
B QEH	2	11	77	3	0	8
Basldn	0	73	0	15	0	13
Bradfd	0	89	11	0	0	0
Brightn	6	56	26	10	0	2
Bristol	3	12	80	2	0	3
Camb	5	42	42	0	11	0
Carlis	0	56	17	6	0	22
Carsh	1	18	70	4	0	8
Chelms	0	97	0	0	0	3
Covnt	0	70	0	30	0	0
Derby	7	64	0	21	0	7
Donc	0	43	35	3	0	20
Dorset	0	21	62	6	0	11
Dudley	9	47	12	21	0	12
Exeter	0	16	72	3	0	8
Glouc	0	69	8	3	0	19
Hull	2	40	27	13	0	18
Ipswi	4	62	12	12	0	12
Kent	3	29	49	19	0	0
L Barts	0	35	48	6	0	11
L Guys	1	20	75	2	0	2
L Kings	1	20	63	7	0	10
L Rfree	0	1	83	4	1	12
L St.G	1	44	45	3	0	7
L West	0	24	74	1	0	1
Leeds	0	23	70	1	0	6
Leic	1	25	58	4	0	12
Liv Ain	2	12	76	2	0	7
Liv RI	8	37	38	6	0	11
M RI	2	44	42	3	0	8
Middlbr	1	36	58	4	0	0
Newc	4	84	0	0	0	12

Table F.2.12. Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
Norwch	3	45	37	13	0	2
Nottm	4	52	27	8	0	9
Oxford	5	34	50	2	0	9
Plymth	0	88	0	13	0	0
Ports	1	23	66	10	0	0
Prestn	3	23	65	1	0	9
Redng	1	33	43	14	0	10
Salford	2	27	49	11	2	10
Sheff	2	43	42	12	0	0
Shrew	2	56	28	14	0	0
Stevng	3	34	58	4	0	0
Sthend	0	92	0	8	0	0
Stoke	5	52	18	2	0	22
Sund	0	51	39	7	0	2
Truro	3	59	31	6	0	0
Wirral	0	47	41	6	0	6
Wolve	1	28	46	25	0	0
York	6	29	48	13	0	3
N Ireland						
Antrim	4	88	0	0	0	8
Belfast	4	85	0	0	0	10
Newry	3	83	0	0	0	14
Ulster	0	92	0	0	0	8
West NI	0	96	0	0	0	4
Scotland*						
Abrdn	0	95	0	2	0	3
Airdrie	0	93	0	5	0	2
D & Gall	0	57	0	14	0	29
Dundee	0	96	0	4	0	0
Dunfn	0	90	0	0	0	10
Edinb	0	90	0	4	0	6
Glasgw	2	88	0	1	0	8
Inverns	14	71	0	7	0	7
Klmarnk	0	84	0	3	0	13
Wales						
Bangor	4	62	27	4	0	4
Cardff	5	14	68	10	0	3
Clwyd	5	82	0	9	5	0
Swanse	3	44	36	14	0	3
Wrexm	5	67	5	24	0	0
England	2	35	50	6	0	7
N Ireland	3	88	0	0	0	9
Scotland*	1	89	0	3	0	7
Wales	4	37	44	12	0	3
UK	2	41	44	6	0	7

Excluded one centre with $\geq 40\%$ primary renal diagnosis aetiology uncertain (Colchester)

Only patients with diabetes as their primary renal disease included in this table

*All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis

Table F.2.13. Number of 2012 prevalent patients with diabetes by treatment modality

	HD	PD	Transplant
England	4,227	640	2,228
N Ireland	164	17	56
Scotland	405	44	212
Wales	251	43	169
UK	5,047	744	2,665

Excluded one centre with $\geq 40\%$ primary renal diagnosis aetiology uncertain (Colchester)

Only patients with diabetes as their primary renal disease included in this table

Table F.2.14. Demography of 2012 prevalent patients with diabetes

Centre	M:F ratio	Median age on 31/12/2012	Median age at start of treatment	Median time on RRT in days	Median time on RRT in years
England					
B Heart	1.8	65	61	1,126	3.1
B QEH	1.6	63	58	1,425	3.9
Basldn	2.4	64	59	692	1.9
Bradfd	1.7	62	56	1,236	3.4
Brightn	1.5	62	55	1,678	4.6
Bristol	1.6	63	55	1,552	4.2
Camb	2.2	49	41	1,869	5.1
Carlis	5.3	60	55	1,106	3.0
Carsh	1.7	65	60	1,354	3.7
Chelms	2.3	64	62	768	2.1
Covnt	1.4	64	59	1,438	3.9
Derby	1.4	64	60	1,230	3.4
Donc	2.1	59	55	1,045	2.9
Dorset	1.6	62	57	1,231	3.4
Dudley	2.8	63	59	1,189	3.3
Exeter	1.7	62	59	958	2.6
Glouc	1.7	58	52	1,096	3.0
Hull	1.5	61	55	1,326	3.6
Ipswi	1.7	60	55	1,078	3.0
Kent	1.7	57	55	1,077	2.9
L Barts	1.5	63	59	1,123	3.1
L Guys	1.2	57	51	1,796	4.9
L Kings	1.3	65	61	1,096	3.0
L Rfree	1.8	65	60	821	2.2
L St.G	1.2	68	62	1,642	4.5
L West	1.8	63	58	1,330	3.6
Leeds	1.8	63	57	1,525	4.2
Leic	1.5	63	58	1,278	3.5
Liv Ain	1.6	59	55	1,054	2.9
Liv RI	1.2	57	48	1,655	4.5
M RI	1.2	58	53	1,491	4.1
Middlbr	1.2	54	49	1,219	3.3

Table F.2.14. Continued

Centre	M:F ratio	Median age on 31/12/2012	Median age at start of treatment	Median time on RRT in days	Median time on RRT in years
Newc	1.4	55	49	1,761	4.8
Norwch	1.6	62	58	1,407	3.9
Nottm	1.3	58	54	1,610	4.4
Oxford	1.7	56	51	1,211	3.3
Plymth	1.4	58	53	1,700	4.7
Ports	2.1	59	55	1,120	3.1
Prestn	1.6	63	59	1,007	2.8
Redng	1.5	62	58	1,466	4.0
Salford	1.5	63	57	1,333	3.6
Sheff	2.5	62	57	948	2.6
Shrew	1.0	62	60	904	2.5
Stevng	1.7	64	60	1,368	3.7
Sthend	1.4	65	60	1,537	4.2
Stoke	1.5	65	60	1,132	3.1
Sund	2.4	57	52	825	2.3
Truro	1.2	55	49	1,679	4.6
Wirral	1.1	59	54	1,060	2.9
Wolve	1.7	61	58	1,505	4.1
York	1.5	58	55	1,316	3.6
N Ireland					
Antrim	1.4	64	61	1,707	4.7
Belfast	2.0	57	53	1,460	4.0
Newry	1.9	64	60	981	2.7
Ulster	1.6	63	60	920	2.5
West NI	1.0	65	61	1,381	3.8
Scotland					
Abrdn	1.9	60	54	1,592	4.4
Airdrie	1.4	55	51	919	2.5
D & Gall	2.0	59	56	852	2.3
Dundee	1.3	59	56	1,245	3.4
Dunfn	1.1	57	57	914	2.5
Edinb	1.3	53	49	1,235	3.4
Glasgw	1.4	61	55	1,175	3.2
Inverns	2.1	50	43	2,352	6.4
Klmarnk	1.7	56	50	1,187	3.2
Wales					
Bangor	1.4	65	63	951	2.6
Cardff	1.6	61	54	1,060	2.9
Clwyd	1.1	63	52	1,365	3.7
Swanse	2.6	64	58	1,041	2.8
Wrexm	2.6	55	44	2,444	6.7
England	1.6	61	56	1,309	3.6
N Ireland	1.6	63	59	1,215	3.3
Scotland	1.4	57	53	1,205	3.3
Wales	1.8	61	55	1,108	3.0
UK	1.6	61	56	1,292	3.5

Excluded one centre with $\geq 40\%$ primary renal diagnosis aetiology uncertain (Colchester)
 Only patients with diabetes as their primary renal disease included in this table

Table F.2.15. Transplant gender ratios in 2012 prevalent patients

	% males	% females	No. males	No. females	M:F ratio
England	60.8	39.2	14,023	9,060	1.5
N Ireland	63.5	36.5	471	271	1.7
Scotland	59.7	40.3	1,397	943	1.5
Wales	62.6	37.4	911	545	1.7
UK	60.8	39.2	16,802	10,819	1.6