

UK Renal Registry 14th Annual Report: Appendix F Additional Data Tables for 2010 Incident and Prevalent Patients

F:1 Patients starting renal replacement therapy

Table F.1.1. Number of patients on dialysis at 90 days (incident cohort 1/10/2009 to 30/09/2010)

| | Aged <65 | | Aged ≥65 | |
|-----------|--------------|------------|--------------|------------|
| | HD N | PD N | HD N | PD N |
| England | 1,698 | 689 | 2,059 | 355 |
| N Ireland | 56 | 7 | 81 | 2 |
| Scotland | 183 | 61 | 217 | 25 |
| Wales | 94 | 40 | 175 | 29 |
| UK | 2,031 | 797 | 2,532 | 411 |

Table F.1.2. Number of patients per treatment modality at 90 days (incident cohort 1/10/2009 to 30/09/2010)

| | HD | PD | Transplant | Stopped treatment | Died |
|-----------|--------------|--------------|------------|----------------------|------------|
| England | 3,757 | 1,044 | 485 | 10 | 309 |
| N Ireland | 137 | 9 | 5 | 7 | 14 |
| Scotland | 400 | 86 | 7 | 2 | 28 |
| Wales | 269 | 69 | 14 | 1 | 25 |
| UK | 4,563 | 1,208 | 511 | 20 | 376 |

Table F.1.3. First treatment modality (2010 incident cohort)

| Centre | % HD | % PD | % transplant | Centre | % HD | % PD | % transplant |
|----------|------|------|--------------|---------|------|------|--------------|
| Abrdn | 76 | 24 | | L Rfree | 74 | 11 | 15 |
| Airdrie | 88 | 13 | | L St.G | 75 | 13 | 12 |
| Antrim | 95 | 5 | | L West | 89 | 2 | 8 |
| B Heart | 81 | 16 | 3 | Leeds | 72 | 19 | 9 |
| B QEH | 75 | 19 | 6 | Leic | 67 | 20 | 13 |
| Bangor | 81 | 19 | | Liv Ain | 94 | 6 | |
| Basldn | 94 | 6 | | Liv RI | 57 | 30 | 13 |
| Belfast | 87 | 8 | 4 | M Hope | 55 | 31 | 14 |
| Bradfd | 83 | 14 | 3 | M RI | 65 | 21 | 14 |
| Brightn | 72 | 28 | | Middlbr | 83 | 12 | 5 |
| Bristol | 79 | 11 | 11 | Newc | 65 | 17 | 18 |
| Camb | 63 | 11 | 26 | Newry | 90 | 10 | |
| Cardff | 73 | 19 | 8 | Norwch | 74 | 26 | |
| Carlisle | 76 | 24 | | Nottm | 66 | 27 | 6 |
| Carsh | 85 | 8 | 7 | Oxford | 65 | 21 | 14 |
| Chelms | 62 | 38 | | Plymth | 69 | 27 | 4 |
| Clwyd | 92 | 8 | | Ports | 65 | 26 | 9 |
| Colchr | 100 | | | Prestn | 83 | 14 | 3 |
| Covnt | 71 | 23 | 6 | Redng | 52 | 38 | 10 |

Table F.1.3. Continued

| Centre | % HD | % PD | % transplant | Centre | % HD | % PD | % transplant |
|----------|------|------|--------------|------------------|-----------|-----------|--------------|
| D & Gall | 90 | 10 | | Sheff | 78 | 15 | 7 |
| Derby | 50 | 50 | | Shrew | 84 | 16 | |
| Derry | 94 | | 6 | Stevng | 76 | 19 | 5 |
| Donc | 86 | 14 | | Sthend | 83 | 10 | 7 |
| Dorset | 75 | 18 | 7 | Stoke | 74 | 24 | 2 |
| Dudley | 78 | 22 | | Sund | 69 | 27 | 4 |
| Dundee | 94 | 6 | | Swanse | 84 | 15 | 1 |
| Dunfn | 89 | 11 | | Truro | 79 | 19 | 2 |
| Edinb | 75 | 21 | 4 | Tyrone | 100 | | |
| Exeter | 82 | 16 | 1 | Ulster | 95 | 5 | |
| Glasgw | 88 | 11 | 1 | Wirral | 79 | 21 | |
| Glouc | 83 | 12 | 5 | Wolve | 60 | 39 | 1 |
| Hull | 76 | 24 | | Wrexm | 54 | 46 | |
| Inverns | 63 | 37 | | York | 86 | 8 | 6 |
| Ipswi | 65 | 21 | 15 | England | 73 | 19 | 8 |
| Kent | 76 | 16 | 7 | N Ireland | 92 | 6 | 2 |
| Klmarnk | 65 | 35 | | Scotland | 82 | 17 | 1 |
| L Barts | 66 | 28 | 6 | Wales | 77 | 19 | 4 |
| L Guys | 69 | 9 | 22 | UK | 75 | 18 | 7 |
| L Kings | 74 | 25 | 1 | | | | |

Table F.1.4. First treatment modality, patient numbers (2010 incident cohort)

| | HD | PD | Transplant |
|-----------|--------------|--------------|------------|
| England | 4,103 | 1,051 | 433 |
| N Ireland | 166 | 11 | 4 |
| Scotland | 407 | 82 | 5 |
| Wales | 297 | 72 | 17 |
| UK | 4,973 | 1,216 | 459 |

Table F.1.5. Gender breakdown by treatment modality at 90 days (1/10/2009 to 30/09/2010 incident cohort)

| Centre | HD | | | PD | | |
|----------|--------|----------|-----------|--------|----------|-----------|
| | % male | % female | M:F ratio | % male | % female | M:F ratio |
| Abrdn | 59 | 41 | 1.4 | 73 | 27 | 2.7 |
| Airdrie | 65 | 35 | 1.8 | 50 | 50 | 1.0 |
| Antrim | 64 | 36 | 1.8 | 50 | 50 | 1.0 |
| B Heart | 71 | 29 | 2.4 | 67 | 33 | 2.0 |
| B QEH | 68 | 33 | 2.1 | 50 | 50 | 1.0 |
| Bangor | 60 | 40 | 1.5 | 20 | 80 | 0.3 |
| Basldn | 64 | 36 | 1.7 | | 100 | |
| Belfast | 64 | 37 | 1.7 | 33 | 67 | 0.5 |
| Bradfd | 59 | 42 | 1.4 | 43 | 57 | 0.8 |
| Brightn | 66 | 34 | 1.9 | 73 | 27 | 2.7 |
| Bristol | 64 | 36 | 1.8 | 75 | 25 | 3.0 |
| Camb | 61 | 39 | 1.5 | 67 | 33 | 2.0 |
| Cardff | 71 | 29 | 2.4 | 61 | 39 | 1.5 |
| Carlis | 44 | 56 | 0.8 | 100 | | |
| Carsh | 71 | 29 | 2.4 | 60 | 40 | 1.5 |
| Chelms | 67 | 33 | 2.0 | 79 | 21 | 3.7 |
| Clwyd | 40 | 60 | 0.7 | 100 | | |
| Colchr | 64 | 36 | 1.7 | | | |
| Covnt | 67 | 33 | 2.0 | 71 | 29 | 2.5 |
| D & Gall | 70 | 30 | 2.3 | 50 | 50 | 1.0 |

Table F.1.5. Continued

| Centre | HD | | | PD | | |
|------------------|-----------|-----------|------------|-----------|-----------|------------|
| | % male | % female | M:F ratio | % male | % female | M:F ratio |
| Derby | 68 | 32 | 2.1 | 73 | 27 | 2.7 |
| Donc | 71 | 29 | 2.4 | 78 | 22 | 3.5 |
| Dorset | 71 | 29 | 2.5 | 54 | 46 | 1.2 |
| Dudley | 73 | 27 | 2.7 | 85 | 15 | 5.5 |
| Dundee | 53 | 47 | 1.1 | 75 | 25 | 3.0 |
| Dunfn | 61 | 39 | 1.5 | 50 | 50 | 1.0 |
| Edinb | 54 | 46 | 1.2 | 33 | 67 | 0.5 |
| Exeter | 56 | 44 | 1.3 | 58 | 42 | 1.4 |
| Glasgw | 65 | 35 | 1.8 | 31 | 69 | 0.4 |
| Glouc | 79 | 21 | 3.7 | 25 | 75 | 0.3 |
| Hull | 69 | 32 | 2.2 | 68 | 32 | 2.2 |
| Inverns | 64 | 36 | 1.8 | 64 | 36 | 1.7 |
| Ipswi | 57 | 43 | 1.3 | 25 | 75 | 0.3 |
| Kent | 63 | 37 | 1.7 | 71 | 29 | 2.5 |
| Klmarnk | 57 | 43 | 1.3 | 71 | 29 | 2.4 |
| L Barts | 59 | 41 | 1.4 | 63 | 37 | 1.7 |
| L Guys | 61 | 39 | 1.5 | 50 | 50 | 1.0 |
| L Kings | 61 | 40 | 1.5 | 62 | 38 | 1.6 |
| L Rfree | 62 | 38 | 1.6 | 76 | 24 | 3.2 |
| L St.G | 63 | 37 | 1.7 | 55 | 46 | 1.2 |
| L West | 61 | 39 | 1.6 | 67 | 33 | 2.0 |
| Leeds | 61 | 39 | 1.6 | 62 | 39 | 1.6 |
| Leic | 64 | 37 | 1.7 | 71 | 29 | 2.5 |
| Liv Ain | 69 | 31 | 2.2 | 100 | | |
| Liv RI | 56 | 44 | 1.3 | 52 | 48 | 1.1 |
| M Hope | 55 | 45 | 1.2 | 57 | 43 | 1.3 |
| M RI | 54 | 46 | 1.2 | 71 | 29 | 2.4 |
| Middlbr | 55 | 45 | 1.2 | 85 | 15 | 5.5 |
| Newc | 61 | 39 | 1.6 | 53 | 47 | 1.1 |
| Newry | 74 | 26 | 2.8 | 100 | | |
| Norwch | 58 | 42 | 1.4 | 36 | 64 | 0.6 |
| Nottm | 73 | 27 | 2.7 | 63 | 37 | 1.7 |
| Oxford | 59 | 41 | 1.4 | 64 | 36 | 1.8 |
| Plymth | 68 | 32 | 2.2 | 56 | 44 | 1.3 |
| Ports | 66 | 34 | 1.9 | 71 | 29 | 2.5 |
| Prestn | 68 | 32 | 2.1 | 54 | 46 | 1.2 |
| Redng | 57 | 43 | 1.3 | 71 | 29 | 2.5 |
| Sheff | 57 | 43 | 1.3 | 57 | 43 | 1.3 |
| Shrew | 56 | 44 | 1.3 | 60 | 40 | 1.5 |
| Stevng | 68 | 33 | 2.1 | 69 | 31 | 2.2 |
| Sthend | 57 | 43 | 1.3 | 33 | 67 | 0.5 |
| Stoke | 62 | 38 | 1.6 | 58 | 42 | 1.4 |
| Sund | 50 | 50 | 1.0 | 77 | 24 | 3.3 |
| Swanse | 60 | 40 | 1.5 | 65 | 35 | 1.9 |
| Truro | 54 | 46 | 1.2 | 36 | 64 | 0.6 |
| Tyrone | 64 | 36 | 1.7 | | 100 | |
| Ulster | 63 | 37 | 1.7 | | 100 | |
| Wirral | 71 | 29 | 2.5 | 33 | 67 | 0.5 |
| Wolve | 69 | 31 | 2.3 | 65 | 36 | 1.8 |
| Wrexm | 64 | 36 | 1.7 | 75 | 25 | 3.0 |
| York | 59 | 41 | 1.5 | 83 | 17 | 5.0 |
| England | 63 | 37 | 1.7 | 63 | 37 | 1.7 |
| N Ireland | 65 | 35 | 1.9 | 44 | 56 | 0.8 |
| Scotland | 61 | 39 | 1.5 | 55 | 45 | 1.2 |
| Wales | 65 | 35 | 1.8 | 62 | 38 | 1.7 |
| UK | 63 | 37 | 1.7 | 62 | 38 | 1.7 |

F:2 Prevalent patients on 31/12/2010**Table F.2.1.** Treatment modalities for 2010 prevalent patients aged under and over 65

| Centre | Patients aged <65 | | | | Patients aged ≥65 | | | |
|----------|-------------------|------|--------------|-------|-------------------|------|--------------|-------|
| | % HD | % PD | % transplant | HD:PD | % HD | % PD | % transplant | HD:PD |
| Abrdn | 30 | 8 | 62 | 3.9 | 75 | 4 | 21 | 20.6 |
| Airdrie | 46 | 3 | 51 | 13.1 | 80 | 3 | 16 | 26.0 |
| Antrim | 42 | 3 | 55 | 15.7 | 77 | 8 | 15 | 10.3 |
| B Heart | 56 | 8 | 36 | 7.3 | 81 | 6 | 13 | 14.3 |
| B QEH | 35 | 8 | 57 | 4.2 | 71 | 8 | 21 | 8.4 |
| Bangor | 76 | 24 | | 3.2 | 78 | 22 | | 3.5 |
| Basldn | 54 | 9 | 36 | 5.7 | 77 | 14 | 9 | 5.4 |
| Belfast | 25 | 4 | 71 | 6.5 | 58 | 6 | 36 | 10.0 |
| Bradfd | 31 | 9 | 60 | 3.6 | 63 | 7 | 30 | 9.4 |
| Brightn | 31 | 9 | 60 | 3.3 | 64 | 14 | 22 | 4.5 |
| Bristol | 24 | 5 | 71 | 5.1 | 63 | 5 | 32 | 11.7 |
| Camb | 19 | 3 | 78 | 7.1 | 68 | 5 | 27 | 13.0 |
| Cardff | 20 | 5 | 75 | 3.7 | 61 | 10 | 29 | 6.2 |
| Carlisle | 20 | 6 | 74 | 3.4 | 50 | 8 | 42 | 6.6 |
| Carsh | 36 | 7 | 57 | 5.4 | 76 | 8 | 15 | 9.0 |
| Chelms | 36 | 14 | 49 | 2.5 | 71 | 15 | 14 | 4.7 |
| Clwyd | 45 | 5 | 50 | 9.3 | 65 | 4 | 31 | 15.5 |
| Colchr | 100 | | | 0.0 | 100 | | | 0.0 |
| Covnt | 31 | 8 | 61 | 3.9 | 63 | 14 | 23 | 4.7 |
| D & Gall | 31 | 5 | 64 | 6.0 | 73 | 10 | 18 | 7.3 |
| Derby | 33 | 22 | 44 | 1.5 | 66 | 22 | 13 | 3.0 |
| Derry | 43 | 1 | 56 | 31.0 | 77 | 3 | 21 | 30.0 |
| Donc | 54 | 12 | 35 | 4.6 | 81 | 10 | 9 | 8.2 |
| Dorset | 28 | 5 | 67 | 5.1 | 57 | 14 | 29 | 4.1 |
| Dudley | 40 | 25 | 35 | 1.6 | 70 | 14 | 17 | 5.1 |
| Dundee | 29 | 7 | 64 | 4.1 | 67 | 6 | 26 | 10.7 |
| Dunfn | 42 | 6 | 52 | 6.5 | 65 | 15 | 20 | 4.4 |
| Edinb | 31 | 6 | 63 | 5.2 | 58 | 10 | 32 | 5.7 |
| Exeter | 26 | 9 | 65 | 2.8 | 72 | 11 | 17 | 6.7 |
| Glasgw | 32 | 4 | 65 | 9.1 | 66 | 4 | 30 | 18.2 |
| Glouc | 28 | 13 | 59 | 2.1 | 76 | 8 | 16 | 9.1 |
| Hull | 32 | 8 | 60 | 3.9 | 72 | 12 | 16 | 6.1 |
| Inverns | 21 | 8 | 71 | 2.8 | 71 | 14 | 14 | 4.9 |
| Ipswi | 26 | 9 | 65 | 3.1 | 58 | 16 | 26 | 3.6 |
| Kent | 29 | 8 | 63 | 3.9 | 68 | 11 | 21 | 6.2 |
| Klmarnk | 41 | 13 | 46 | 3.1 | 75 | 18 | 7 | 4.2 |
| L Barts | 37 | 10 | 53 | 3.7 | 67 | 13 | 20 | 5.2 |
| L Guys | 26 | 2 | 72 | 12.8 | 60 | 5 | 34 | 11.1 |
| L Kings | 42 | 10 | 48 | 4.1 | 69 | 13 | 17 | 5.1 |
| L Rfree | 30 | 3 | 66 | 9.0 | 65 | 6 | 28 | 10.2 |
| L St.G | 28 | 8 | 64 | 3.7 | 67 | 10 | 24 | 7.0 |
| L West | 33 | 1 | 66 | 29.9 | 72 | 2 | 26 | 43.9 |
| Leeds | 24 | 6 | 69 | 3.7 | 61 | 8 | 30 | 7.2 |
| Leic | 32 | 7 | 61 | 4.4 | 66 | 13 | 21 | 5.0 |
| Liv Ain | 95 | 5 | | 20.3 | 96 | 4 | | 23.7 |
| Liv RI | 24 | 6 | 70 | 3.8 | 52 | 9 | 40 | 6.1 |
| M Hope | 36 | 15 | 49 | 2.5 | 61 | 15 | 24 | 4.0 |
| M RI | 23 | 5 | 72 | 4.8 | 57 | 8 | 35 | 6.7 |
| Middlbr | 27 | 3 | 71 | 9.5 | 66 | 4 | 31 | 18.1 |
| Newc | 23 | 6 | 72 | 4.1 | 49 | 7 | 44 | 6.6 |
| Newry | 49 | 5 | 47 | 10.2 | 81 | 6 | 14 | 14.5 |
| Norwch | 34 | 8 | 59 | 4.3 | 73 | 10 | 17 | 7.4 |

Table F.2.1. Continued

| Centre | Patients aged <65 | | | | Patients aged ≥65 | | | |
|------------------|-------------------|----------|--------------|------------|-------------------|-----------|--------------|-------------|
| | % HD | % PD | % transplant | HD:PD | % HD | % PD | % transplant | HD:PD |
| Nottm | 29 | 9 | 63 | 3.3 | 72 | 10 | 18 | 7.3 |
| Oxford | 18 | 7 | 75 | 2.8 | 50 | 12 | 38 | 4.4 |
| Plymth | 20 | 8 | 73 | 2.6 | 46 | 14 | 40 | 3.2 |
| Ports | 26 | 6 | 68 | 4.4 | 58 | 12 | 30 | 5.0 |
| Prestn | 41 | 6 | 52 | 6.5 | 72 | 7 | 22 | 10.6 |
| Redng | 27 | 14 | 59 | 2.0 | 62 | 13 | 25 | 4.7 |
| Sheff | 38 | 5 | 58 | 8.4 | 69 | 7 | 24 | 10.4 |
| Shrew | 48 | 6 | 46 | 7.6 | 75 | 7 | 18 | 11.0 |
| Stevng | 51 | 6 | 42 | 8.0 | 83 | 5 | 12 | 16.2 |
| Sthend | 47 | 13 | 41 | 3.6 | 75 | 3 | 22 | 24.0 |
| Stoke | 36 | 9 | 55 | 3.9 | 64 | 16 | 20 | 4.1 |
| Sund | 39 | 10 | 51 | 3.8 | 69 | 6 | 25 | 10.9 |
| Swanse | 43 | 9 | 48 | 4.7 | 79 | 8 | 13 | 10.0 |
| Truro | 31 | 5 | 64 | 6.2 | 62 | 13 | 25 | 4.8 |
| Tyrone | 49 | 6 | 45 | 7.8 | 86 | 6 | 8 | 14.0 |
| Ulster | 60 | 5 | 36 | 12.5 | 97 | | 3 | 0.0 |
| Wirral | 78 | 22 | | 3.6 | 89 | 11 | | 8.5 |
| Wolve | 49 | 13 | 38 | 3.8 | 77 | 15 | 8 | 5.1 |
| Wrexm | 24 | 7 | 69 | 3.4 | 53 | 15 | 32 | 3.6 |
| York | 36 | 6 | 58 | 5.6 | 63 | 9 | 28 | 7.3 |
| England | 32 | 7 | 61 | 4.6 | 67 | 9 | 24 | 7.1 |
| N Ireland | 35 | 4 | 61 | 9.1 | 75 | 5 | 20 | 14.4 |
| Scotland | 33 | 6 | 61 | 5.8 | 68 | 8 | 24 | 8.9 |
| Wales | 28 | 7 | 65 | 4.0 | 67 | 10 | 22 | 6.6 |
| UK | 32 | 7 | 62 | 4.7 | 67 | 9 | 24 | 7.4 |

Table F.2.2. Number of 2010 prevalent patients under and over 65 per treatment modality

| | Patients aged <65 | | | Patients aged ≥65 | | |
|-----------|-------------------|--------------|---------------|-------------------|--------------|--------------|
| | HD | PD | Transplant | HD | PD | Transplant |
| England | 8,845 | 1,937 | 17,183 | 9,822 | 1,374 | 3,499 |
| N Ireland | 317 | 35 | 550 | 404 | 28 | 110 |
| Scotland | 959 | 166 | 1,788 | 926 | 104 | 328 |
| Wales | 453 | 112 | 1,069 | 636 | 96 | 212 |
| UK | 10,574 | 2,250 | 20,590 | 11,788 | 1,602 | 4,149 |

Table F.2.3. Dialysis modalities for 2010 prevalent patients aged under 65

| Centre | % home HD | % hospital HD | % satellite HD | % CAPD | % unknown type of PD | % APD |
|----------|-----------|---------------|----------------|--------|----------------------|-------|
| Abrdn | 4 | 76 | 0 | 10 | 0 | 11 |
| Airdrie | 0 | 93 | 0 | 2 | 0 | 5 |
| Antrim | 6 | 86 | 2 | 0 | 2 | 4 |
| B Heart | 7 | 75 | 6 | 9 | 0 | 3 |
| B QEH | 5 | 18 | 58 | 9 | 0 | 10 |
| Bangor | 17 | 50 | 9 | 7 | 0 | 17 |
| Basldn | 0 | 85 | 0 | 7 | 0 | 8 |
| Belfast | 6 | 80 | 0 | 0 | 1 | 13 |
| Bradfd | 0 | 70 | 9 | 2 | 0 | 20 |
| Brightn | 10 | 42 | 25 | 8 | 0 | 15 |
| Bristol | 9 | 16 | 59 | 8 | 0 | 9 |
| Camb | 6 | 42 | 39 | 0 | 12 | 0 |
| Cardff | 11 | 24 | 44 | 17 | 0 | 4 |
| Carlisle | 0 | 60 | 17 | 14 | 0 | 9 |
| Carsh | 2 | 38 | 44 | 4 | 0 | 12 |
| Chelms | 0 | 72 | 0 | 16 | 0 | 12 |
| Clwyd | 0 | 90 | 0 | 7 | 0 | 2 |
| Colchr | 0 | 98 | 2 | 0 | 0 | 0 |
| Covnt | 1 | 79 | 0 | 20 | 0 | 0 |
| D & Gall | 0 | 86 | 0 | 7 | 0 | 7 |
| Derby | 14 | 46 | 0 | 31 | 0 | 9 |
| Derry | 3 | 91 | 3 | 0 | 0 | 3 |
| Donc | 0 | 52 | 30 | 4 | 0 | 14 |
| Dorset | 1 | 23 | 60 | 10 | 0 | 7 |
| Dudley | 2 | 39 | 21 | 23 | 0 | 16 |
| Dundee | 0 | 80 | 0 | 2 | 0 | 17 |
| Dunfn | 0 | 87 | 0 | 1 | 0 | 12 |
| Edinb | 3 | 81 | 0 | 4 | 0 | 12 |
| Exeter | 2 | 18 | 54 | 10 | 0 | 16 |
| Glasgw | 7 | 83 | 0 | 4 | 0 | 6 |
| Glouc | 0 | 68 | 0 | 4 | 0 | 28 |
| Hull | 4 | 40 | 36 | 8 | 0 | 12 |
| Inverns | 9 | 64 | 0 | 22 | 0 | 4 |
| Ipswi | 3 | 63 | 10 | 10 | 0 | 15 |
| Kent | 5 | 26 | 49 | 20 | 0 | 0 |
| Klmarnk | 5 | 71 | 0 | 3 | 0 | 21 |
| L Barts | 1 | 28 | 50 | 8 | 0 | 13 |
| L Guys | 10 | 27 | 56 | 2 | 0 | 5 |
| L Kings | 0 | 36 | 45 | 5 | 0 | 15 |
| L Rfree | 2 | 18 | 70 | 1 | 0 | 9 |
| L St.G | 4 | 42 | 33 | 4 | 0 | 17 |
| L West | 2 | 26 | 69 | 1 | 0 | 2 |
| Leeds | 5 | 22 | 52 | 6 | 0 | 15 |
| Leic | 4 | 20 | 57 | 5 | 0 | 13 |
| Liv Ain | 6 | 13 | 76 | 1 | 0 | 4 |
| Liv RI | 6 | 35 | 38 | 5 | 0 | 15 |
| M Hope | 5 | 35 | 31 | 22 | 0 | 6 |
| M RI | 19 | 30 | 34 | 4 | 0 | 13 |
| Middlbr | 5 | 35 | 51 | 9 | 0 | 1 |
| Newc | 8 | 72 | 0 | 3 | 1 | 16 |
| Newry | 7 | 84 | 0 | 0 | 0 | 9 |
| Norwch | 8 | 48 | 25 | 13 | 1 | 5 |
| Nottm | 7 | 44 | 26 | 9 | 0 | 14 |
| Oxford* | 0 | 34 | 40 | 6 | 0 | 21 |
| Plymth | 5 | 67 | 0 | 18 | 0 | 10 |
| Ports | 1 | 22 | 59 | 18 | 0 | 0 |

Table F.2.3. Continued

| Centre | % home HD | % hospital HD | % satellite HD | % CAPD | % unknown type of PD | % APD |
|-------------------|-----------|---------------|----------------|-----------|----------------------|-----------|
| Prestn | 8 | 19 | 60 | 4 | 0 | 10 |
| Redng | 1 | 57 | 9 | 33 | 0 | 0 |
| Sheff | 11 | 34 | 44 | 11 | 0 | 0 |
| Shrew | 5 | 42 | 42 | 12 | 0 | 0 |
| Stevng | 4 | 43 | 42 | 11 | 0 | 0 |
| Sthend | 3 | 75 | 0 | 22 | 0 | 0 |
| Stoke | 9 | 48 | 23 | 3 | 0 | 17 |
| Sund | 1 | 66 | 13 | 9 | 0 | 12 |
| Swanse | 9 | 48 | 25 | 12 | 0 | 6 |
| Truro | 3 | 46 | 37 | 6 | 0 | 8 |
| Tyrone | 7 | 82 | 0 | 2 | 0 | 9 |
| Ulster | 15 | 74 | 4 | 0 | 0 | 7 |
| Wirral | 3 | 34 | 41 | 5 | 0 | 17 |
| Wolve | 2 | 27 | 49 | 21 | 0 | 0 |
| Wrexm | 5 | 73 | 0 | 23 | 0 | 0 |
| York | 2 | 60 | 23 | 15 | 0 | 0 |
| England | 5 | 36 | 41 | 9 | 0 | 9 |
| N Ireland | 7 | 83 | 0 | 0 | 1 | 9 |
| Scotland** | 4 | 81 | 0 | 5 | 0 | 10 |
| Wales | 10 | 42 | 29 | 15 | 0 | 5 |
| UK | 5 | 42 | 36 | 8 | 0 | 9 |

*There are 18 patients on home haemodialysis in Oxford which were incorrectly coded as hospital haemodialysis

**All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis (except Glasgow)

Table F.2.4. Dialysis modalities for 2010 prevalent patients aged over 65

| Centre | % home HD | % hospital HD | % satellite HD | % CAPD | % unknown type of PD | % APD |
|----------|-----------|---------------|----------------|--------|----------------------|-------|
| Abrdn | 1 | 94 | 0 | 4 | 0 | 1 |
| Airdrie | 0 | 96 | 0 | 2 | 0 | 1 |
| Antrim | 0 | 90 | 1 | 1 | 0 | 8 |
| B Heart | 0 | 85 | 8 | 6 | 0 | 0 |
| B QEH | 1 | 14 | 75 | 4 | 0 | 7 |
| Bangor | 3 | 54 | 20 | 5 | 0 | 17 |
| Basldn | 0 | 83 | 1 | 8 | 0 | 8 |
| Belfast | 3 | 88 | 0 | 2 | 0 | 7 |
| Bradfd | 0 | 72 | 18 | 2 | 0 | 7 |
| Brightn | 3 | 39 | 40 | 10 | 0 | 8 |
| Bristol | 3 | 14 | 75 | 6 | 0 | 2 |
| Camb | 0 | 41 | 51 | 0 | 7 | 0 |
| Cardff | 1 | 13 | 72 | 11 | 0 | 3 |
| Carlisle | 0 | 63 | 24 | 5 | 0 | 8 |
| Carsh | 0 | 35 | 54 | 4 | 0 | 6 |
| Chelms | 0 | 82 | 0 | 12 | 0 | 5 |
| Clwyd | 3 | 91 | 0 | 6 | 0 | 0 |
| Colchr | 0 | 100 | 0 | 0 | 0 | 0 |
| Covnt | 0 | 82 | 0 | 18 | 0 | 0 |
| D & Gall | 0 | 88 | 0 | 6 | 0 | 6 |
| Derby | 15 | 60 | 0 | 22 | 0 | 3 |
| Derry | 0 | 94 | 3 | 0 | 0 | 3 |
| Donc | 0 | 50 | 39 | 0 | 0 | 11 |
| Dorset | 1 | 21 | 58 | 8 | 0 | 12 |
| Dudley | 0 | 58 | 26 | 11 | 0 | 6 |

Table F.2.4. Continued

| Centre | % home HD | % hospital HD | % satellite HD | % CAPD | % unknown type of PD | % APD |
|-------------------|-----------|---------------|----------------|-----------|----------------------|----------|
| Dundee | 0 | 91 | 0 | 1 | 0 | 8 |
| Dunfn | 0 | 81 | 0 | 3 | 0 | 15 |
| Edinb | 1 | 84 | 0 | 6 | 0 | 9 |
| Exeter | 0 | 15 | 72 | 8 | 0 | 5 |
| Glasgw | 1 | 94 | 0 | 3 | 0 | 3 |
| Glouc | 0 | 90 | 0 | 5 | 0 | 5 |
| Hull | 1 | 36 | 50 | 5 | 0 | 10 |
| Inverns | 0 | 83 | 0 | 12 | 0 | 5 |
| Ipswi | 3 | 63 | 13 | 13 | 0 | 9 |
| Kent | 2 | 26 | 58 | 14 | 0 | 0 |
| Klmarnk | 2 | 79 | 0 | 4 | 0 | 15 |
| L Barts | 0 | 28 | 56 | 8 | 0 | 8 |
| L Guys | 0 | 29 | 63 | 4 | 0 | 4 |
| L Kings | 0 | 26 | 58 | 8 | 0 | 9 |
| L Rfree | 1 | 14 | 76 | 2 | 0 | 7 |
| L St.G | 0 | 46 | 41 | 4 | 1 | 8 |
| L West | 0 | 21 | 76 | 1 | 0 | 1 |
| Leeds | 0 | 14 | 74 | 4 | 0 | 8 |
| Leic | 0 | 17 | 66 | 6 | 0 | 11 |
| Liv Ain | 3 | 7 | 86 | 1 | 0 | 3 |
| Liv RI | 1 | 45 | 40 | 8 | 0 | 6 |
| M Hope | 0 | 39 | 41 | 16 | 0 | 4 |
| M RI | 3 | 30 | 55 | 3 | 0 | 10 |
| Middlbr | 1 | 24 | 70 | 5 | 0 | 0 |
| Newc | 0 | 87 | 0 | 1 | 0 | 12 |
| Newry | 2 | 90 | 2 | 0 | 2 | 5 |
| Norwch | 2 | 49 | 37 | 9 | 0 | 3 |
| Nottm | 2 | 45 | 42 | 7 | 0 | 5 |
| Oxford* | 0 | 38 | 43 | 10 | 0 | 9 |
| Plymth | 0 | 76 | 0 | 20 | 0 | 4 |
| Ports | 0 | 19 | 65 | 17 | 0 | 0 |
| Prestn | 2 | 21 | 68 | 2 | 0 | 7 |
| Redng | 0 | 70 | 12 | 18 | 0 | 0 |
| Sheff | 3 | 38 | 51 | 9 | 0 | 0 |
| Shrew | 1 | 56 | 35 | 8 | 0 | 0 |
| Stevng | 1 | 38 | 55 | 6 | 0 | 0 |
| Sthend | 1 | 95 | 0 | 4 | 0 | 0 |
| Stoke | 0 | 53 | 28 | 7 | 0 | 13 |
| Sund | 0 | 69 | 23 | 4 | 0 | 5 |
| Swanse | 2 | 53 | 35 | 8 | 0 | 1 |
| Truro | 0 | 47 | 36 | 7 | 0 | 10 |
| Tyrone | 0 | 93 | 0 | 0 | 0 | 7 |
| Ulster | 0 | 100 | 0 | 0 | 0 | 0 |
| Wirral | 0 | 34 | 56 | 4 | 0 | 7 |
| Wolve | 0 | 19 | 64 | 16 | 0 | 0 |
| Wrexm | 2 | 76 | 0 | 20 | 0 | 2 |
| York | 0 | 54 | 34 | 12 | 0 | 0 |
| England | 1 | 37 | 49 | 7 | 0 | 5 |
| N Ireland | 1 | 92 | 0 | 1 | 0 | 5 |
| Scotland** | 1 | 89 | 0 | 4 | 0 | 6 |
| Wales | 2 | 39 | 46 | 10 | 0 | 3 |
| UK | 1 | 43 | 44 | 7 | 0 | 5 |

*There are 18 patients on home haemodialysis in Oxford which were incorrectly coded as hospital haemodialysis

**All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis (except Glasgow)

Table F.2.5. Prevalent patients 2010, age ranges by centre (%)

| Centre | 18–24 | 25–34 | 35–44 | 45–54 | 55–64 | 65–74 | 75–84 | 85+ |
|----------|-------|-------|-------|-------|-------|-------|-------|-----|
| Abrdn | 4 | 9 | 16 | 19 | 23 | 18 | 11 | 1 |
| Airdrie | 4 | 10 | 14 | 21 | 22 | 17 | 12 | 1 |
| Antrim | 1 | 5 | 15 | 14 | 16 | 28 | 17 | 4 |
| B Heart | 2 | 6 | 10 | 17 | 20 | 24 | 18 | 3 |
| B QEH | 3 | 7 | 15 | 21 | 21 | 18 | 13 | 2 |
| Bangor | 1 | 4 | 8 | 13 | 21 | 27 | 20 | 5 |
| Basldn | | 8 | 13 | 15 | 18 | 21 | 19 | 5 |
| Belfast | 3 | 9 | 16 | 25 | 20 | 15 | 10 | 2 |
| Bradfd | 5 | 12 | 14 | 21 | 18 | 18 | 9 | 2 |
| Brightn | 1 | 7 | 11 | 18 | 20 | 21 | 15 | 5 |
| Bristol | 4 | 7 | 13 | 21 | 22 | 19 | 11 | 3 |
| Camb | 2 | 8 | 16 | 19 | 23 | 17 | 13 | 3 |
| Cardff | 3 | 7 | 15 | 21 | 23 | 18 | 11 | 2 |
| Carlis | 5 | 4 | 15 | 19 | 24 | 24 | 8 | 0 |
| Carsh | 1 | 6 | 13 | 19 | 20 | 22 | 15 | 4 |
| Chelms | 1 | 6 | 8 | 14 | 26 | 20 | 18 | 6 |
| Clwyd | 2 | 5 | 8 | 21 | 28 | 19 | 15 | 2 |
| Colchr | 2 | 3 | 5 | 7 | 24 | 23 | 29 | 6 |
| Covnt | 1 | 6 | 16 | 21 | 20 | 20 | 13 | 2 |
| D & Gall | 5 | 3 | 14 | 21 | 23 | 16 | 14 | 3 |
| Derby | 1 | 5 | 10 | 18 | 20 | 25 | 18 | 3 |
| Derry | 1 | 4 | 22 | 15 | 23 | 20 | 13 | 3 |
| Donc | 4 | 5 | 9 | 13 | 25 | 24 | 16 | 5 |
| Dorset | 2 | 5 | 10 | 15 | 20 | 26 | 17 | 4 |
| Dudley | 2 | 4 | 11 | 18 | 24 | 24 | 14 | 3 |
| Dundee | 1 | 5 | 17 | 14 | 20 | 22 | 15 | 4 |
| Dunfn | 2 | 7 | 10 | 22 | 19 | 23 | 16 | 2 |
| Edinb | 2 | 8 | 16 | 23 | 23 | 18 | 9 | 1 |
| Exeter | 2 | 5 | 12 | 18 | 20 | 19 | 19 | 5 |
| Glasgw | 3 | 6 | 16 | 24 | 22 | 18 | 10 | 1 |
| Glouc | 2 | 4 | 11 | 15 | 21 | 23 | 19 | 6 |
| Hull | 2 | 7 | 14 | 21 | 22 | 20 | 11 | 2 |
| Inverns | 1 | 7 | 17 | 25 | 17 | 16 | 15 | 3 |
| Ipswi | 3 | 6 | 12 | 21 | 25 | 21 | 11 | 1 |
| Kent | 3 | 5 | 12 | 17 | 21 | 23 | 17 | 2 |
| Klmarnk | 1 | 4 | 13 | 22 | 22 | 19 | 16 | 3 |
| L Barts | 2 | 9 | 15 | 26 | 22 | 16 | 9 | 1 |
| L Guys | 4 | 9 | 18 | 24 | 20 | 15 | 9 | 2 |
| L Kings | 1 | 7 | 16 | 24 | 20 | 19 | 13 | 2 |
| L Rfree | 3 | 9 | 15 | 20 | 21 | 17 | 11 | 3 |
| L St.G | 1 | 7 | 13 | 21 | 23 | 19 | 13 | 3 |
| L West | 1 | 7 | 13 | 22 | 24 | 21 | 11 | 2 |
| Leeds | 3 | 9 | 15 | 20 | 21 | 19 | 11 | 2 |
| Leic | 2 | 6 | 14 | 19 | 23 | 20 | 13 | 2 |
| Liv Ain | | 6 | 8 | 13 | 26 | 22 | 22 | 3 |
| Liv RI | 2 | 9 | 16 | 26 | 22 | 16 | 9 | 1 |
| M Hope | 2 | 7 | 17 | 21 | 23 | 19 | 10 | 1 |
| M RI | 5 | 8 | 17 | 25 | 21 | 15 | 8 | 1 |
| Middlbr | 2 | 6 | 14 | 23 | 20 | 20 | 14 | 2 |
| Newc | 3 | 7 | 13 | 23 | 25 | 19 | 9 | 1 |
| Newry | 4 | 9 | 8 | 18 | 21 | 27 | 12 | 2 |
| Norwch | 2 | 6 | 12 | 17 | 18 | 24 | 18 | 4 |
| Nottm | 5 | 7 | 14 | 20 | 21 | 19 | 12 | 2 |
| Oxford | 3 | 8 | 16 | 23 | 21 | 17 | 11 | 2 |
| Plymth | 1 | 7 | 13 | 22 | 20 | 22 | 13 | 2 |
| Ports | 3 | 7 | 14 | 22 | 23 | 18 | 12 | 1 |
| Prestn | 2 | 7 | 14 | 20 | 23 | 20 | 14 | 2 |

Table F.2.5. Continued

| Centre | 18–24 | 25–34 | 35–44 | 45–54 | 55–64 | 65–74 | 75–84 | 85+ |
|------------------|----------|----------|-----------|-----------|-----------|-----------|-----------|----------|
| Redng | 1 | 6 | 14 | 18 | 22 | 20 | 15 | 4 |
| Sheff | 2 | 7 | 13 | 21 | 23 | 19 | 13 | 3 |
| Shrew | 2 | 5 | 10 | 19 | 19 | 24 | 18 | 1 |
| Stevng | 3 | 5 | 15 | 18 | 20 | 21 | 15 | 2 |
| Sthend | 2 | 6 | 11 | 15 | 22 | 23 | 17 | 6 |
| Stoke | 3 | 7 | 14 | 20 | 19 | 20 | 15 | 2 |
| Sund | 2 | 6 | 15 | 25 | 22 | 19 | 9 | 1 |
| Swanse | 2 | 4 | 10 | 13 | 23 | 24 | 20 | 5 |
| Truro | 1 | 4 | 13 | 13 | 22 | 21 | 20 | 5 |
| Tyrone | 3 | 8 | 13 | 14 | 17 | 23 | 16 | 6 |
| Ulster | 1 | 5 | 4 | 11 | 16 | 28 | 29 | 6 |
| Wirral | 2 | 4 | 11 | 16 | 20 | 23 | 20 | 4 |
| Wolve | 1 | 6 | 11 | 20 | 19 | 22 | 17 | 3 |
| Wrexm | 4 | 7 | 14 | 21 | 17 | 19 | 15 | 2 |
| York | 4 | 9 | 13 | 19 | 21 | 17 | 12 | 6 |
| England | 2 | 7 | 14 | 21 | 22 | 19 | 13 | 2 |
| N Ireland | 2 | 8 | 14 | 20 | 19 | 21 | 14 | 3 |
| Scotland | 3 | 7 | 16 | 22 | 22 | 18 | 12 | 2 |
| Wales | 3 | 6 | 13 | 19 | 23 | 20 | 14 | 3 |
| UK | 2 | 7 | 14 | 21 | 21 | 19 | 13 | 2 |

Table F.2.6. Dialysis modalities for 2010 prevalent non-diabetic patients (all ages)

| Centre | % home HD | % hospital HD | % satellite HD | % CAPD | % unknown type of PD | % APD |
|----------|-----------|---------------|----------------|--------|----------------------|-------|
| Abrdn | 3 | 84 | 0 | 0 | 0 | 13 |
| Airdrie | 0 | 94 | 0 | 0 | 0 | 6 |
| Antrim | 2 | 86 | 2 | 0 | 1 | 8 |
| B Heart | 4 | 79 | 7 | 0 | 0 | 10 |
| B QEH | 4 | 16 | 65 | 0 | 0 | 16 |
| Bangor | 10 | 53 | 14 | 0 | 0 | 23 |
| Basldn | 0 | 84 | 1 | 0 | 0 | 15 |
| Belfast | 5 | 83 | 0 | 0 | 0 | 11 |
| Bradfd | 0 | 65 | 16 | 0 | 0 | 18 |
| Brightn | 6 | 39 | 36 | 0 | 0 | 19 |
| Bristol | 6 | 14 | 66 | 0 | 0 | 13 |
| Camb | 2 | 42 | 46 | 0 | 0 | 0 |
| Cardff | 6 | 19 | 58 | 0 | 0 | 17 |
| Carlisle | 0 | 59 | 24 | 2 | 0 | 16 |
| Carsh | 2 | 36 | 50 | 0 | 0 | 13 |
| Chelms | 0 | 75 | 0 | 1 | 1 | 23 |
| Clwyd | 2 | 89 | 0 | 2 | 0 | 7 |
| Colchr | 0 | 98 | 2 | 0 | 0 | 0 |
| Covnt | 1 | 81 | 0 | 0 | 0 | 19 |
| D & Gall | 0 | 88 | 0 | 0 | 0 | 12 |
| Derby | 14 | 55 | 0 | 1 | 0 | 29 |
| Derry | 2 | 90 | 4 | 0 | 0 | 4 |
| Donc | 0 | 51 | 37 | 0 | 1 | 11 |
| Dorset | 1 | 22 | 57 | 0 | 0 | 20 |
| Dudley | 1 | 46 | 25 | 0 | 5 | 23 |
| Dundee | 0 | 85 | 0 | 0 | 0 | 15 |
| Dunfn | 0 | 81 | 0 | 0 | 0 | 19 |
| Edinb | 2 | 83 | 0 | 0 | 0 | 15 |

Table F.2.6. Continued

| Centre | % home HD | % hospital HD | % satellite HD | % CAPD | % unknown type of PD | % APD |
|-------------------|-----------|---------------|----------------|----------|----------------------|-----------|
| Exeter | 1 | 16 | 66 | 0 | 0 | 17 |
| Glasgw | 5 | 88 | 0 | 0 | 0 | 8 |
| Glouc | 0 | 81 | 0 | 0 | 0 | 19 |
| Hull | 3 | 38 | 43 | 0 | 0 | 17 |
| Inverns | 4 | 72 | 0 | 0 | 0 | 25 |
| Ipswi | 2 | 62 | 13 | 1 | 1 | 21 |
| Kent | 3 | 25 | 56 | 4 | 0 | 11 |
| Klmarnk | 4 | 73 | 0 | 0 | 0 | 23 |
| L Barts | 1 | 27 | 52 | 0 | 0 | 20 |
| L Guys | 7 | 25 | 59 | 0 | 5 | 3 |
| L Kings | 0 | 31 | 50 | 0 | 0 | 18 |
| L St.G | 3 | 44 | 35 | 0 | 0 | 17 |
| L West | 1 | 24 | 72 | 0 | 0 | 3 |
| Leeds | 3 | 18 | 62 | 0 | 0 | 17 |
| Leic | 3 | 18 | 61 | 0 | 0 | 18 |
| Liv RI | 4 | 39 | 40 | 0 | 0 | 17 |
| M Hope | 5 | 33 | 37 | 0 | 0 | 24 |
| M RI | 14 | 25 | 43 | 0 | 1 | 17 |
| Middlbr | 3 | 27 | 63 | 0 | 0 | 7 |
| Newc | 5 | 77 | 0 | 1 | 0 | 16 |
| Newry | 4 | 87 | 1 | 0 | 0 | 8 |
| Norwch | 5 | 49 | 32 | 0 | 3 | 11 |
| Nottm | 4 | 42 | 36 | 0 | 0 | 18 |
| Oxford* | 0 | 37 | 42 | 0 | 1 | 20 |
| Plymth | 3 | 71 | 0 | 0 | 0 | 26 |
| Ports | 1 | 18 | 63 | 0 | 0 | 18 |
| Prestn | 5 | 19 | 64 | 0 | 0 | 12 |
| Redng | 0 | 65 | 11 | 0 | 0 | 24 |
| Sheff | 8 | 35 | 48 | 0 | 0 | 8 |
| Shrew | 3 | 48 | 39 | 0 | 0 | 10 |
| Stevng | 3 | 39 | 47 | 0 | 0 | 10 |
| Sthend | 2 | 86 | 0 | 0 | 0 | 13 |
| Stoke | 5 | 48 | 26 | 0 | 0 | 20 |
| Sund | 1 | 64 | 18 | 0 | 1 | 16 |
| Swanse | 5 | 51 | 31 | 0 | 0 | 12 |
| Truro | 1 | 48 | 33 | 0 | 0 | 18 |
| Tyrone | 3 | 89 | 0 | 0 | 0 | 8 |
| Ulster | 6 | 93 | 0 | 0 | 0 | 1 |
| Wolve | 2 | 21 | 58 | 0 | 0 | 20 |
| Wrexm | 3 | 75 | 0 | 0 | 1 | 21 |
| York | 1 | 56 | 29 | 0 | 0 | 14 |
| England | 3 | 37 | 44 | 0 | 0 | 15 |
| N Ireland | 4 | 88 | 0 | 0 | 0 | 8 |
| Scotland** | 3 | 84 | 0 | 0 | 0 | 13 |
| Wales | 6 | 40 | 38 | 0 | 0 | 16 |
| UK | 3 | 43 | 38 | 0 | 0 | 15 |

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral and Liverpool Aintree) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

*There are 18 patients on home haemodialysis in Oxford which were incorrectly coded as hospital haemodialysis.

**All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis (except Glasgow)

Table F.2.7. Number of 2010 prevalent non-diabetic patients by treatment modality

| | HD | PD | Transplant |
|-----------|---------------|--------------|---------------|
| England | 13,421 | 2,475 | 17,460 |
| N Ireland | 561 | 51 | 614 |
| Scotland | 1,502 | 226 | 1,926 |
| Wales | 861 | 166 | 1,143 |
| UK | 16,345 | 2,918 | 21,143 |

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral and Liverpool Aintree) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

Table F.2.8. Dialysis modalities for 2010 prevalent non-diabetic patients aged under 65

| Centre | % home HD | % hospital HD | % satellite HD | % CAPD | % unknown type of PD | % APD |
|----------|-----------|---------------|----------------|--------|----------------------|-------|
| Abrdn | 5 | 76 | 0 | 0 | 0 | 19 |
| Airdrie | 0 | 91 | 0 | 0 | 0 | 9 |
| Antrim | 7 | 78 | 4 | 0 | 0 | 7 |
| B Heart | 7 | 75 | 5 | 0 | 0 | 13 |
| B QEH | 5 | 18 | 57 | 0 | 0 | 20 |
| Bangor | 19 | 47 | 12 | 0 | 0 | 23 |
| Basldn | 0 | 84 | 0 | 0 | 0 | 16 |
| Belfast | 7 | 81 | 0 | 0 | 1 | 11 |
| Bradfd | 0 | 65 | 10 | 0 | 0 | 25 |
| Brightn | 10 | 39 | 29 | 0 | 0 | 22 |
| Bristol | 10 | 15 | 58 | 0 | 1 | 17 |
| Camb | 6 | 45 | 37 | 0 | 0 | 0 |
| Cardff | 12 | 24 | 43 | 0 | 0 | 22 |
| Carlisle | 0 | 57 | 21 | 4 | 0 | 18 |
| Carsh | 3 | 39 | 42 | 0 | 0 | 16 |
| Chelms | 0 | 69 | 0 | 2 | 2 | 27 |
| Clwyd | 0 | 87 | 0 | 3 | 0 | 10 |
| Colchr | 0 | 96 | 4 | 0 | 0 | 0 |
| Covnt | 1 | 81 | 0 | 0 | 0 | 18 |
| D & Gall | 0 | 89 | 0 | 0 | 0 | 11 |
| Derby | 15 | 47 | 0 | 3 | 0 | 36 |
| Derry | 4 | 88 | 4 | 0 | 0 | 4 |
| Donc | 0 | 55 | 28 | 0 | 2 | 15 |
| Dorset | 0 | 25 | 56 | 0 | 0 | 19 |
| Dudley | 2 | 38 | 23 | 0 | 9 | 28 |
| Dundee | 0 | 75 | 0 | 0 | 0 | 25 |
| Dunfn | 0 | 84 | 0 | 0 | 0 | 16 |
| Edinb | 4 | 80 | 0 | 0 | 0 | 16 |
| Exeter | 3 | 16 | 53 | 0 | 0 | 28 |
| Glasgw | 8 | 82 | 0 | 0 | 0 | 10 |
| Glouc | 0 | 66 | 0 | 0 | 0 | 34 |
| Hull | 5 | 40 | 34 | 0 | 0 | 21 |

Table F.2.8. Continued

| Centre | % home HD | % hospital HD | % satellite HD | % CAPD | % unknown type of PD | % APD |
|-------------------|-----------|---------------|----------------|----------|----------------------|-----------|
| Inverns | 10 | 57 | 0 | 0 | 0 | 33 |
| Ipswi | 2 | 58 | 12 | 2 | 0 | 26 |
| Kent | 5 | 25 | 49 | 7 | 0 | 14 |
| Klmarnk | 7 | 68 | 0 | 0 | 0 | 25 |
| L Barts | 2 | 29 | 49 | 0 | 0 | 21 |
| L Guys | 12 | 26 | 55 | 0 | 5 | 2 |
| L Kings | 0 | 37 | 44 | 0 | 0 | 19 |
| L St.G | 5 | 41 | 32 | 0 | 0 | 22 |
| L West | 2 | 25 | 69 | 0 | 0 | 3 |
| Leeds | 6 | 22 | 51 | 0 | 0 | 21 |
| Leic | 5 | 21 | 56 | 0 | 0 | 18 |
| Liv RI | 7 | 35 | 39 | 0 | 0 | 19 |
| M Hope | 8 | 29 | 34 | 0 | 1 | 29 |
| M RI | 21 | 26 | 33 | 0 | 0 | 20 |
| Middlbr | 5 | 34 | 52 | 0 | 0 | 9 |
| Newc | 10 | 70 | 0 | 1 | 0 | 18 |
| Newry | 7 | 81 | 0 | 0 | 0 | 12 |
| Norwch | 10 | 47 | 24 | 0 | 5 | 14 |
| Nottm | 7 | 44 | 26 | 0 | 0 | 23 |
| Oxford* | 0 | 35 | 41 | 0 | 0 | 24 |
| Plymth | 8 | 58 | 0 | 0 | 0 | 34 |
| Ports | 1 | 21 | 59 | 0 | 0 | 19 |
| Prestn | 8 | 19 | 59 | 0 | 0 | 14 |
| Redng | 0 | 59 | 8 | 0 | 0 | 32 |
| Sheff | 13 | 35 | 44 | 0 | 0 | 9 |
| Shrew | 6 | 38 | 44 | 0 | 0 | 11 |
| Stevng | 5 | 42 | 40 | 0 | 0 | 13 |
| Sthend | 2 | 75 | 0 | 0 | 0 | 23 |
| Stoke | 10 | 49 | 23 | 0 | 0 | 18 |
| Sund | 1 | 64 | 13 | 0 | 0 | 21 |
| Swanse | 11 | 50 | 22 | 0 | 1 | 16 |
| Truro | 3 | 51 | 33 | 0 | 0 | 13 |
| Tyrone | 8 | 82 | 0 | 0 | 0 | 11 |
| Ulster | 22 | 72 | 0 | 0 | 0 | 6 |
| Wolve | 3 | 28 | 47 | 0 | 0 | 22 |
| Wrexm | 3 | 77 | 0 | 0 | 0 | 20 |
| York | 3 | 59 | 24 | 0 | 0 | 15 |
| England | 6 | 37 | 39 | 0 | 0 | 18 |
| N Ireland | 8 | 82 | 0 | 0 | 0 | 9 |
| Scotland** | 5 | 80 | 0 | 0 | 0 | 16 |
| Wales | 11 | 41 | 28 | 0 | 0 | 19 |
| UK | 6 | 42 | 34 | 0 | 0 | 17 |

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral and Liverpool Aintree) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

*There are 18 patients on home haemodialysis in Oxford which were incorrectly coded as hospital haemodialysis

**All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis (except Glasgow)

Table F.2.9. Number of 2010 prevalent non-diabetic patients aged under 65 by treatment modality

| | HD | PD | Transplant |
|-----------|--------------|--------------|---------------|
| England | 6,380 | 1,444 | 14,369 |
| N Ireland | 246 | 29 | 509 |
| Scotland | 733 | 135 | 1,612 |
| Wales | 350 | 87 | 944 |
| UK | 7,709 | 1,695 | 17,434 |

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral and Liverpool Aintree) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

Table F.2.10. Dialysis modalities for 2010 prevalent non-diabetic patients aged over 65

| Centre | % home HD | % hospital HD | % satellite HD | % CAPD | % unknown type of PD | % APD |
|----------|-----------|---------------|----------------|--------|----------------------|-------|
| Abrdn | 1 | 94 | 0 | 0 | 0 | 5 |
| Airdrie | 0 | 97 | 0 | 0 | 0 | 3 |
| Antrim | 0 | 89 | 2 | 0 | 2 | 8 |
| B Heart | 1 | 82 | 9 | 0 | 0 | 8 |
| B QEH | 1 | 13 | 74 | 0 | 0 | 11 |
| Bangor | 2 | 58 | 17 | 0 | 0 | 23 |
| Basldn | 0 | 85 | 1 | 0 | 0 | 14 |
| Belfast | 3 | 86 | 0 | 0 | 0 | 11 |
| Bradfd | 0 | 66 | 25 | 0 | 0 | 9 |
| Brightn | 4 | 39 | 40 | 0 | 0 | 17 |
| Bristol | 4 | 13 | 74 | 0 | 0 | 9 |
| Camb | 0 | 41 | 51 | 0 | 0 | 0 |
| Cardff | 1 | 15 | 71 | 0 | 0 | 14 |
| Carlisle | 0 | 60 | 26 | 0 | 0 | 14 |
| Carsh | 1 | 33 | 56 | 0 | 0 | 11 |
| Chelms | 0 | 79 | 0 | 0 | 0 | 21 |
| Clwyd | 4 | 92 | 0 | 0 | 0 | 4 |
| Colchr | 0 | 100 | 0 | 0 | 0 | 0 |
| Covnt | 0 | 81 | 0 | 0 | 0 | 19 |
| D & Gall | 0 | 87 | 0 | 0 | 0 | 13 |
| Derby | 14 | 62 | 0 | 0 | 0 | 24 |
| Derry | 0 | 92 | 4 | 0 | 0 | 4 |
| Donc | 0 | 49 | 44 | 0 | 0 | 7 |
| Dorset | 1 | 21 | 58 | 0 | 0 | 20 |
| Dudley | 0 | 55 | 27 | 0 | 1 | 17 |
| Dundee | 0 | 91 | 0 | 0 | 0 | 9 |
| Dunfn | 0 | 79 | 0 | 0 | 0 | 21 |
| Edinb | 0 | 86 | 0 | 0 | 0 | 14 |
| Exeter | 0 | 17 | 73 | 0 | 0 | 11 |
| Glasgw | 1 | 94 | 0 | 0 | 0 | 5 |
| Glouc | 0 | 89 | 0 | 0 | 0 | 11 |

Table F.2.10. Continued

| Centre | % home HD | % hospital HD | % satellite HD | % CAPD | % unknown type of PD | % APD |
|-------------------|-----------|---------------|----------------|----------|----------------------|-----------|
| Hull | 1 | 35 | 51 | 0 | 0 | 13 |
| Inverns | 0 | 80 | 0 | 0 | 0 | 20 |
| Ipswi | 3 | 66 | 13 | 0 | 1 | 16 |
| Kent | 2 | 25 | 61 | 3 | 0 | 10 |
| Klmarnk | 2 | 76 | 0 | 0 | 0 | 21 |
| L Barts | 0 | 23 | 59 | 0 | 0 | 18 |
| L Guys | 1 | 25 | 65 | 0 | 5 | 4 |
| L Kings | 0 | 23 | 59 | 0 | 0 | 18 |
| L St.G | 0 | 48 | 39 | 0 | 0 | 12 |
| L West | 0 | 23 | 75 | 0 | 0 | 2 |
| Leeds | 0 | 14 | 73 | 0 | 0 | 13 |
| Leic | 1 | 16 | 66 | 0 | 0 | 18 |
| Liv RI | 1 | 45 | 41 | 0 | 0 | 13 |
| M Hope | 0 | 41 | 44 | 0 | 0 | 14 |
| M RI | 3 | 24 | 59 | 0 | 2 | 12 |
| Middlbr | 1 | 21 | 72 | 0 | 0 | 5 |
| Newc | 0 | 86 | 0 | 0 | 0 | 14 |
| Newry | 2 | 92 | 2 | 0 | 0 | 4 |
| Norwch | 2 | 50 | 36 | 0 | 2 | 10 |
| Nottm | 1 | 40 | 46 | 0 | 0 | 12 |
| Oxford* | 0 | 38 | 44 | 0 | 1 | 18 |
| Plymth | 0 | 79 | 0 | 0 | 0 | 21 |
| Ports | 0 | 16 | 66 | 0 | 0 | 18 |
| Prestn | 2 | 20 | 69 | 0 | 0 | 9 |
| Redng | 0 | 69 | 14 | 0 | 0 | 17 |
| Sheff | 3 | 36 | 53 | 0 | 0 | 8 |
| Shrew | 0 | 56 | 35 | 0 | 0 | 9 |
| Stevng | 1 | 36 | 55 | 1 | 0 | 6 |
| Sthend | 1 | 94 | 0 | 0 | 0 | 4 |
| Stoke | 0 | 48 | 30 | 0 | 0 | 22 |
| Sund | 0 | 64 | 25 | 0 | 1 | 9 |
| Swanse | 2 | 52 | 36 | 0 | 0 | 10 |
| Truro | 0 | 46 | 33 | 0 | 0 | 21 |
| Tyrone | 0 | 94 | 0 | 0 | 0 | 6 |
| Ulster | 0 | 100 | 0 | 0 | 0 | 0 |
| Wolve | 1 | 15 | 67 | 0 | 0 | 18 |
| Wrexm | 2 | 74 | 0 | 0 | 2 | 22 |
| York | 0 | 53 | 35 | 0 | 0 | 13 |
| England | 1 | 38 | 49 | 0 | 0 | 12 |
| N Ireland | 1 | 92 | 0 | 0 | 0 | 6 |
| Scotland** | 1 | 89 | 0 | 0 | 0 | 11 |
| Wales | 2 | 40 | 45 | 0 | 0 | 13 |
| UK | 1 | 44 | 42 | 0 | 0 | 12 |

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral and Liverpool Aintree) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

*There are 18 patients on home haemodialysis in Oxford which were incorrectly coded as hospital haemodialysis

**All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis (except Glasgow)

Table F.2.11. Number of 2010 prevalent non-diabetic patients aged over 65 by treatment modality

| | HD | PD | Transplant |
|-----------|--------------|--------------|--------------|
| England | 7,041 | 1,031 | 3,091 |
| N Ireland | 315 | 22 | 105 |
| Scotland | 769 | 91 | 314 |
| Wales | 511 | 79 | 199 |
| UK | 8,636 | 1,223 | 3,709 |

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral and Liverpool Aintree) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

Table F.2.12. Dialysis modalities for 2010 prevalent diabetic patients

| Centre | % home HD | % hospital HD | % satellite HD | % CAPD | % unknown type of PD | % APD |
|----------|-----------|---------------|----------------|--------|----------------------|-------|
| Abrdn | 0 | 86 | 0 | 14 | 0 | 0 |
| Airdrie | 0 | 95 | 0 | 5 | 0 | 0 |
| Antrim | 2 | 94 | 0 | 4 | 0 | 0 |
| B Heart | 3 | 84 | 6 | 6 | 0 | 0 |
| B QEH | 1 | 17 | 70 | 12 | 0 | 0 |
| Bangor | 9 | 50 | 18 | 23 | 0 | 0 |
| Basldn | 0 | 83 | 0 | 17 | 0 | 0 |
| Belfast | 4 | 85 | 0 | 11 | 0 | 0 |
| Bradfd | 0 | 84 | 5 | 11 | 0 | 0 |
| Brightn | 8 | 45 | 39 | 8 | 0 | 0 |
| Bristol | 2 | 22 | 70 | 6 | 0 | 0 |
| Camb | 6 | 28 | 61 | 0 | 0 | 6 |
| Cardff | 5 | 15 | 64 | 16 | 0 | 0 |
| Carlisle | 0 | 80 | 0 | 20 | 0 | 0 |
| Carsh | 0 | 33 | 57 | 10 | 0 | 0 |
| Chelms | 0 | 87 | 0 | 13 | 0 | 0 |
| Clwyd | 0 | 94 | 0 | 6 | 0 | 0 |
| Colchr | 0 | 100 | 0 | 0 | 0 | 0 |
| Covnt | 0 | 81 | 0 | 19 | 0 | 0 |
| D & Gall | 0 | 83 | 0 | 17 | 0 | 0 |
| Derby | 15 | 51 | 0 | 35 | 0 | 0 |
| Derry | 0 | 100 | 0 | 0 | 0 | 0 |
| Donc | 0 | 48 | 24 | 28 | 0 | 0 |
| Dorset | 2 | 19 | 67 | 12 | 0 | 0 |
| Dudley | 0 | 55 | 18 | 27 | 0 | 0 |
| Dundee | 0 | 95 | 0 | 5 | 0 | 0 |
| Dunfn | 0 | 96 | 0 | 4 | 0 | 0 |
| Edinb | 2 | 81 | 0 | 18 | 0 | 0 |
| Exeter | 0 | 19 | 64 | 16 | 0 | 0 |
| Glasgw | 2 | 89 | 0 | 9 | 0 | 0 |

Table F.2.12. Continued

| Centre | % home HD | % hospital HD | % satellite HD | % CAPD | % unknown type of PD | % APD |
|-------------------|-----------|---------------|----------------|-----------|----------------------|----------|
| Glouc | 0 | 89 | 0 | 11 | 0 | 0 |
| Hull | 1 | 38 | 43 | 17 | 0 | 0 |
| Inverns | 4 | 88 | 0 | 8 | 0 | 0 |
| Ipswi | 4 | 67 | 4 | 25 | 0 | 0 |
| Kent | 0 | 33 | 46 | 21 | 0 | 0 |
| Klmarnk | 0 | 85 | 0 | 15 | 0 | 0 |
| L Barts | 0 | 27 | 53 | 20 | 0 | 0 |
| L Guys | 1 | 34 | 58 | 4 | 0 | 3 |
| L Kings | 0 | 32 | 51 | 17 | 0 | 0 |
| L St.G | 1 | 44 | 41 | 13 | 0 | 1 |
| L West | 0 | 23 | 74 | 3 | 0 | 0 |
| Leeds | 1 | 17 | 67 | 15 | 0 | 0 |
| Leic | 1 | 23 | 61 | 15 | 0 | 0 |
| Liv RI | 0 | 39 | 35 | 26 | 0 | 0 |
| M Hope | 0 | 35 | 41 | 24 | 0 | 0 |
| M RI | 5 | 41 | 42 | 12 | 0 | 1 |
| Middlbr | 2 | 40 | 48 | 10 | 0 | 0 |
| Newc | 0 | 88 | 0 | 13 | 0 | 0 |
| Newry | 4 | 89 | 0 | 4 | 0 | 4 |
| Norwch | 0 | 44 | 39 | 17 | 0 | 0 |
| Nottm | 5 | 53 | 25 | 17 | 0 | 0 |
| Oxford* | 0 | 35 | 39 | 25 | 0 | 1 |
| Plymth | 0 | 74 | 0 | 26 | 0 | 0 |
| Ports | 0 | 27 | 60 | 12 | 0 | 0 |
| Prestn | 2 | 25 | 65 | 8 | 0 | 0 |
| Redng | 0 | 63 | 9 | 27 | 0 | 0 |
| Sheff | 3 | 37 | 44 | 17 | 0 | 0 |
| Shrew | 2 | 54 | 34 | 10 | 0 | 0 |
| Stevng | 0 | 44 | 52 | 4 | 0 | 0 |
| Sthend | 4 | 84 | 0 | 12 | 0 | 0 |
| Stoke | 2 | 55 | 21 | 23 | 0 | 0 |
| Sund | 0 | 78 | 11 | 11 | 0 | 0 |
| Swanse | 3 | 53 | 32 | 10 | 0 | 1 |
| Truro | 0 | 52 | 48 | 0 | 0 | 0 |
| Tyrone | 0 | 87 | 0 | 13 | 0 | 0 |
| Ulster | 0 | 91 | 4 | 4 | 0 | 0 |
| Wolve | 0 | 30 | 55 | 15 | 0 | 0 |
| Wrexm | 5 | 74 | 0 | 21 | 0 | 0 |
| York | 0 | 48 | 32 | 20 | 0 | 0 |
| England | 1 | 39 | 45 | 14 | 0 | 0 |
| N Ireland | 2 | 90 | 0 | 6 | 0 | 1 |
| Scotland** | 1 | 89 | 0 | 10 | 0 | 0 |
| Wales | 4 | 38 | 42 | 15 | 0 | 0 |
| UK | 1 | 45 | 40 | 14 | 0 | 0 |

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral and Liverpool Aintree) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

*There are 18 patients on home haemodialysis in Oxford which were incorrectly coded as hospital haemodialysis

**All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis (except Glasgow)

Table F.2.13. Number of 2010 prevalent diabetic patients by treatment modality

| | HD | PD | Transplant |
|-----------|--------------|------------|--------------|
| England | 3,659 | 605 | 1,804 |
| N Ireland | 158 | 12 | 45 |
| Scotland | 376 | 44 | 184 |
| Wales | 223 | 40 | 132 |
| UK | 4,416 | 701 | 2,165 |

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral and Liverpool Aintree) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

Table F.2.14. Diabetics 2010 prevalent patients

| Centre | M:F ratio | Median age on 31/12/2010 | Median age at start of treatment | Median time on RRT in days | Median time on RRT in years |
|----------|-----------|--------------------------|----------------------------------|----------------------------|-----------------------------|
| Abrdn | 1.4 | 57 | 53 | 1,374 | 3.8 |
| Airdrie | 1.6 | 54 | 49 | 931 | 2.5 |
| Antrim | 1.1 | 62 | 56 | 1,312 | 3.6 |
| B Heart | 1.7 | 65 | 61 | 1,110 | 3.0 |
| B QEH | 1.3 | 63 | 58 | 1,148 | 3.1 |
| Bangor | 1.4 | 66 | 64 | 664 | 1.8 |
| Basldn | 1.7 | 63 | 57 | 1,484 | 4.1 |
| Belfast | 1.8 | 59 | 56 | 1,550 | 4.2 |
| Bradfd | 1.8 | 61 | 56 | 1,143 | 3.1 |
| Brightn | 1.8 | 61 | 54 | 1,433 | 3.9 |
| Bristol | 1.3 | 60 | 54 | 1,518 | 4.2 |
| Camb | 2.0 | 46 | 41 | 1,705 | 4.7 |
| Cardff | 1.6 | 61 | 54 | 1,278 | 3.5 |
| Carlisle | 3.5 | 62 | 60 | 1,221 | 3.3 |
| Carsh | 1.9 | 64 | 60 | 1,238 | 3.4 |
| Chelms | 2.7 | 60 | 57 | 1,006 | 2.8 |
| Clwyd | 0.7 | 62 | 52 | 1,341 | 3.7 |
| Colchr | 0.6 | 58 | 57 | 1,320 | 3.6 |
| Covnt | 1.7 | 64 | 59 | 1,233 | 3.4 |
| D & Gall | 2.8 | 59 | 50 | 1,207 | 3.3 |
| Derby | 1.4 | 64 | 61 | 1,067 | 2.9 |
| Derry | 0.6 | 58 | 54 | 1,809 | 5.0 |
| Donc | 2.8 | 61 | 58 | 824 | 2.3 |
| Dorset | 2.0 | 60 | 54 | 1,225 | 3.4 |
| Dudley | 2.9 | 64 | 60 | 1,177 | 3.2 |
| Dundee | 1.1 | 59 | 55 | 1,157 | 3.2 |
| Dunfn | 1.2 | 55 | 50 | 793 | 2.2 |
| Edinb | 1.3 | 53 | 45 | 1,624 | 4.4 |
| Exeter | 1.4 | 62 | 57 | 832 | 2.3 |
| Glasgw | 1.4 | 59 | 55 | 1,198 | 3.3 |
| Glouc | 2.3 | 61 | 56 | 1,427 | 3.9 |
| Hull | 1.8 | 60 | 54 | 1,515 | 4.1 |
| Inverns | 2.1 | 53 | 48 | 1,470 | 4.0 |
| Ipswi | 1.6 | 60 | 57 | 1,194 | 3.3 |
| Kent | 1.5 | 63 | 59 | 1,024 | 2.8 |
| Klmarnk | 1.6 | 59 | 54 | 1,094 | 3.0 |

Table F.2.14. Continued

| Centre | M:F ratio | Median age on 31/12/2010 | Median age at start of treatment | Median time on RRT in days | Median time on RRT in years |
|------------------|------------|-----------------------------|-------------------------------------|-------------------------------|--------------------------------|
| L Barts | 1.7 | 63 | 59 | 1,024 | 2.8 |
| L Guys | 1.3 | 57 | 51 | 1,645 | 4.5 |
| L Kings | 1.2 | 63 | 58 | 1,089 | 3.0 |
| L St.G | 1.4 | 67 | 62 | 1,148 | 3.1 |
| L West | 1.8 | 62 | 57 | 1,334 | 3.7 |
| Leeds | 1.9 | 62 | 56 | 1,525 | 4.2 |
| Leic | 1.5 | 61 | 57 | 1,099 | 3.0 |
| Liv RI | 1.2 | 55 | 47 | 1,691 | 4.6 |
| M Hope | 1.0 | 64 | 59 | 1,059 | 2.9 |
| M RI | 1.6 | 56 | 53 | 1,285 | 3.5 |
| Middlbr | 1.2 | 53 | 46 | 1,226 | 3.4 |
| Newc | 1.3 | 56 | 49 | 2,021 | 5.5 |
| Newry | 2.3 | 66 | 60 | 779 | 2.1 |
| Norwch | 1.4 | 60 | 56 | 1,050 | 2.9 |
| Nottm | 1.2 | 61 | 56 | 1,426 | 3.9 |
| Oxford | 2.0 | 56 | 50 | 1,340 | 3.7 |
| Plymth | 1.6 | 58 | 53 | 1,033 | 2.8 |
| Ports | 1.8 | 57 | 53 | 1,096 | 3.0 |
| Prestn | 1.8 | 63 | 59 | 1,139 | 3.1 |
| Redng | 1.3 | 63 | 60 | 1,130 | 3.1 |
| Sheff | 2.2 | 61 | 56 | 1,072 | 2.9 |
| Shrew | 1.6 | 59 | 57 | 777 | 2.1 |
| Stevng | 2.2 | 62 | 60 | 870 | 2.4 |
| Sthend | 1.0 | 61 | 55 | 1,406 | 3.8 |
| Stoke | 1.1 | 64 | 57 | 1,277 | 3.5 |
| Sund | 2.5 | 57 | 56 | 1,095 | 3.0 |
| Swanse | 2.0 | 64 | 61 | 816 | 2.2 |
| Truro | 1.9 | 63 | 58 | 1,239 | 3.4 |
| Tyrone | 2.8 | 67 | 62 | 935 | 2.6 |
| Ulster | 1.7 | 68 | 65 | 836 | 2.3 |
| Wolve | 1.7 | 61 | 56 | 1,037 | 2.8 |
| Wrexm | 3.5 | 53 | 42 | 2,331 | 6.4 |
| York | 1.5 | 57 | 53 | 1,187 | 3.2 |
| England | 1.6 | 61 | 56 | 1,214 | 3.3 |
| N Ireland | 1.5 | 62 | 59 | 1,336 | 3.7 |
| Scotland | 1.4 | 57 | 52 | 1,271 | 3.5 |
| Wales | 1.7 | 62 | 55 | 1,236 | 3.4 |
| UK | 1.6 | 61 | 56 | 1,226 | 3.4 |

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral and Liverpool Aintree) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

Table F.2.15. Transplant gender ratios in 2010 prevalent patients

| | % males | % females | N males | N females | M:F ratio |
|-----------|-------------|-------------|---------------|--------------|------------|
| England | 60.6 | 39.4 | 12,540 | 8,142 | 1.5 |
| N Ireland | 63.2 | 36.8 | 417 | 243 | 1.7 |
| Scotland | 59.9 | 40.1 | 1,268 | 848 | 1.5 |
| Wales | 63.4 | 36.6 | 812 | 469 | 1.7 |
| UK | 60.8 | 39.2 | 15,037 | 9,702 | 1.5 |