Appendix I Acronyms and Abbreviations used in the Report

ACE (inhibitor) Angiotensin converting enzyme (inhibitor)

ANZDATA Australia and New Zealand Dialysis and Transplant Registry

APD Automated peritoneal dialysis

ADPKD Autosomal dominant polycystic kidney disease

APKD Adult polycystic kidney disease

AVF Arteriovenous fistula AVG Arteriovenous graft

BAPN British Association of Paediatric Nephrology

BCG Bromocresol green
BCP Bromocresol purple
BMI Body mass index
BP Blood pressure

BTS British Transplant Society

CAB Clinical Affairs Board (Renal Association)

CABG Coronary artery bypass grafting

CAPD Continuous ambulatory peritoneal dialysis

CCL Clinical Computing Limited
CCPD Cycling peritoneal dialysis
CHr Target reticulocyte Hb content

CI Confidence interval
CK Creatine kinase
CKD Chronic kidney disease
CK-MB Creatine kinase isoenzyme MB
COPD Chronic obstructive pulmonary disease

CRF Chronic renal failure CRP C-reactive protein

CVVH Continuous veno-venous haemofiltration

CXR Chest x-ray

DBP Diastolic blood pressure

DCCT Diabetes Control and Complications Trial

DH Department of Health DM Diabetes mellitus

DOPPS Dialysis Outcomes and Practice Patterns Study

E&W England and Wales

E, W & NI England, Wales and Northern Ireland EBPG European Best Practice Guidelines

ECG Electrocardiogram

EDTA European Dialysis and Transplant Association

EF Error factor

eGFR Estimated glomerular filtration rate

E_i Expected cases in area i

EPO Erythropoietin

ERA European Renal Association

ERA-EDTA European Renal Association – European Dialysis and Transplant Association

ERF Established renal failure
ESA Erythropoiesis stimulating agent
ESRD End stage renal disease
ESRF End stage renal failure

EWNI England, Wales and Northern Ireland FEV1 Forced expiratory volume in 1 second

FVC Forced vital capacity
GFR Glomerular filtration rate
GN Glomerulonephritis
HA Health Authority
Hb Haemoglobin
HbA1c Glycated Haemoglobin
HBeAg Hepatitis B e antigen

HCAI-DCS Healthcare-associated infection data collection system

HD Haemodialysis

HDL High-density lipoprotein HLA Human leucocyte antigen HPA Health Protection Agency

HR Hazard ratio

HRC Hypochromic red blood cells

ICU Intensive care unit

IDMS Isotope dilution mass spectrometry

IDOPPS International Dialysis Outcomes and Practice Patterns Study

IFCC International Federation of Clinical Chemistry & Laboratory Medicine

IHD Ischaemic heart disease
IPD Intermittent peritoneal dialysis

IQRInter-quartile rangeITInformation technologyIUInternational units

KDIGO Kidney Disease: Improving Global Outcomes KDOQI Kidney Disease Outcomes Quality Initiative

KM Kaplan Meier
LA Local Authority
LCL Lower confidence limit
LDL Low-density lipoprotein

M:F Male:Female

MAP Mean arterial blood pressure MDRD Modification of diet in renal disease

MI Myocardial infarction

MRSA Methicillin resistant Staphylococcal aureus

N Ireland Northern Ireland NE North East

NEQAS UK National External Quality Assessment Scheme

NHS National Health Service

NHS BT National Health Service Blood and Transplant

NI Northern Ireland

NICE National Institute for Health and Clinical Excellence

NSF National service framework NTC Non-tunnelled dialysis catheter

NW North West O/E Observed/expected

ODT Organ Donation and Transplantation (a Directorate of NHS Blood and Transplant)

O_i Observed cases in area i
ONS Office of National Statistics
PAS Patient Administration System

PCT Primary Care Trust PD Peritoneal dialysis

Appendix I

PIAG Patient Information Advisory Group

PKD Polycystic kidney disease

PMARP Per million age related population
PMCP Per million child population
PMP Per million population

PP Pulse pressure
PRD Primary renal disease
PTH Parathyroid hormone
PUV Posterior urethral valves
PVD Peripheral vascular disease
QOF Quality and Outcomes Framework

QUEST Quality European Studies
RA Renal Association
RI Royal Infirmary

RNSF Renal National Service Framework (or NSF)

RR Relative risk

RRDSS Renal Registry data set specification

RRT Renal replacement therapy

SAR Standardised acceptance ratio (= O/E)

SAS Statistical Analysis System
SBP Systolic blood pressure
SD Standard deviation
SES Socio-economic status
SHA Strategic health authority

SHARP Study of Heart and Renal Protection
SI System International (units)
SMR Standardised mortality ratios

SPR Standardised prevalence ratio (= O/E)

SR Standardised ratio (used to cover either SAR or SPR)

SUS Secondary uses service

SW South West

TC Tunnelled dialysis catheter
TSAT Transferrin saturation
TWL Transplant waiting list

Tx Transplant

UCL Upper confidence limit
UK United Kingdom
UKRR UK Renal Registry
UKT UK Transplant (now ODT)
URR Urea reduction ratio

USRDS United States Renal Data System