

# UK Renal Registry 15th Annual Report: Appendix F Additional Data Tables for 2011 new and existing patients

## F:1 Patients starting renal replacement therapy in 2011

**Table F.1.1.** Number of patients on dialysis at 90 days (incident cohort 1/10/2010 to 30/09/2011)

	Aged <65		Aged ≥65	
	HD N	PD N	HD N	PD N
England	1,676	675	2,088	445
N Ireland	63	15	87	14
Scotland	182	41	182	31
Wales	104	50	153	26
<b>UK</b>	<b>2,025</b>	<b>781</b>	<b>2,510</b>	<b>516</b>

**Table F.1.2.** Number of patients per treatment modality at 90 days (incident cohort 1/10/2010 to 30/09/2011)

	HD	PD	Transplant	Stopped treatment	Died
England	3,764	1,120	482	20	317
N Ireland	150	29	9	2	7
Scotland	364	72	14	1	34
Wales	257	76	22	0	16
<b>UK</b>	<b>4,535</b>	<b>1,297</b>	<b>527</b>	<b>23</b>	<b>374</b>

**Table F.1.3.** First treatment modality (2011 incident cohort)

Centre	% HD	% PD	% transplant
<b>England</b>			
B Heart	85	14	1
B QEH	73	21	6
Basldn	83	17	
Bradfd	79	16	5
Brightn	76	22	2
Bristol	74	14	12
Camb	68	14	18
Carlisle	41	48	10
Carsh	78	16	6
Chelms	72	26	2
Colchr	100		
Covnt	65	23	12
Derby	52	48	
Donc	79	21	
Dorset	66	28	5
Dudley	61	39	
Exeter	80	20	
Glouc	76	21	3
Hull	54	42	5
Ipswi	59	38	3

Centre	% HD	% PD	% transplant
Prestn	78	19	4
Redng	57	39	4
Salford	62	34	5
Sheff	79	14	7
Shrew	66	33	2
Stevng	79	15	5
Sthend	66	31	3
Stoke	72	27	1
Sund	76	18	5
Truro	74	21	5
Wirral	76	22	1
Wolve	68	31	1
York	75	18	8
<b>N Ireland</b>			
Antrim	69	17	14
Belfast	81	12	7
Newry	76	21	3
Ulster	94	6	
West NI	82	18	
<b>Scotland</b>			
Abrdn	88	12	

**Table F.1.3.** Continued

Centre	% HD	% PD	% transplant	Centre	% HD	% PD	% transplant
Kent	79	13	8	Airdrie	92	8	
L Barts	68	25	7	D & Gall	40	60	
L Guys	77	9	15	Dundee	88	12	
L Kings	73	25	2	Dunfn	79	21	
L Rfree	73	18	10	Edinb	78	19	3
L St.G	75	13	12	Glasgw	82	13	5
L West	86	4	10	Inverns	83	17	
Leeds	78	14	8	Klmarnk	64	36	
Leic	69	20	12	<b>Wales</b>			
Liv Ain	85	15		Bangor	80	20	
Liv RI	54	33	13	Cardff	75	19	6
M RI	61	23	16	Swanse	78	22	
Middlbr	84	9	7	Wrexm	73	19	8
Newc	67	20	13	<b>England</b>	<b>72</b>	<b>21</b>	<b>7</b>
Norwch	67	33		<b>N Ireland</b>	<b>81</b>	<b>14</b>	<b>5</b>
Nottm	63	33	4	<b>Scotland</b>	<b>81</b>	<b>17</b>	<b>2</b>
Oxford	59	24	18	<b>Wales</b>	<b>77</b>	<b>20</b>	<b>4</b>
Plymth	58	27	15	<b>UK</b>	<b>73</b>	<b>20</b>	<b>7</b>
Ports	75	21	3				

**Table F.1.4.** First treatment modality, patient numbers (2011 incident cohort)

	HD	PD	Transplant
England	4,154	1,207	413
N Ireland	164	29	10
Scotland	402	82	11
Wales	267	69	13
<b>UK</b>	<b>4,987</b>	<b>1,387</b>	<b>447</b>

**Table F.1.5.** Gender breakdown by treatment modality at 90 days (2011 incident cohort)

Centre	HD			PD		
	% male	% female	M:F ratio	% male	% female	M:F ratio
<b>England</b>						
B Heart	64	36	1.8	75	25	3.0
B QEH	63	37	1.7	59	41	1.4
Basldn	88	12	7.3	60	40	1.5
Bradfd	61	39	1.6	63	38	1.7
Brightn	73	27	2.6	63	38	1.7
Bristol	61	39	1.6	65	35	1.8
Camb	71	29	2.4	50	50	1.0
Carlis	100			91	9	10.0
Carsh	61	39	1.6	62	38	1.6
Chelms	77	23	3.3	75	25	3.0
Colchr	62	39	1.6			
Covnt	73	27	2.7	79	21	3.8
Derby	66	34	1.9	57	43	1.3
Donc	64	36	1.7	75	25	3.0
Dorset	60	40	1.5	61	39	1.6
Dudley	64	36	1.8	54	46	1.2
Exeter	66	34	1.9	67	33	2.0
Glouc	71	30	2.4	64	36	1.7
Hull	62	38	1.6	46	54	0.9
Ipswi	71	29	2.4	70	30	2.3
Kent	68	32	2.1	77	24	3.3

Table F.1.5. Continued

Centre	HD			PD		
	% male	% female	M:F ratio	% male	% female	M:F ratio
L Barts	62	38	1.6	58	42	1.4
L Guys	60	40	1.5	56	44	1.3
L Kings	63	37	1.7	71	29	2.4
L Rfree	63	37	1.7	53	47	1.1
L St.G	62	38	1.6	64	36	1.7
L West	66	35	1.9	71	29	2.4
Leeds	56	44	1.3	70	30	2.4
Leic	64	36	1.8	51	49	1.0
Liv Ain	53	48	1.1	89	11	8.0
Liv RI	64	36	1.7	52	48	1.1
M RI	51	49	1.0	60	40	1.5
Middlbr	52	48	1.1	80	20	4.0
Newc	63	37	1.7	77	24	3.3
Norwch	64	36	1.8	48	52	0.9
Nottm	57	43	1.3	65	35	1.8
Oxford	56	44	1.3	53	47	1.1
Plymth	78	22	3.6	60	40	1.5
Ports	62	38	1.6	65	35	1.8
Prestn	53	47	1.1	60	40	1.5
Redng	64	36	1.8	66	34	1.9
Salford	60	40	1.5	51	49	1.0
Sheff	69	31	2.3	68	32	2.2
Shrew	68	32	2.2	47	53	0.9
Stevng	68	32	2.1	50	50	1.0
Sthend	61	39	1.6	63	38	1.7
Stoke	59	42	1.4	61	39	1.6
Sund	74	26	2.9	43	57	0.8
Truro	83	17	4.8	75	25	3.0
Wirral	56	44	1.3	71	29	2.5
Wolve	66	34	1.9	83	17	4.7
York	57	44	1.3	54	46	1.2
<b>N Ireland</b>						
Antrim	73	27	2.7	80	20	4.0
Belfast	66	35	1.9	80	20	4.0
Newry	44	57	0.8	100		
Ulster	67	33	2.0	50	50	1.0
West NI	56	44	1.3	50	50	1.0
<b>Scotland</b>						
Abrdn	74	26	2.8	67	33	2.0
Airdrie	60	41	1.5	100		
D & Gall	50	50	1.0	50	50	1.0
Dundee	58	42	1.4	20	80	0.3
Dunfn	61	39	1.5	63	38	1.7
Edinb	71	29	2.5	58	42	1.4
Glasgw	58	42	1.4	52	48	1.1
Inverns	69	31	2.2	100		
Klmarnk	67	33	2.0	50	50	1.0
<b>Wales</b>						
Bangor	53	47	1.1	29	71	0.4
Cardff	62	38	1.7	60	41	1.5
Swanse	66	34	1.9	59	41	1.5
Wrexm	77	24	3.3	40	60	0.7
<b>England</b>	<b>63</b>	<b>37</b>	<b>1.7</b>	<b>62</b>	<b>38</b>	<b>1.6</b>
<b>N Ireland</b>	<b>61</b>	<b>39</b>	<b>1.6</b>	<b>76</b>	<b>24</b>	<b>3.1</b>
<b>Scotland</b>	<b>63</b>	<b>37</b>	<b>1.7</b>	<b>57</b>	<b>43</b>	<b>1.3</b>
<b>Wales</b>	<b>64</b>	<b>36</b>	<b>1.8</b>	<b>55</b>	<b>45</b>	<b>1.2</b>
<b>UK</b>	<b>63</b>	<b>37</b>	<b>1.7</b>	<b>61</b>	<b>39</b>	<b>1.6</b>

**F:2 Prevalent patients on 31/12/2011****Table F.2.1.** Treatment modalities for 2011 prevalent patients aged under and over 65

Centre	Patients aged <65				Patients aged ≥65			
	% HD	% PD	% transplant	HD:PD	% HD	% PD	% transplant	HD:PD
<b>England</b>								
B Heart	55	9	36	6.0	81	4	14	19.1
B QEH	35	9	56	4.1	70	9	21	7.8
Basldn	55	9	36	6.5	77	14	9	5.6
Bradfd	32	8	61	4.2	64	5	31	13.1
Brightn	31	7	62	4.2	61	14	24	4.3
Bristol	22	5	73	4.3	62	5	33	12.6
Camb	18	3	80	6.6	66	6	28	11.1
Carlis	19	8	73	2.5	51	17	32	3.0
Carsh	37	7	56	5.7	75	8	16	9.0
Chelms	43	10	48	4.3	71	15	15	4.9
Colchr	100			0.0	100			0.0
Covnt	29	8	63	3.8	63	15	23	4.3
Derby	30	23	47	1.3	60	26	14	2.4
Donc	54	10	36	5.4	80	11	9	7.2
Dorset	27	5	68	5.2	56	13	31	4.2
Dudley	41	19	40	2.2	63	18	19	3.6
Exeter	28	8	64	3.4	70	11	19	6.1
Glouc	30	9	62	3.5	71	12	17	6.1
Hull	28	9	63	3.0	69	16	15	4.4
Ipswi	27	6	67	4.4	57	15	28	3.8
Kent	28	7	65	4.1	66	9	24	7.0
L Barts	39	8	54	5.2	69	13	18	5.4
L Guys	27	1	71	18.9	61	3	36	17.8
L Kings	44	9	47	4.9	69	12	19	5.7
L Rfree	29	4	67	7.0	64	8	28	8.2
L St.G	30	6	65	5.1	62	11	27	5.6
L West	34	1	65	45.2	71	2	27	36.7
Leeds	24	6	71	4.1	60	8	33	7.9
Leic	32	6	62	5.2	65	12	23	5.5
Liv Ain	92	8		11.4	93	7		12.6
Liv RI	23	5	71	4.5	51	8	41	6.3
M RI	22	5	74	4.5	54	8	38	6.9
Middlbr	28	2	69	12.4	65	3	32	25.6
Newc	23	5	72	4.9	42	6	51	6.6
Norwch	31	10	59	3.2	72	9	18	7.7
Nottm	26	7	67	3.7	66	13	22	5.1
Oxford	19	5	76	3.8	51	9	39	5.5
Plymth	18	7	75	2.5	45	15	40	3.1
Ports	27	5	68	5.0	58	10	32	6.0
Prestn	41	6	53	7.0	70	7	23	9.5
Redng	28	13	60	2.2	58	13	29	4.6
Salford	36	13	52	2.8	59	15	25	3.9
Sheff	35	4	61	9.1	68	7	25	10.0
Shrew	42	9	49	4.4	71	11	18	6.4
Stevng	52	4	44	12.2	82	5	12	15.4
Sthend	43	11	46	4.1	72	6	22	12.2
Stoke	33	8	58	4.0	64	17	18	3.8
Sund	34	4	62	7.5	72	4	24	17.6
Truro	30	5	64	5.5	58	10	32	6.1
Wirral	75	23	2	3.3	87	12	1	7.1
Wolve	47	13	40	3.6	77	15	9	5.2
York	30	6	64	5.0	64	10	27	6.6

**Table F.2.1.** Continued

Centre	Patients aged <65				Patients aged ≥65			
	% HD	% PD	% transplant	HD:PD	% HD	% PD	% transplant	HD:PD
<b>N Ireland</b>								
Antrim	41	5	54	7.5	77	7	16	10.9
Belfast	24	4	72	6.4	58	6	36	9.6
Newry	44	5	51	9.4	76	8	15	9.1
Ulster	51	6	43	9.0	93		7	0.0
West NI	40	7	53	5.6	79	7	14	11.7
<b>Scotland</b>								
Abrdn	31	5	63	5.8	75	3	21	22.0
Airdrie	41	3	56	14.3	74	3	23	24.3
D & Gall	31	5	64	6.0	57	23	20	2.5
Dundee	32	5	63	6.3	66	6	28	10.7
Dunfn	41	8	50	4.9	69	12	19	5.6
Edinb	32	5	64	6.9	53	9	38	6.0
Glasgw	32	3	66	10.8	66	4	30	15.7
Inverns	22	6	72	3.8	72	13	15	5.4
Klmarnk	35	14	52	2.5	74	17	8	4.3
<b>Wales</b>								
Bangor	82	18		4.7	79	21		3.8
Cardff	20	5	75	4.1	58	10	32	5.6
Clwyd	40	6	55	6.8	58	6	36	9.7
Swanse	38	9	53	4.3	72	9	19	8.4
Wrexm	26	8	66	3.1	59	9	33	6.9
<b>England</b>	<b>31</b>	<b>6</b>	<b>62</b>	<b>5.0</b>	<b>65</b>	<b>9</b>	<b>25</b>	<b>6.9</b>
<b>N Ireland</b>	<b>33</b>	<b>5</b>	<b>62</b>	<b>6.8</b>	<b>73</b>	<b>6</b>	<b>21</b>	<b>12.6</b>
<b>Scotland</b>	<b>33</b>	<b>5</b>	<b>63</b>	<b>6.7</b>	<b>67</b>	<b>8</b>	<b>26</b>	<b>8.7</b>
<b>Wales</b>	<b>27</b>	<b>6</b>	<b>67</b>	<b>4.2</b>	<b>64</b>	<b>10</b>	<b>26</b>	<b>6.3</b>
<b>UK</b>	<b>31</b>	<b>6</b>	<b>63</b>	<b>5.1</b>	<b>66</b>	<b>9</b>	<b>25</b>	<b>7.1</b>

**Table F.2.2.** Number of 2011 prevalent patients under and over 65 per treatment modality

	Patients aged <65			Patients aged ≥65		
	HD	PD	Transplant	HD	PD	Transplant
England	9,030	1,795	18,029	10,341	1,488	3,960
N Ireland	308	45	588	417	33	119
Scotland	961	144	1,847	917	105	350
Wales	453	108	1,114	639	101	262
<b>UK</b>	<b>10,752</b>	<b>2,092</b>	<b>21,578</b>	<b>12,314</b>	<b>1,727</b>	<b>4,691</b>

**Table F.2.3.** Dialysis modalities for 2011 prevalent patients aged under 65

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
<b>England</b>						
B Heart	9	71	6	8	0	6
B QEH	7	12	62	10	0	9
Basldn	0	87	0	4	0	10
Bradfd	0	73	8	2	0	18
Brightn	11	38	32	7	0	12
Bristol	11	16	54	7	0	12
Camb	6	41	39	0	12	1
Carlis	0	58	13	13	0	16
Carsh	3	31	51	3	0	12
Chelms	0	81	0	8	0	11
Colchr	0	100	0	0	0	0
Covnt	7	73	0	21	0	0
Derby	5	52	0	29	0	14
Donc	1	49	34	1	0	15
Dorset	1	20	63	3	0	13
Dudley	4	45	19	18	0	13
Exeter	2	11	64	9	0	14
Glouc	0	78	0	3	0	20
Hull	4	35	35	10	0	15
Ipswi	4	67	11	8	0	11
Kent	8	29	44	20	0	0
L Barts	2	35	47	5	0	11
L Guys	10	23	62	2	0	3
L Kings	1	21	60	4	0	13
L Rfree	2	3	83	2	0	10
L St.G	4	42	38	2	0	15
L West	2	27	69	1	0	1
Leeds	4	23	54	6	0	14
Leic	6	19	59	6	0	11
Liv Ain	0	24	68	0	0	8
Liv RI	8	37	36	7	0	11
M RI	18	31	32	4	0	14
Middlbr	6	43	44	7	0	1
Newc	11	72	0	3	0	14
Norwch	8	45	23	19	0	4
Nottm	11	38	30	10	0	11
Oxford	5	36	37	5	0	16
Plymth	7	64	0	21	1	7
Ports	1	24	58	17	0	0
Prestn	9	17	62	4	0	8
Redng	0	30	39	31	0	1
Salford	6	30	38	17	0	9
Sheff	11	34	45	10	0	0
Shrew	10	45	26	19	0	0
Stevng	8	47	37	8	0	0
Sthend	2	79	0	20	0	0
Stoke	6	50	23	2	0	18
Sund	2	68	19	7	0	5
Truro	1	63	21	3	0	13
Wirral	0	61	16	3	0	20
Wolve	5	24	49	22	0	0
York	9	53	22	17	0	0
<b>N Ireland</b>						
Antrim	8	80	0	2	0	10
Belfast	8	79	0	1	1	12
Newry	2	88	0	0	0	10

**Table F.2.3.** Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
Ulster	13	77	0	0	0	10
West NI	4	81	0	1	0	14
<b>Scotland*</b>						
Abrdn	3	82	0	5	0	10
Airdrie	0	93	0	3	0	4
D & Gall	4	82	0	4	0	11
Dundee	0	86	0	3	0	10
Dunfn	0	83	0	0	0	17
Edinb	3	84	0	3	0	10
Glasgw	8	83	0	2	0	6
Inverns	9	70	0	9	0	12
Klmarnk	4	67	0	2	0	26
<b>Wales</b>						
Bangor	22	47	14	4	0	14
Cardff	11	22	47	14	0	6
Clwyd	8	79	0	10	0	3
Swanse	11	47	23	14	0	5
Wrexm	2	68	6	25	0	0
<b>England</b>	<b>6</b>	<b>35</b>	<b>43</b>	<b>8</b>	<b>0</b>	<b>9</b>
<b>N Ireland</b>	<b>7</b>	<b>81</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>12</b>
<b>Scotland</b>	<b>4</b>	<b>83</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>10</b>
<b>Wales</b>	<b>11</b>	<b>40</b>	<b>30</b>	<b>14</b>	<b>0</b>	<b>6</b>
<b>UK</b>	<b>6</b>	<b>40</b>	<b>38</b>	<b>8</b>	<b>0</b>	<b>9</b>

\* All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis

**Table F.2.4.** Dialysis modalities for 2011 prevalent patients aged over 65

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
<b>England</b>						
B Heart	1	86	8	5	0	0
B QEH	1	9	78	6	0	6
Basldn	0	84	1	8	0	7
Bradfd	0	71	22	1	0	6
Brightn	3	43	35	10	0	9
Bristol	3	13	76	5	0	2
Camb	1	37	54	0	8	0
Carlis	0	52	23	15	0	10
Carsh	1	31	58	3	0	7
Chelms	0	83	0	11	1	5
Colchr	0	100	0	0	0	0
Covnt	0	81	0	19	0	0
Derby	6	64	0	25	0	5
Donc	0	46	41	0	0	12
Dorset	1	21	60	7	1	11
Dudley	0	51	27	15	0	7
Exeter	0	8	78	9	0	5
Glouc	1	85	0	5	0	9
Hull	0	36	45	7	0	12
Ipswi	2	64	12	14	0	7
Kent	2	32	53	13	0	0
L Barts	0	29	56	8	0	7
L Guys	1	26	68	3	0	2
L Kings	1	17	67	8	0	6
L Rfree	2	2	85	3	0	8

**Table F.2.4.** Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
L St.G	0	41	44	5	1	9
L West	0	22	75	1	0	1
Leeds	0	16	73	3	0	8
Leic	2	16	67	6	0	9
Liv Ain	0	16	77	2	0	5
Liv RI	2	37	47	8	0	5
M RI	2	31	54	2	0	10
Middlbr	2	24	71	4	0	0
Newc	1	86	0	3	0	10
Norwch	2	49	38	9	0	3
Nottm	3	40	41	9	0	7
Oxford	2	39	44	6	0	9
Plymth	0	75	0	22	0	3
Ports	0	19	67	14	0	0
Prestn	3	17	71	3	0	7
Redng	1	43	38	17	0	1
Salford	2	33	45	13	0	7
Sheff	2	39	50	9	0	0
Shrew	0	53	34	14	0	0
Stevng	2	49	43	6	0	0
Sthend	3	90	0	8	0	0
Stoke	2	58	20	6	0	15
Sund	0	67	28	2	0	3
Truro	0	41	45	6	0	8
Wirral	0	69	19	2	0	10
Wolve	0	22	61	16	0	0
York	0	54	33	13	0	0
<b>N Ireland</b>						
Antrim	0	92	0	3	0	5
Belfast	3	87	0	2	0	8
Newry	3	87	0	0	0	10
Ulster	0	100	0	0	0	0
West NI	1	91	0	0	0	8
<b>Scotland*</b>						
Abrdn	0	96	0	4	0	0
Airdrie	0	96	0	0	0	4
D & Gall	0	71	0	9	0	20
Dundee	0	91	0	1	0	8
Dunfn	0	85	0	0	0	15
Edinb	0	86	0	5	0	9
Glasgw	1	93	0	2	0	4
Inverns	2	83	0	5	0	10
Klmarnk	3	78	0	2	0	17
<b>Wales</b>						
Bangor	3	57	19	7	0	14
Cardff	1	13	71	11	0	4
Clwyd	3	88	0	9	0	0
Swanse	4	52	34	8	0	2
Wrexm	0	84	4	13	0	0
<b>England</b>	<b>1</b>	<b>36</b>	<b>51</b>	<b>7</b>	<b>0</b>	<b>5</b>
<b>N Ireland</b>	<b>2</b>	<b>91</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>6</b>
<b>Scotland</b>	<b>1</b>	<b>89</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>8</b>
<b>Wales</b>	<b>2</b>	<b>38</b>	<b>46</b>	<b>10</b>	<b>0</b>	<b>4</b>
<b>UK</b>	<b>1</b>	<b>41</b>	<b>45</b>	<b>7</b>	<b>0</b>	<b>5</b>

\* All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis



**Table F.2.5.** Prevalent patients 2011, age ranges by centre (%)

Centre	18–24	25–34	35–44	45–54	55–64	65–74	75–84	85+
<b>England</b>								
B Heart	2	7	12	16	18	25	17	3
B QEH	3	7	14	22	22	17	13	3
Basldn	1	8	11	18	17	21	20	4
Bradfd	5	11	13	23	18	18	10	2
Brightn	1	7	11	19	19	21	17	5
Bristol	3	8	13	20	21	20	13	2
Camb	2	7	14	20	23	18	13	3
Carlis	4	5	16	17	22	23	12	
Carsh	2	5	11	20	19	22	16	4
Chelms	1	5	6	17	27	21	16	7
Colchr	2	2	8	6	19	32	28	4
Covnt	2	7	15	22	20	19	14	2
Derby	2	5	11	17	18	27	18	3
Donc	4	3	8	12	29	19	18	7
Dorset	2	5	10	17	19	28	16	4
Dudley	1	4	10	17	24	24	16	3
Exeter	2	5	11	18	20	21	18	6
Glouc	1	5	12	15	19	24	17	7
Hull	2	8	13	20	22	20	13	2
Ipswi	2	6	12	22	25	20	11	2
Kent	3	6	11	18	19	25	15	2
L Barts	2	9	14	25	21	16	10	1
L Guys	4	9	17	24	20	15	9	2
L Kings	1	7	15	21	21	20	13	2
L Rfree	3	9	14	21	21	18	12	2
L St.G	1	7	13	20	23	20	13	3
L West	1	7	12	21	24	20	12	2
Leeds	3	9	15	20	20	20	11	2
Leic	2	6	14	19	22	22	13	3
Liv Ain	2	4	7	15	24	21	24	4
Liv RI	1	8	16	25	23	16	9	1
M RI	5	8	17	24	23	15	8	1
Middlbr	2	6	14	23	20	19	15	2
Newc	3	8	12	23	24	21	8	1
Norwch	1	6	12	17	17	23	18	6
Nottm	5	7	13	21	21	19	12	2
Oxford	2	8	16	23	19	17	11	2
Plymth	1	8	13	20	21	23	13	2
Ports	2	7	13	21	22	20	12	2
Prestn	2	6	14	21	23	21	12	2
Redng		6	14	17	24	20	15	3
Salford	2	7	15	21	24	19	11	1
Sheff	2	7	12	21	22	19	12	3
Shrew	3	5	9	21	18	21	22	2
Stevng	2	4	15	17	21	21	18	2
Sthend	3	6	7	16	21	22	21	4
Stoke	2	8	13	19	19	20	17	3
Sund	2	6	14	23	23	19	11	2
Truro	1	4	14	16	21	21	17	6
Wirral	1	4	9	15	20	24	23	5
Wolve	1	6	10	19	21	23	17	3
York	5	6	12	22	17	20	12	5
<b>N Ireland</b>								
Antrim	1	5	10	17	16	28	18	5
Belfast	3	9	16	26	19	15	10	2
Newry	3	6	6	20	21	24	18	2
Ulster	1	3	4	10	20	28	28	5
West NI	2	8	16	15	21	23	12	3

**Table F.2.5.** Continued

Centre	18–24	25–34	35–44	45–54	55–64	65–74	75–84	85+
<b>Scotland</b>								
Abrdn	4	10	15	18	24	18	11	1
Airdrie	2	10	16	20	23	15	13	1
D & Gall	4	2	11	25	21	19	13	4
Dundee	1	5	17	18	20	21	15	5
Dunfn	2	6	12	19	21	23	16	2
Edinb	2	9	16	26	22	17	8	1
Glasgw	3	6	15	23	23	18	11	1
Inverns	2	5	16	27	20	13	14	3
Klmarnk	1	5	13	24	21	19	14	3
<b>Wales</b>								
Bangor	2	5	6	14	21	28	22	4
Cardff	3	7	14	21	23	18	11	3
Clwyd	1	8	9	18	26	22	13	1
Swanse	2	5	10	14	22	24	18	5
Wrexm	5	7	14	20	19	17	16	1
<b>England</b>	<b>2</b>	<b>7</b>	<b>13</b>	<b>21</b>	<b>21</b>	<b>20</b>	<b>13</b>	<b>3</b>
<b>N Ireland</b>	<b>3</b>	<b>7</b>	<b>13</b>	<b>21</b>	<b>19</b>	<b>21</b>	<b>14</b>	<b>3</b>
<b>Scotland</b>	<b>2</b>	<b>7</b>	<b>15</b>	<b>22</b>	<b>22</b>	<b>18</b>	<b>12</b>	<b>2</b>
<b>Wales</b>	<b>3</b>	<b>7</b>	<b>12</b>	<b>19</b>	<b>22</b>	<b>20</b>	<b>14</b>	<b>3</b>
<b>UK</b>	<b>2</b>	<b>7</b>	<b>13</b>	<b>21</b>	<b>21</b>	<b>20</b>	<b>13</b>	<b>3</b>

**Table F.2.6.** Dialysis modalities for 2011 prevalent non-diabetic patients (all ages)

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
<b>England</b>						
B Heart	4	78	8	7	0	3
B QEH	5	10	67	10	0	8
Basldn	0	87	1	6	0	7
Bradfd	0	65	17	2	0	16
Brightn	6	43	33	8	0	9
Bristol	7	13	66	7	0	6
Camb	3	38	49	0	10	0
Carlis	0	53	24	15	0	8
Carsh	2	32	54	3	0	9
Chelms	0	79	0	12	1	8
Covnt	3	77	0	20	0	0
Derby	6	60	0	26	0	8
Donc	0	47	41	0	0	12
Dorset	1	20	61	6	0	12
Dudley	2	47	26	15	0	10
Exeter	1	10	71	10	0	9
Glouc	1	84	0	4	0	12
Hull	3	37	41	8	0	12
Ipswi	3	66	11	12	0	9
Kent	5	28	52	15	0	0
L Barts	1	31	50	6	0	11
L Guys	7	21	66	3	0	3
L Kings	2	19	64	6	0	9
L St.G	2	40	41	5	0	12
L West	1	24	72	1	0	1
Leeds	2	19	63	5	0	12
Leic	4	17	63	6	0	10
Liv Ain	3	13	75	1	0	7

**Table F.2.6.** Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
Liv RI	6	37	41	8	0	8
M RI	14	26	43	4	0	14
Middlbr	4	31	59	5	0	0
Newc	7	76	0	3	0	13
Norwch	5	46	32	13	0	4
Nottm	7	35	39	10	0	9
Oxford	4	38	41	6	0	12
Plymth	4	70	0	20	1	5
Ports	1	19	65	16	0	0
Prestn	7	15	66	4	0	8
Redng	0	38	37	24	0	0
Salford	6	36	38	11	0	9
Sheff	7	37	47	9	0	0
Shrew	5	49	30	15	0	0
Stevng	6	48	38	8	0	0
Sthend	2	85	0	14	0	0
Stoke	4	53	24	5	0	15
Sund	1	66	24	5	0	4
Truro	0	46	37	4	0	13
Wirral	0	71	18	0	0	11
Wolve	3	20	57	20	0	0
York	5	53	26	16	0	0
<b>N Ireland</b>						
Antrim	2	85	0	3	0	9
Belfast	6	83	0	1	0	10
Newry	2	86	0	0	0	12
Ulster	5	93	0	0	0	2
West NI	3	86	0	1	0	11
<b>Scotland*</b>						
Abrdn	2	88	0	5	0	5
Airdrie	0	94	0	2	0	4
D & Gall	2	77	0	8	0	13
Dundee	0	87	0	2	0	11
Dunfn	0	83	0	0	0	17
Edinb	2	84	0	4	0	10
Glasgw	6	87	0	2	0	5
Inverns	5	73	0	9	0	13
Klmarnk	4	72	0	2	0	21
<b>Wales</b>						
Bangor	13	52	14	7	0	14
Cardff	6	17	59	12	0	6
Clwyd	4	85	0	9	0	2
Swanse	7	49	30	11	0	3
Wrexm	0	76	4	19	0	0
<b>England</b>	<b>4</b>	<b>36</b>	<b>46</b>	<b>8</b>	<b>0</b>	<b>7</b>
<b>N Ireland</b>	<b>4</b>	<b>86</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>9</b>
<b>Scotland</b>	<b>3</b>	<b>84</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>9</b>
<b>Wales</b>	<b>6</b>	<b>39</b>	<b>38</b>	<b>12</b>	<b>0</b>	<b>5</b>
<b>UK</b>	<b>4</b>	<b>41</b>	<b>40</b>	<b>7</b>	<b>0</b>	<b>7</b>

Excluded centres with  $\geq 40\%$  primary renal diagnosis aetiology uncertain (Colchester) as well as centres with  $\geq 50\%$  primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

\* All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis

**Table F.2.7.** Number of 2011 prevalent patients without diabetes by treatment modality

	HD	PD	Transplant
England	14,001	2,448	18,535
N Ireland	558	65	648
Scotland	1,484	212	2,005
Wales	850	166	1,209
<b>UK</b>	<b>16,893</b>	<b>2,891</b>	<b>22,397</b>

Excluded centres with  $\geq 40\%$  primary renal diagnosis aetiology uncertain (Colchester) as well as centres with  $\geq 50\%$  primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

**Table F.2.8.** Dialysis modalities for 2011 prevalent patients without diabetes aged under 65

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
<b>England</b>						
B Heart	8	72	5	9	0	6
B QEH	8	11	59	12	0	9
Basldn	0	89	0	2	0	10
Bradfd	0	67	9	2	0	22
Brightn	10	42	32	4	0	12
Bristol	12	14	53	7	0	13
Camb	7	42	38	0	12	1
Carlis	0	63	19	11	0	7
Carsh	3	32	50	2	0	13
Chelms	0	79	0	11	0	11
Covnt	6	72	0	22	0	0
Derby	6	54	0	25	0	15
Donc	0	51	32	0	0	17
Dorset	1	22	59	4	0	14
Dudley	4	47	23	15	0	12
Exeter	2	11	63	9	0	15
Glouc	0	80	0	2	0	18
Hull	5	37	34	11	0	14
Ipswi	3	67	8	8	0	13
Kent	9	27	44	20	0	0
L Barts	2	36	45	5	0	13
L Guys	11	22	62	2	0	3
L Kings	2	24	58	5	0	12
L St.G	4	38	38	2	0	17
L West	2	25	70	1	0	1
Leeds	5	21	52	6	0	15
Leic	6	19	60	5	0	10
Liv Ain	4	12	75	0	0	9
Liv RI	9	37	36	7	0	10
M RI	22	27	31	4	0	15
Middlbr	8	40	43	8	0	1
Newc	13	70	0	3	0	15
Norwch	10	43	21	21	0	6
Nottm	12	36	31	10	0	11
Oxford	5	37	39	4	0	15

**Table F.2.8.** Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
Plymth	10	57	0	20	2	10
Ports	1	21	61	16	0	0
Prestn	10	15	61	4	0	9
Redng	0	30	38	31	0	1
Salford	9	35	34	11	0	11
Sheff	13	34	43	9	0	0
Shrew	12	42	29	16	0	0
Stevng	10	48	33	9	0	0
Sthend	2	77	0	21	0	0
Stoke	7	49	27	2	0	14
Sund	2	68	18	7	0	5
Truro	0	62	22	0	0	16
Wirral	0	68	15	0	0	17
Wolve	6	24	47	22	0	0
York	12	48	21	19	0	0
<b>N Ireland</b>						
Antrim	7	72	0	3	0	17
Belfast	8	81	0	1	1	10
Newry	0	86	0	0	0	14
Ulster	19	71	0	0	0	10
West NI	5	80	0	2	0	14
<b>Scotland*</b>						
Abrdn	4	80	0	6	0	9
Airdrie	0	92	0	4	0	4
D & Gall	5	84	0	5	0	5
Dundee	0	83	0	5	0	12
Dunfn	0	83	0	0	0	17
Edinb	3	84	0	2	0	10
Glasgw	10	81	0	2	0	6
Inverns	10	61	0	13	0	16
Klmarnk	5	66	0	3	0	26
<b>Wales</b>						
Bangor	23	47	12	5	0	14
Cardff	12	22	45	14	0	7
Clwyd	3	83	0	10	0	3
Swanse	14	47	18	15	0	5
Wrexm	0	68	5	26	0	0
<b>England</b>	<b>7</b>	<b>35</b>	<b>41</b>	<b>8</b>	<b>0</b>	<b>9</b>
<b>N Ireland</b>	<b>7</b>	<b>80</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>12</b>
<b>Scotland</b>	<b>5</b>	<b>81</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>11</b>
<b>Wales</b>	<b>12</b>	<b>40</b>	<b>27</b>	<b>14</b>	<b>0</b>	<b>6</b>
<b>UK</b>	<b>7</b>	<b>41</b>	<b>36</b>	<b>8</b>	<b>0</b>	<b>9</b>

Excluded centres with  $\geq 40\%$  primary renal diagnosis aetiology uncertain (Colchester) as well as centres with  $\geq 50\%$  primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

\* All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis

**Table F.2.9.** Number of 2011 prevalent patients without diabetes aged under 65 by treatment modality

	HD	PD	Transplant
England	6,529	1,339	15,038
N Ireland	234	37	535
Scotland	732	118	1,669
Wales	338	86	966
<b>UK</b>	<b>7,833</b>	<b>1,580</b>	<b>18,208</b>

Excluded centres with  $\geq 40\%$  primary renal diagnosis aetiology uncertain (Colchester) as well as centres with  $\geq 50\%$  primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

**Table F.2.10.** Dialysis modalities for 2011 prevalent patients without diabetes aged over 65

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
<b>England</b>						
B Heart	1	84	10	6	0	0
B QEH	2	9	77	6	0	6
Basldn	0	86	1	8	0	5
Bradfd	0	63	28	1	0	8
Brightn	3	44	35	11	0	7
Bristol	3	12	76	7	0	2
Camb	0	37	55	0	8	0
Carlis	0	47	27	18	0	9
Carsh	1	32	57	3	0	7
Chelms	0	80	0	13	1	6
Covnt	0	82	0	18	0	0
Derby	6	64	0	27	0	3
Donc	0	45	47	0	0	8
Dorset	1	18	62	7	1	11
Dudley	0	48	29	15	0	9
Exeter	0	9	75	11	0	5
Glouc	1	86	0	5	0	9
Hull	1	37	47	6	0	10
Ipswi	3	65	13	14	0	4
Kent	3	29	57	12	0	0
L Barts	0	23	60	8	0	8
L Guys	1	21	72	4	0	3
L Kings	1	13	72	9	0	6
L St.G	0	41	43	7	1	7
L West	0	23	74	1	0	1
Leeds	0	16	72	3	0	8
Leic	2	16	66	6	0	10
Liv Ain	2	14	75	2	0	6
Liv RI	2	37	49	8	0	4
M RI	2	24	58	2	0	13

**Table F.2.10.** Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
Middlbr	2	24	71	3	0	0
Newc	1	85	0	3	0	11
Norwch	2	48	38	8	0	3
Nottm	2	34	46	10	0	7
Oxford	2	38	42	8	0	10
Plymth	0	77	0	20	0	3
Ports	0	16	68	15	0	0
Prestn	3	14	73	3	0	7
Redng	1	46	36	17	0	0
Salford	1	39	47	9	0	3
Sheff	2	39	50	9	0	0
Shrew	0	55	31	14	0	0
Stevng	2	48	43	7	0	0
Sthend	2	91	0	8	0	0
Stoke	2	55	21	7	0	15
Sund	0	63	30	3	0	4
Truro	0	37	45	7	0	10
Wirral	0	74	21	0	0	5
Wolve	1	17	65	18	0	0
York	0	56	30	14	0	0
<b>N Ireland</b>						
Antrim	0	91	0	3	0	6
Belfast	3	86	0	1	0	10
Newry	4	85	0	0	0	11
Ulster	0	100	0	0	0	0
West NI	1	91	0	0	0	8
<b>Scotland*</b>						
Abrdn	0	96	0	4	0	0
Airdrie	0	96	0	0	0	4
D & Gall	0	73	0	9	0	18
Dundee	0	90	0	0	0	10
Dunfn	0	82	0	0	0	18
Edinb	0	84	0	7	0	10
Glasgw	1	93	0	2	0	3
Inverns	2	80	0	6	0	12
Klmarnk	4	78	0	2	0	16
<b>Wales</b>						
Bangor	4	56	17	8	0	15
Cardff	1	14	70	10	0	5
Clwyd	4	88	0	8	0	0
Swanse	3	50	36	8	0	1
Wrexm	0	82	4	14	0	0
<b>England</b>	<b>1</b>	<b>36</b>	<b>50</b>	<b>8</b>	<b>0</b>	<b>5</b>
<b>N Ireland</b>	<b>2</b>	<b>90</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>7</b>
<b>Scotland</b>	<b>1</b>	<b>88</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>8</b>
<b>Wales</b>	<b>2</b>	<b>39</b>	<b>45</b>	<b>10</b>	<b>0</b>	<b>4</b>
<b>UK</b>	<b>1</b>	<b>42</b>	<b>44</b>	<b>7</b>	<b>0</b>	<b>5</b>

Excluded centres with  $\geq 40\%$  primary renal diagnosis aetiology uncertain (Colchester) as well as centres with  $\geq 50\%$  primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

\* All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis

**Table F.2.11.** Number of 2011 prevalent patients without diabetes aged over 65 by treatment modality

	HD	PD	Transplant
England	7,472	1,109	3,497
N Ireland	324	28	113
Scotland	752	94	336
Wales	512	80	243
<b>UK</b>	<b>9,060</b>	<b>1,311</b>	<b>4,189</b>

Excluded centres with  $\geq 40\%$  primary renal diagnosis aetiology uncertain (Colchester) as well as centres with  $\geq 50\%$  primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

**Table F.2.12.** Dialysis modalities for 2011 prevalent patients with diabetes

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
<b>England</b>						
B Heart	5	82	6	4	0	3
B QEH	2	12	76	3	0	7
Basldn	0	77	0	9	0	14
Bradfd	0	90	5	0	0	5
Brightn	9	27	55	3	0	6
Bristol	3	20	69	2	0	5
Camb	4	40	44	0	8	4
Carlis	0	59	0	12	0	29
Carsh	0	26	62	5	0	7
Chelms	0	93	0	0	0	7
Covnt	4	77	0	19	0	0
Derby	5	57	0	28	0	11
Donc	3	49	26	3	0	20
Dorset	0	26	58	5	0	12
Dudley	2	50	14	24	0	10
Exeter	0	9	77	4	0	10
Glouc	0	76	0	6	0	18
Hull	0	32	36	12	0	20
Ipswi	4	65	15	8	0	8
Kent	0	45	37	18	0	0
L Barts	1	32	52	8	0	8
L Guys	1	33	62	2	0	2
L Kings	0	20	63	5	0	12
L St.G	1	44	43	2	0	11
L West	0	25	73	1	0	1
Leeds	0	22	67	3	0	9
Leic	2	24	63	4	0	8
Liv Ain	0	28	70	0	0	3
Liv RI	2	38	38	6	0	17
M RI	2	41	43	4	0	10
Middlbr	0	38	58	4	0	0
Newc	0	89	0	2	0	9
Norwch	0	52	36	13	0	0



**Table F.2.12.** Dialysis modalities for 2011 prevalent patients with diabetes

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% unknown type of PD	% APD
Nottm	5	51	26	8	0	10
Oxford	4	36	43	4	0	13
Plymth	0	73	0	24	0	2
Ports	0	30	58	12	0	0
Prestn	1	27	65	3	0	5
Redng	0	33	41	25	0	1
Salford	2	24	51	15	0	8
Sheff	3	36	50	12	0	0
Shrew	2	48	31	19	0	0
Stevng	2	50	47	2	0	0
Sthend	3	86	0	10	0	0
Stoke	2	60	12	2	0	22
Sund	0	74	20	3	0	3
Truro	3	61	29	5	0	3
Wirral	0	63	22	6	0	9
Wolve	1	33	50	16	0	0
York	0	50	39	11	0	0
<b>N Ireland</b>						
Antrim	4	92	0	2	0	2
Belfast	6	81	0	2	0	10
Newry	3	94	0	0	0	3
Ulster	0	95	0	0	0	5
West NI	0	89	0	0	0	11
<b>Scotland*</b>						
Abrdn	0	92	0	2	0	6
Airdrie	0	97	0	0	0	3
D & Gall	0	73	0	0	0	27
Dundee	0	96	0	2	0	2
Dunfn	0	90	0	0	0	10
Edinb	2	88	0	5	0	6
Glasgw	2	91	0	2	0	6
Inverns	5	95	0	0	0	0
Klmarnk	0	77	0	0	0	23
<b>Wales</b>						
Bangor	6	56	28	0	0	11
Cardff	4	15	66	14	0	1
Clwyd	13	75	0	13	0	0
Swanse	3	53	28	10	0	5
Wrexm	5	74	5	16	0	0
<b>England</b>	<b>1</b>	<b>38</b>	<b>48</b>	<b>7</b>	<b>0</b>	<b>6</b>
<b>N Ireland</b>	<b>3</b>	<b>89</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>6</b>
<b>Scotland</b>	<b>1</b>	<b>90</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>7</b>
<b>Wales</b>	<b>4</b>	<b>37</b>	<b>44</b>	<b>12</b>	<b>0</b>	<b>3</b>
<b>UK</b>	<b>2</b>	<b>44</b>	<b>42</b>	<b>6</b>	<b>0</b>	<b>6</b>

Excluded centres with  $\geq 40\%$  primary renal diagnosis aetiology uncertain (Colchester) as well as centres with  $\geq 50\%$  primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

\* All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis

**Table F.2.13.** Number of 2011 prevalent patients with diabetes by treatment modality

	HD	PD	Transplant
England	3,960	595	1,959
N Ireland	167	13	55
Scotland	388	37	189
Wales	240	42	153
<b>UK</b>	<b>4,755</b>	<b>687</b>	<b>2,356</b>

Excluded centres with  $\geq 40\%$  primary renal diagnosis aetiology uncertain (Colchester) as well as centres with  $\geq 50\%$  primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

**Table F.2.14.** With diabetes 2011 prevalent patients

Centre	M:F ratio	Median age on 31/12/2011	Median age at start of treatment	Median time on RRT in days	Median time on RRT in years
<b>England</b>					
B Heart	1.8	67	62	1,034	2.8
B QEH	1.4	63	58	1,333	3.6
Basldn	2.9	62	57	1,129	3.1
Bradfd	1.5	61	54	1,218	3.3
Brightn	1.9	62	54	1,888	5.2
Bristol	1.3	62	55	1,431	3.9
Camb	1.9	48	40	1,997	5.5
Carlis	3.5	59	58	694	1.9
Carsh	2.1	64	60	1,379	3.8
Chelms	2.4	61	58	798	2.2
Covnt	1.5	63	59	1,296	3.5
Derby	1.4	66	61	1,251	3.4
Donc	2.2	62	58	840	2.3
Dorset	1.8	62	56	1,207	3.3
Dudley	3.4	62	59	1,376	3.8
Exeter	1.4	62	58	956	2.6
Glouc	2.3	63	59	1,489	4.1
Hull	1.5	60	54	1,493	4.1
Ipswi	1.5	59	53	985	2.7
Kent	1.7	59	57	879	2.4
L Barts	1.6	63	59	1,075	2.9
L Guys	1.2	57	52	1,716	4.7
L Kings	1.3	64	59	1,060	2.9
L St.G	1.3	67	62	1,319	3.6
L West	1.9	63	58	1,275	3.5
Leeds	2.0	62	56	1,419	3.9
Leic	1.5	63	58	1,113	3.0
Liv Ain	1.4	61	57	921	2.5
Liv RI	1.4	55	47	2,056	5.6
M RI	1.4	57	53	1,447	4.0
Middlbr	1.1	54	47	1,301	3.6
Newc	1.3	55	50	1,552	4.2

**Table F.2.14.** With diabetes 2011 prevalent patients

Centre	M:F ratio	Median age on 31/12/2011	Median age at start of treatment	Median time on RRT in days	Median time on RRT in years
Norwch	1.4	61	58	1,257	3.4
Nottm	1.5	60	54	1,517	4.2
Oxford	1.9	55	49	1,240	3.4
Plymth	1.6	58	54	1,319	3.6
Ports	2.0	59	54	1,125	3.1
Prestn	1.8	63	59	1,013	2.8
Redng	1.5	63	60	1,131	3.1
Salford	1.2	65	59	1,039	2.8
Sheff	2.5	60	56	1,206	3.3
Shrew	1.3	63	62	794	2.2
Stevng	2.1	63	60	1,121	3.1
Sthend	1.1	63	59	1,392	3.8
Stoke	1.2	65	61	1,081	3.0
Sund	2.1	58	54	938	2.6
Truro	2.0	57	52	1,416	3.9
Wirral	1.2	58	54	1,396	3.8
Wolve	2.0	62	58	1,289	3.5
York	1.2	57	53	1,058	2.9
<b>N Ireland</b>					
Antrim	1.0	65	63	1,437	3.9
Belfast	1.7	56	50	1,387	3.8
Newry	2.3	67	60	670	1.8
Ulster	1.7	69	65	695	1.9
West NI	0.9	64	59	1,493	4.1
<b>Scotland</b>					
Abrdn	1.8	58	53	1,360	3.7
Airdrie	1.7	55	52	788	2.2
D & Gall	4.0	55	45	928	2.5
Dundee	1.3	60	56	933	2.6
Dunfn	1.2	58	57	1,009	2.8
Edinb	1.3	52	47	1,478	4.0
Glasgw	1.4	60	55	1,287	3.5
Inverns	2.5	51	43	2,208	6.0
Klmarnk	1.7	58	54	1,192	3.3
<b>Wales</b>					
Bangor	1.3	65	62	988	2.7
Cardff	1.5	60	54	1,147	3.1
Clwyd	0.9	57	50	1,706	4.7
Swanse	2.0	64	61	841	2.3
Wrexm	2.8	54	42	2,696	7.4
<b>England</b>	<b>1.6</b>	<b>61</b>	<b>56</b>	<b>1,261</b>	<b>3.5</b>
<b>N Ireland</b>	<b>1.4</b>	<b>63</b>	<b>59</b>	<b>1,140</b>	<b>3.1</b>
<b>Scotland</b>	<b>1.5</b>	<b>58</b>	<b>53</b>	<b>1,225</b>	<b>3.4</b>
<b>Wales</b>	<b>1.7</b>	<b>61</b>	<b>55</b>	<b>1,143</b>	<b>3.1</b>
<b>UK</b>	<b>1.6</b>	<b>61</b>	<b>56</b>	<b>1,249</b>	<b>3.4</b>

Excluded centres with  $\geq 40\%$  primary renal diagnosis aetiology uncertain (Colchester) as well as centres with  $\geq 50\%$  primary renal diagnosis not sent (London Royal Free)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

**Table F.2.15.** Transplant gender ratios in 2011 prevalent patients

	% males	% females	N males	N females	M:F ratio
England	60.7	39.3	13,354	8,635	1.5
N Ireland	63.6	36.4	450	257	1.8
Scotland	59.9	40.1	1,315	882	1.5
Wales	62.7	37.3	863	513	1.7
<b>UK</b>	<b>60.8</b>	<b>39.2</b>	<b>15,982</b>	<b>10,287</b>	<b>1.6</b>