

## Appendix D: Data Tables

### 1. Patients starting renal replacement in 1998

Take-on figures for new patients on dialysis				
Centre	aged <65		aged >65	
	% on HD	% on PD	% on HD	% on PD
A	45	55	37	63
B	38	62	55	45
C	39	61	52	48
D	53	47	62	38
E	72	28	89	11
F	47	53	60	40
G	72	28	80	20
H	67	33	76	24
I	29	71	63	38
J	39	61	65	35
K	49	51	89	11
L	62	38	64	36
M	32	68	54	46
N	52	48	92	8
O	63	37	82	18
P	46	54	67	33
Q	57	43	80	20
R	47	53	71	29
Sa	76	24	67	33
Sb	55	45	72	28
Sc	71	29	85	15
Se	75	25	87	13
Sf	73	27	90	10
Sg	64	36	86	14
Sh	38	62	25	75
Si	56	44	66	34
Sj	50	50	87	13
Sk	38	62	77	23
Sl	44	56	70	30
T	39	61	66	34
E&W	49	51	67	33
Scotland	60	40	76	24
UK	52	48	69	31

**Table D.1.1 Take-on of new dialysis patients**

Take-on figures for new patients on dialysis				
	aged <65		aged >65	
	No. on HD	No. on PD	No. on HD	No. on PD
E&W	424	434	454	219
Scotland	156	102	156	50
UK	580	536	610	269

**Table D.1.2 Take-on totals of new dialysis patients**

Treatment modalities at 90 days						
Centre	% on HD	% on PD	% on transplant	% transferred out	% stopped treatment	% died
A	38	53	3	1		6
B	39	49	4			8
C	39	53				8
D	46	34	7	2	3	9
E	71	17	1			12
F	50	41		5		5
G	64	20	9			7
H	57	24	6	7		7
I	41	49	3			8
J	39	38	4	2	1	16
K	54	29	4	4		9
L	56	33	8			3
M	34	48	10	1		7
N	59	23	2		2	15
O	52	21	1			26
P	51	43		2		4
Q	56	29	5			11
R	50	36		1	1	11
Sa	65	26				9
Sb	46	28			2	24
Sc	67	19			1	12
Se	67	17	5			12
Sf	63	15				22
Sg	65	29				6
Sh	33	61				6
Si	50	32	1		1	16
Sj	67	26				7
Sk	45	40				15
Sl	52	37				11
T	48	38		5		9
E&W	49	36	4	1	0	10
Scotland	57	28	1		1	14
UK	51	34	3	1	0	10

**Table D.1.3 Treatment modalities at 90 days**

Treatment modalities at 90 days						
	No. on HD	No. on PD	No. on transplant	No. transferred out	No. stopped treatment	No. died
E&W	878	653	70	26	7	173
Scotland	312	152	5		3	74
UK	1190	805	75	26	10	247

**Table D.1.4 Number of patients per treatment modality at 90 days**

First treatment modality			
Centre	% on HD	% on PD	% on transplant
A	42	58	1
B	45	52	3
C	44	56	
D	56	40	5
E	82	18	
F	55	45	
G	70	24	6
H	71	29	
I	51	49	
J	54	41	4
K	62	34	4
L	58	42	
M	38	54	9
N	70	30	
O	78	22	
P	53	47	
Q	66	30	4
R	62	38	
Sa	72	28	
Sb	67	33	
Sc	78	22	
Se	79	21	
Sf	81	19	
Sg	68	32	
Sh	39	61	
Si	57	42	1
Sj	74	26	
Sk	53	48	
Sl	59	41	
T	56	44	
E&W	58	40	2
Scotland	67	33	0
UK	60	38	2

**Table D.1.5 First treatment modality**

<b>First treatment modality – patient numbers</b>			
	<b>No. on HD</b>	<b>No. on PD</b>	<b>No. on transplant</b>
E&W	1043	720	44
Scotland	366	179	1
UK	1409	899	45

**Table D.1.6 First treatment modality - patient numbers**

<b>Treatment by gender</b>						
<b>Centre</b>	<b>Haemodialysis</b>			<b>Peritoneal Dialysis</b>		
	<b>% Male</b>	<b>% Female</b>	<b>M:F ratio</b>	<b>% Male</b>	<b>% Female</b>	<b>M:F ratio</b>
A	73	24	3.0	64	33	1.9
B	60	40	1.5	50	50	1.0
C	73	27	2.7	70	30	2.3
D	66	34	1.9	52	48	1.1
E	65	35	1.9	54	46	1.2
F	73	27	2.7	67	33	2.0
G	56	44	1.3	59	41	1.4
H	66	32	2.1	64	36	1.8
I	60	40	1.5	83	17	4.9
J	63	37	1.7	65	35	1.9
K	58	42	1.4	48	52	0.9
L	55	45	1.2	75	25	3.0
M	78	22	3.5	65	35	1.9
N	69	31	2.2	86	14	6.1
O	57	43	1.3	68	32	2.1
P	54	46	1.2	65	35	1.9
Q	49	51	1.0	53	47	1.1
R	78	22	3.5	93	4	23.3
Sa	64	36	1.8	45	55	0.8
Sb	72	28	2.6	67	33	2.0
Sc	53	47	1.1	62	38	1.6
Se	63	38	1.7	79	21	3.8
Sf	59	41	1.4	50	50	1.0
Sg	65	35	1.9	56	44	1.3
Sh	33	67	0.5	45	55	0.8
Si	59	41	1.4	57	43	1.3
Sj	78	22	3.5	86	14	6.1
Sk	56	44	1.3	31	69	0.4
Sl	54	46	1.2	59	41	1.4
T	79	21	3.8	76	21	3.6
E&W	64	36	1.8	64	36	1.8
Scotland	61	39	1.6	57	43	1.3
UK	63	37	1.7	62	37	1.7

**Table D.1.7 Treatment modalities by gender**

<b>Treatment by gender</b>						
	<b>Haemodialysis</b>			<b>Peritoneal Dialysis</b>		
	<b>No. males</b>	<b>No. females</b>	<b>No. unknown</b>	<b>No. males</b>	<b>No. females</b>	<b>No. unknown</b>
Scotland	189	123		87	65	
E&W	564	312	2	416	233	4
UK	753	435	2	503	298	4

**Table D.1.8 Treatment modality numbers by gender**

## 2. Current patients 1998

Treatment Modalities by centre								
Centre	for patients aged < 65				for patients aged > 65			
	% on HD	% on PD	% on Transplant	HD:PD	% on HD	% on PD	% on Transplant	HD:PD
A	35	54	11	0.7	16	20	64	0.8
B	44	39	17	1.1	26	26	48	1.0
C	48	26	26	1.9	36	18	46	2.0
D	55	22	23	2.5	27	8	65	3.3
E	75	12	13	6.2	43	9	48	4.6
F	74	16	10	4.5	30	24	45	1.3
G	47	16	37	2.9	13	13	73	1.0
H	77	17	7	4.6	43	20	37	2.1
I	52	20	28	2.7	19	15	66	1.2
J	42	31	27	1.3	24	24	52	1.0
K	58	11	31	5.1	24	10	66	2.4
L	67	8	26	8.8	28	10	62	2.7
M	43	21	36	2.1	16	13	70	1.2
N	51	20	29	2.6	17	12	71	1.4
O	63	10	26	6.2	25	9	65	2.8
P	46	42	12	1.1	32	26	42	1.2
Q	59	25	16	2.3	23	18	59	1.3
R	67	17	16	3.9	35	24	41	1.4
Sa	80	20		4.0	84	16		5.3
Sb	60	12	28	5.1	25	9	66	2.7
Sc	81	15	4	5.4	62	30	8	2.1
Se	64	20	16	3.2	32	10	57	3.1
Sf	78	22		3.5	83	17		4.7
Sg	56	44		1.3	55	45		1.2
Sh	48	43	10	1.1	33	40	27	0.8
Si	40	21	39	1.9	12	10	78	1.2
Sj	75	25		3.0	80	20		4.0
Sk	66	28	7	2.4	42	32	26	1.3
Sl	65	19	16	3.5	46	20	34	2.3
T	54	23	23	2.4	20	18	61	1.1
E&W	53	24	23	2.2	25	16	59	1.5
Scotland	61	21	19	2.9	32	15	53	2.1
UK	55	23	22	2.3	26	16	58	1.6

**Table D.2.1 Treatment modalities for patients aged under 65 and over 65**

	Treatment Modality numbers					
	for patients aged < 65			for patients aged > 65		
	No. on HD	No. on PD	No. on transplant	No. on HD	No. on PD	No. on transplant
E&W	1875	1236	4523	1538	688	650
Scotland	602	287	990	387	132	768
UK	2477	1523	5513	1925	820	118

**Table D.2.2 Numbers of patients under and over 65 per treatment modality**

Haemodialysis Modalities with gender ratios									
Centre		Haemodialysis		Home Haemodialysis		Hospital Haemodialysis		Satellite Haemodialysis	
Code	M:F ratio	%	M:F ratio	%	M:F ratio	%	M:F ratio	%	M:F ratio
A	1.7	22	1.0	2	3.0	41	1.0	0	n/a
B	1.6	31	1.0	5	3.8	32	1.0	14	1.0
C	1.6	38	1.2	9	1.0	37	1.2	19	1.0
D	1.6	35	1.1	14	2.3	25	0.7	35	1.0
E	1.6	54	1.1	11	1.5	65	0.9	8	2.6
F	1.6	50	1.1	0	n/a	71	1.0	0	n/a
G	1.4	21	1.0	0	n/a	30	1.2	30	0.8
H	1.8	56	1.1	0	n/a	75	1.2	0	0.0
I	1.7	29	1.0	0	n/a	45	1.0	18	1.0
J	1.8	29	1.2	4	1.5	48	1.2	0	n/a
K	1.6	31	1.0	2	1.9	36	1.2	37	0.9
L	1.7	39	1.1	1	n/a	80	0.9	0	n/a
M	1.5	24	1.2	8	1.3	53	1.1	0	n/a
N	1.8	28	0.9	1	0.5	65	0.9	0	n/a
O	1.4	35	0.8	2	0.0	58	0.9	20	1.4
P	1.8	36	1.0	3	2.2	51	1.0	0	n/a
Q	1.5	31	1.0	1	0.8	47	1.2	14	0.8
R	2.1	44	0.7	6	0.6	49	0.8	11	1.5
Sa	1.4	83	1.2	23	1.5	60	1.0	0	n/a
Sb	1.4	34	1.1	7	2.2	71	1.1	0	n/a
Sc	1.1	69	1.1	0	n/a	74	1.1	0	n/a
Se	1.9	40	0.9	4	4.7	72	1.0	0	n/a
Sf	1.1	81	0.8	0	n/a	81	0.8	0	n/a
Sg	1.6	55	1.6	0	n/a	55	1.6	0	n/a
Sh	1.3	37	0.5	2	0.0	46	0.6	0	n/a
Si	1.3	17	0.9	1	0.8	58	1.0	0	n/a
Sj	1.6	78	1.4	1	n/a	77	1.4	0	n/a
Sk	1.3	49	1.7	4	1.3	58	1.4	0	n/a
Sl	1.3	52	1.1	2	1.4	71	1.0	0	n/a
T	1.9	32	1.6	1	n/a	33	1.5	28	0.9
E&W	1.6	32	1.1	5	1.5	46	1.0	14	1.0
Scotland	1.4	39	1.1	5	1.8	66	1.0	0	n/a
UK	1.6	34	1.1	5	1.5	50	1.0	11	1.0

**Table D.2.3 Haemodialysis modalities and gender ratios**

Peritoneal Dialysis Modalities with gender ratios													
Centre		Peritoneal Dialysis		Standard PD		Disconnect PD		Cycling PD >= 6 nights		Cycling PD < 6 nights		Unknown type PD	
Centre	M:F ratio	%	M:F ratio	%	M:F ratio	%	M:F ratio	%	M:F ratio	%	M:F ratio	%	M:F ratio
A	1.7	30	1.0	0	n/a	58	1.0	0	n/a	0	n/a	0	n/a
B	1.6	29	0.8	0	0.0	44	0.9	5	1.0	0	n/a	0	n/a
C	1.6	20	1.0	0	n/a	33	0.9	1	0.3	0	n/a	0	n/a
D	1.6	12	0.9	14	1.1	9	1.1	2	0.0	1	0.6	0	n/a
E	1.6	10	0.8	0	n/a	14	0.6	2	3.1	0	n/a	0	n/a
F	1.6	21	1.0	5	1.1	24	1.0	1	0.0	0	n/a	0	n/a
G	1.4	14	1.0	0	n/a	40	1.0	0	n/a	0	n/a	0	n/a
H	1.8	19	0.6	0	n/a	25	0.6	0	n/a	0	n/a	0	n/a
I	1.7	17	0.9	0	n/a	30	0.8	7	2.5	0	n/a	0	n/a
J	1.8	26	0.9	0	n/a	47	0.8	0	n/a	0	0.0	0	n/a
K	1.6	10	0.8	1	0.3	22	0.9	2	0.5	0	n/a	0	n/a
L	1.7	9	2.5	0	n/a	12	1.6	6	n/a	1	0.0	0	n/a
M	1.5	15	0.9	0	n/a	34	0.8	5	1.0	0	0.0	0	n/a
N	1.8	14	1.2	0	n/a	34	1.2	0	n/a	0	n/a	0	n/a
O	1.4	9	1.0	0	n/a	21	1.2	0	n/a	0	n/a	0	n/a
P	1.8	31	0.9	0	n/a	46	1.0	0	n/a	0	n/a	0	n/a
Q	1.5	20	0.8	0	n/a	37	0.9	1	0.8	0	n/a	0	n/a
R	2.1	22	1.3	0	n/a	25	1.8	9	0.9	0	n/a	0	n/a
Sa	1.4	17	0.5	0	n/a	17	0.5	1	n/a	0	n/a	0	n/a
Sb	1.4	10	0.7	0	n/a	21	0.7	2	0.7	0	n/a	0	n/a
Sc	1.1	24	0.9	0	n/a	23	0.9	3	0.6	0	n/a	0	n/a
Se	1.9	13	0.8	0	n/a	20	1.1	4	0.3	0	n/a	0	n/a
Sf	1.1	19	4.4	0	n/a	6	n/a	9	1.8	3	n/a	0	n/a
Sg	1.6	45	0.6	0	n/a	40	0.5	5	n/a	0	n/a	0	n/a
Sh	1.3	41	1.6	0	n/a	42	1.3	10	n/a	0	n/a	0	n/a
Si	1.3	12	0.9	0	n/a	37	0.9	3	1.4	1	1.7	0	n/a
Sj	1.6	22	0.3	0	n/a	6	0.2	16	0.4	0	n/a	0	n/a
Sk	1.3	31	0.7	0	n/a	32	0.6	7	0.6	0	n/a	0	n/a
Sl	1.3	20	1.1	0	n/a	16	0.7	11	1.8	0	n/a	0	n/a
T	1.9	20	1.1	4	0.9	34	0.8	0	n/a	1	n/a	1	0.0
E&W	1.6	18	0.9	1	1.0	32	0.9	2	0.9	0	0.5	0	0.0
Scotland	1.4	17	0.8	0	n/a	24	0.8	5	1.1	0	2.9	0	n/a
UK	1.6	18	0.9	1	1.0	31	0.9	3	0.9	0	0.9	0	0.0

**Table D.2.4 Haemodialysis modalities and gender ratios**

Median ages and dialysis modalities by centre					
Centre	Median age on Dialysis	Median age on HD	Median age on PD	Median age on transplant	Median age for all
A	66	64	53	47	51
B	60	60	59	47	61
C	54	54	59	46	48
D	63	62	57	51	55
E	62	63	59	49	54
F	68	70	67	48	55
G	60	64	61	47	61
H	64	66	65	49	55
I	63	66	62	51	57
J	59	58	57	50	54
K	58	61	62	49	56
L	63	65	60	49	61
M	61	64	51	51	55
N	66	69	60	48	55
O	61	63	52	47	50
P	60	59	52		59
Q	60	61	58	46	52
R	59	61	54	46	54
Sa	56	52	52	52	56
Sb	60	62	55	51	54
Sc	61	62	62	52	56
Se	59	59	60	45	53
Sf	59	59	59		59
Sg	59	60	23	22	22
Sh	56	53	50	44	51
Si	60	62	49	51	54
Sj	61	61	59	46	51
Sk	54	54	58		61
Sl	60	61	57		56
T	64	67	54	48	52
E&W	61	62	59	49	54
Scotland	59	59	58	48	54
UK	60	62	57	46	52

**Table D.2.5 Treatment modality median ages by centre**

Dialysis Modalities for patients aged under 65								
Centre	% on Home HD	% on Hosp HD	% on Satellite HD	% on standard PD	% on disconnect PD	% on cycling PD >=6 nights	% on cycling PD < 6 nights	% on unknown type PD
A	3	43			54			
B	7	30	12	0	43	7		
C	12	37	17		34	0		
D	25	29	23	8	12	3	0	
E	18	58	6		16	1		
F		56		7	35	2		
G		25	25		50			
H		68			32			
I		34	21		34	11		
J	6	43			50		1	
K	4	33	33	1	26	2		
L	2	72			15	10	2	
M	12	43			37	8		
N	3	56			41			
O	3	58	13		27			
P	5	50			45			
Q	0	43	13		42	2		
R	9	41	9		27	14		
Sa	32	52			16			
Sb	11	62			24	3		
Sc		68			27	5		
Se	7	69			20	5		
Sf		83			9	4	4	
Sg		55			38	8		
Sh	3	43			45	10		
Si	1	53			41	4	1	
Sj	2	78			4	16		
Sk	5	52			34	9		
Sl	3	66			15	15		
T	2	30	21	7	39		1	1
E&W	7	41	12	1	36	3	0	0
Scotland	7	61			26	6	0	
UK	7	46	9	1	33	4	0	0

**Table D.2.6 Dialysis modalities for patients aged under 65**

Dialysis Modalities for patients aged 65 and over								
Centre	% on Home HD	% on Hosp HD	% on Satellite HD	% on standard PD	% on disconnect PD	% on cycling PD >=6 nights	% on cycling PD < 6 nights	% on unknown type PD
A	1	39	0	0	60	0	0	0
B	1	35	17	0	45	2	0	0
C	1	37	27	0	33	2	0	0
D	3	20	49	22	6	0	1	0
E	3	72	11	0	10	3	0	0
F	0	82	0	3	15	0	0	0
G	0	37	37	0	25	0	0	0
H	0	82	1	0	18	0	0	0
I	0	58	15	0	24	3	0	0
J	0	57	0	0	43	0	0	0
K	0	41	42	1	14	2	0	0
L	0	90	0	0	8	2	0	0
M	2	66	0	0	31	2	1	0
N	0	72	0	0	28	0	0	0
O	0	58	28	0	14	0	0	0
P	0	53	0	0	47	0	0	0
Q	1	53	16	0	30	0	0	0
R	1	63	15	0	20	0	0	0
Sa	4	76	0	0	18	2	0	0
Sb	0	84	0	0	16	0	0	0
Sc	0	84	0	0	16	0	0	0
Se	0	76	0	0	19	4	1	0
Sf	0	78	0	0	0	22	0	0
Sg	0	56	0	0	44	0	0	0
Sh	0	53	0	0	37	11	0	0
Si	0	66	0	0	32	1	1	0
Sj	0	75	0	0	9	16	0	0
Sk	0	70	0	0	26	4	0	0
Sl	0	78	0	0	17	5	0	0
T	0	36	35	0	29	0	1	0
E&W	1	52	16	2	28	1	0	0
Scotland	0	74	0	0	22	3	0	0
UK	1	56	13	2	27	1	0	0

**Table D.2.7 Dialysis modalities for patients aged over 65**

Patients Age Ranges by Centre								
Centre	% 18-24	% 25-34	% 35-44	% 45-54	% 55-64	% 65-74	% 75-84	% 85+
A	2	13	13	19	21	18	12	2
B	2	11	17	18	23	19	8	1
C	2	12	19	23	22	16	4	0
D	3	10	15	21	23	19	9	1
E	4	12	12	19	20	25	8	0
F	4	6	13	14	19	24	17	4
G	4	13	20	23	19	15	6	0
H	2	11	11	14	24	24	13	2
I	1	10	15	23	22	24	6	
J	3	14	17	17	22	18	8	1
K	4	15	19	20	21	15	7	
L	3	11	15	19	23	26	4	
M	2	9	17	24	21	18	8	0
N	4	8	17	19	19	16	14	2
O	3	12	18	18	23	17	9	0
P	2	9	14	22	25	22	6	
Q	3	11	20	22	21	15	7	
R	3	12	16	22	19	20	9	
Sa	2	15	12	20	18	21	10	1
Sb	5	13	18	20	19	17	7	1
Sc	1	8	11	20	22	26	11	1
Se	3	11	19	19	23	16	9	
Sf	3	13	9	22	25	19	9	
Sg	2	14	14	16	24	22	7	2
Sh	5	11	16	21	20	26		1
Si	3	15	24	20	20	14	4	0
Sj	1	6	18	13	22	20	20	
Sk	6	15	19	20	14	21	7	
Sl	3	12	13	19	20	22	10	1
T	2	12	17	17	20	20	12	1
E&W	3	11	17	20	21	18	8	1
Scotland	3	13	19	20	20	18	7	1
UK	3	12	17	20	21	18	8	1

**Table D.2.8 Age ranges by centre**

Treatment Modalities with gender ratios										
	No. of males	No. of females	No. unknown	M:F ratio	No. on HD	M:F ratio	No. on PD	M:F ratio	No. on transplant	M:F ratio
E&W	6484	4014	12	1.6	3413	1.7	1924	1.5	5173	1.6
Scotland	1466	1050		1.4	989	1.5	419	1.1	1108	1.4
UK	7950	5064	12	1.6	4402	1.7	2343	1.4	6281	1.6

**Table D.2.9 Numbers of patients by treatment modality with gender ratios**

Non-diabetic dialysis modalities (all patients)											
Centre	% on HD	% on Home HD	% on Hospital HD	% on Satellite HD	% on PD	% on CAPD Standard	% on CAPD Disconnect	% on Cycling PD >=6 nights/wk	% on Cycling PD <6 nights/wk	% on PD Type Unknown	% on Transplant
A	18	2	37	0	28	0	60	0	0	0	54
B	29	6	32	12	27	0	44	5	0	0	44
C	38	11	37	20	18	0	31	1	0	0	44
D	33	16	22	35	12	15	10	1	1	0	55
E	52	12	63	9	10	0	14	2	0	0	38
F	49	0	69	0	22	5	25	1	0	0	29
G	18	0	27	29	14	0	44	0	0	0	68
H	59	0	78	0	16	0	22	0	0	0	25
I	26	0	42	18	17	0	33	7	0	0	57
J	28	5	49	0	24	0	46	0	0	0	49
K	31	3	35	40	9	1	19	2	0	0	60
L	38	1	81	0	8	0	11	6	1	0	53
M	23	8	56	0	13	0	31	5	0	0	63
N	27	2	66	0	13	0	33	0	0	0	60
O	32	2	56	21	9	0	21	0	0	0	59
P	37	4	53	0	28	0	43	0	0	0	35
Q	28	1	45	15	18	0	38	2	0	0	54
R	45	7	47	12	23	0	24	10	0	0	32
Sa	84	25	59	0	16	0	15	1	0	0	
Sb	33	8	72	0	9	0	19	1	0	0	58
Sc	71	0	76	0	22	0	22	2	0	0	6
Se	40	5	73	0	12	0	19	3	1	0	48
Sf	83	0	83	0	17	0	4	8	4	0	
Sg	59	0	59	0	41	0	36	5	0	0	
Sh	36	2	47	0	38	0	40	11	0	0	27
Si	16	1	60	0	10	0	36	3	0	0	74
Sj	79	1	77	0	21	0	4	17	0	0	
Sk	51	4	58	0	31	0	30	8	0	0	19
Sl	52	2	72	0	18	0	14	11	0	0	30
T	28	2	37	28	14	5	28	0	0	1	59
E&W	31	5	45	14	17	2	31	2	0	0	53
Scotland	39	5	67	0	15	0	22	5	0	0	46
UK	32	5	50	11	16	1	29	3	0	0	51

**Table D.2.10 Treatment modalities for non-diabetic patients**

Non-diabetic dialysis modalities (all patients)			
	No. on HD	No. on PD	No. on Transplant
E&W	2812	1513	4786
Scotland	866	331	1030
UK	3678	1844	5816

**Table D.2.11 Numbers of non-diabetic patients by treatment modality**



<b>Non-diabetic treatment modalities for patients aged under 65</b>											
Centre	% on HD	% on Home HD	% on Hospital HD	% on Satellite HD	% on PD	% on CAPD Standard	% on CAPD Disconnect	% on Cycling PD>=6 nights/wk	% on Cycling PD<6 nights/wk	% on PD Type Unknown	% on Transplant
A	13	5	41	0	15	0	54	0	0	0	72
B	24	9	31	11	23	0	42	6	0	0	53
C	35	14	36	17	17	0	32	0	0	0	48
D	26	27	26	24	8	8	13	2	1	0	66
E	42	19	57	7	8	0	16	1	0	0	50
F	28	0	52	0	26	8	38	2	0	0	45
G	11	0	22	25	13	0	54	0	0	0	76
H	44	0	71	0	18	0	29	0	0	0	38
I	17	0	34	19	15	0	38	9	0	0	68
J	24	8	45	0	21	0	47	0	1	0	55
K	24	4	33	37	8	1	23	2	0	0	68
L	28	2	74	0	9	0	13	9	2	0	63
M	16	13	47	0	11	0	32	8	0	0	73
N	16	3	57	0	11	0	40	0	0	0	73
O	23	3	53	16	9	0	27	0	0	0	68
P	33	6	54	0	22	0	40	0	0	0	44
Q	20	1	40	14	16	0	42	2	0	0	64
R	36	11	37	11	25	0	25	16	0	0	39
Sa	85	36	48	0	15	0	15	0	0	0	
Sb	25	13	63	0	8	0	23	2	0	0	66
Sc	65	0	71	0	27	0	26	3	0	0	8
Se	33	8	71	0	9	0	18	3	0	0	58
Sf	88	0	88	0	13	0	6	0	6	0	
Sg	62	0	62	0	38	0	31	7	0	0	
Sh	35	3	47	0	35	0	41	9	0	0	31
Si	11	1	55	0	9	0	38	5	0	0	80
Sj	81	2	79	0	19	0	2	16	0	0	
Sk	45	6	53	0	31	0	31	10	0	0	24
Sl	46	3	69	0	18	0	13	15	0	0	36
T	20	3	34	23	14	8	31	0	0	1	66
E&W	23	9	41	12	14	1	34	3	0	0	62
Scotland	32	8	62	0	13	0	23	6	0	0	55
UK	25	9	46	10	14	1	31	4	0	0	61

**Table D.2.12 Treatment modalities for non-diabetic patients aged under 65**

<b>Non-diabetic dialysis modalities for patients aged &lt; 65</b>			
	No. on HD	No. on PD	No. on Transplant
E&W	1561	952	4165
Scotland	535	222	914
UK	2096	1174	5079

**Table D.2.13 Numbers of non-diabetic patients aged under 65 by treatment modality**

Non-diabetic treatment modalities for patients aged 65 and over											
Centre	% on HD	% on Home HD	% on Hospital HD	% on Satellite HD	% on PD	% on CAPD Standard	% on CAPD Disconnect	% on Cycling PD ≥ 6 nights/wk	% on Cycling PD < 6 nights/wk	% on PD Type Unknown	% on Transplant
A	30	1	35	0	56	0	65	0	0	0	14
B	40	1	35	15	39	0	47	2	0	0	21
C	50	1	39	29	23	0	30	2	0	0	27
D	51	3	17	49	23	24	6	0	1	0	26
E	73	3	70	12	13	0	11	4	0	0	15
F	73	0	81	0	17	3	16	0	0	0	10
G	42	0	35	35	17	0	29	0	0	0	41
H	81	0	84	1	14	0	15	0	0	0	5
I	46	0	50	18	22	0	29	4	0	0	32
J	38	0	56	0	30	0	44	0	0	0	32
K	58	0	40	45	10	1	12	2	0	0	32
L	64	0	90	0	7	0	7	2	0	0	29
M	42	2	66	0	20	0	30	2	0	0	38
N	49	0	74	0	18	0	26	0	0	0	33
O	60	0	60	26	9	0	13	0	0	0	31
P	45	0	52	0	42	0	48	0	0	0	13
Q	57	1	51	17	25	0	30	0	0	0	18
R	67	1	62	14	19	0	22	0	0	0	14
Sa	82	4	78	0	18	0	16	2	0	0	
Sb	58	0	85	0	10	0	15	0	0	0	32
Sc	82	0	85	0	14	0	15	0	0	0	4
Se	61	0	74	0	21	0	20	4	1	0	18
Sf	75	0	75	0	25	0	0	25	0	0	
Sg	53	0	53	0	47	0	47	0	0	0	
Sh	40	0	46	0	47	0	38	15	0	0	13
Si	37	0	68	0	18	0	32	0	0	0	45
Sj	75	0	75	0	25	0	7	18	0	0	
Sk	64	0	69	0	29	0	27	4	0	0	7
Sl	65	0	79	0	17	0	17	4	0	0	17
T	49	0	41	37	14	0	22	0	0	0	37
E&W	51	1	52	16	23	2	28	1	0	0	26
Scotland	60	0	75	0	20	0	21	4	0	0	21
UK	53	1	56	13	22	2	26	1	0	0	25

**Table D.2.14 Treatment modalities for non-diabetic patients aged over 65**

Non-diabetic dialysis modalities for patients aged 65 and over			
	No. on HD	No. on PD	No. on Transplant
E&W	1251	561	621
Scotland	331	109	116
UK	1582	670	737

**Table D.2.15 Numbers of non-diabetic patients aged over 65 by treatment modality**

Diabetic Patient Dialysis Modalities											
Centre	% on HD	% on Home HD	% on Hospital HD	% on Satellite HD	% on PD	% on CAPD Standard	% on CAPD Disconnect	% on Cycling PD >=6 nights/wk	% on Cycling PD <6 nights/wk	% on PD Type Unknown	% on Transplant
A	13	0	20	0	51	0	80	0	0	0	37
B	40	0	33	17	40	0	43	7	0	0	19
C	39	0	39	13	37	0	47	2	0	0	24
D	53	2	47	34	11	9	4	4	0	0	36
E	71	3	77	3	14	0	13	3	0	0	14
F	54	0	88	0	8	0	13	0	0	0	38
G	39	0	40	38	11	0	21	0	0	0	50
H	46	0	59	0	31	0	41	0	0	0	23
I	56	0	64	18	13	0	9	9	0	0	31
J	38	0	47	0	43	0	53	0	0	0	18
K	36	0	41	19	25	3	38	0	0	0	40
L	56	0	71	0	22	0	21	7	0	0	22
M	23	4	38	0	32	0	53	4	0	0	45
N	31	0	63	0	19	0	38	0	0	0	50
O	39	0	56	17	15	0	28	0	0	0	45
P	29	0	31	0	65	0	69	0	0	0	6
Q	48	0	53	9	29	0	38	0	0	0	23
R	59	0	55	12	30	0	27	6	0	0	11
Sa	72	0	72	0	28	0	28	0	0	0	
Sb	37	0	65	0	20	0	29	6	0	0	43
Sc	52	0	57	0	39	0	33	10	0	0	9
Se	29	0	57	0	22	0	29	14	0	0	49
Sf	80	0	80	0	20	0	0	20	0	0	
Sg	20	0	20	0	80	0	60	20	0	0	
Sh	45	0	45	0	55	0	45	9	0	0	
Si	23	0	44	0	28	0	47	3	6	0	49
Sj	73	0	73	0	27	0	18	9	0	0	
Sk	33	0	50	0	33	0	50	0	0	0	33
Sl	54	0	61	0	35	0	26	13	0	0	12
T	32	0	8	46	27	8	38	0	0	0	41
E&W	40	1	45	12	29	1	39	2	0	0	31
Scotland	40	0	57	0	30	0	34	8	1	0	30
UK	40	0	48	10	29	1	38	3	0	0	31

**Table D.2.16 Treatment modalities for diabetic patients**

Diabetic Patient Dialysis Modalities			
	No. on HD	No. on PD	No. on Transplant
E&W	397	288	303
Scotland	100	76	77
UK	497	364	380

**Table D.2.17 Numbers of diabetic patients by treatment modality**

<b>Diabetics</b>						
<b>Centre</b>	<b>Median age on 31.12.98</b>	<b>Median age at start of treat</b>	<b>% with age known at start of treat</b>	<b>M:F ratio</b>	<b>Median time on ESRF treatment</b>	
					<b>in days</b>	<b>in years</b>
A	51	47	86	1.5	750	2.1
B	57	54	97	1.8	885	2.4
C	55	50	99	3.1	853	2.3
D	57	53	99	1.0	1055	2.9
E	61	60	91	1.5	437	1.2
F	54	45	99	1.6	1029	2.8
G	55	53	94	1.9	1051	2.9
H	59	56	94	1.2	913	2.5
I	61	61	85	2.2	390	1.1
J	59	56	96	2.8	885	2.4
K	58	53	95	2.3	1198	3.3
L	56	51	88	3.5	589	1.6
M	51	45	97	1.2	1376	3.8
N	53	47	90	0.9	1965	5.4
O	58	54	94	1.4	802	2.2
P	58	57	98	1.4	311	0.9
Q	54	51	99	1.6	524	1.4
R	58	54	97	2.4	647	1.8
Sa	58	56	100	1.0	454	1.2
Sb	52	48	100	1.1	1147	3.1
Sc	61	58	100	1.3	514	1.4
Se	48	44	100	1.4	1445	4.0
Sf	54	52	100	4.0	304	0.8
Sg	44	42	100	4.0	430	1.2
Sh	66	66	99	0.8	469	1.3
Si	49	45	100	1.3	1067	2.9
Sj	58	58	100	0.6	798	2.2
Sk	41	35	100	0.5	1111	3.0
Sl	62	60	99	1.4	689	1.9
T	52	46	97	1.8	1864	5.1
E&W	55	52	95	1.7	869	2.4
Scotland	52	50	100	1.2	799	2.2
UK	54	51	96	1.6	847	2.3

**Table D.2.18 Diabetics**

<b>Transplant rates with gender ratios</b>			
<b>Centre</b>	<b>Overall M:F</b>	<b>% on transplant</b>	<b>M:F</b>
A	1.7	47	1.0
B	1.6	40	1.1
C	1.6	42	0.9
D	1.6	53	1.0
E	1.6	36	1.0
F	1.6	30	0.9
G	1.4	66	1.0
H	1.8	25	1.1
I	1.7	55	1.0
J	1.8	45	0.9
K	1.6	58	1.0
L	1.7	51	0.8
M	1.5	61	1.0
N	1.8	58	1.0
O	1.4	55	1.2
P	1.8	33	1.0
Q	1.5	49	1.1
R	2.1	34	1.4
Sa	1.4		unknown
Sb	1.4	56	1.0
Sc	1.1	7	0.5
Se	1.9	47	1.2
Sf	1.1		unknown
Sg	1.6		unknown
Sh	1.3	22	1.4
Si	1.3	71	1.0
Sj	1.6		unknown
Sk	1.3	21	0.5
Sl	1.3	28	0.8
T	1.9	49	0.7
E&W	1.6	49	1.0
Scotland	1.4	44	1.0
UK	1.6	48	1.0

**Table D.2.19 Transplant gender ratios**