

Appendix D: Data Tables

1. Patients starting renal replacement in 1999

Take-on figures for new patients on dialysis				
Centre	aged < 65		aged >65	
	% on HD	% on PD	% on HD	% on PD
A	50	50	43	57
B	78	22	86	14
C	86	14	95	5
D	63	38	84	16
E	48	52	62	38
F	58	42	76	24
G	35	65	41	59
H	56	44	81	19
I	79	21	94	6
J	63	37	48	52
K	22	78	50	50
L	48	52	82	18
M	37	63	61	39
N	64	36	70	30
O	52	48	68	33
P	52	48	51	49
Q	40	60	66	34
R	34	66	59	41
Sa	74	26	80	20
Sb	73	27	69	31
Sc	45	55	73	27
Sd	53	47	67	33
Se	77	23	82	18
Sf	47	53	85	15
Sg	38	62	83	17
Sh	55	45	91	9
Si	40	60	88	13
Sj	43	57	80	20
Sk	63	37	68	32
T	66	34	54	46
U	62	38	89	11
V	59	41	70	30
W	35	65	78	22
X	42	58	68	32
Sct	59	41	76	24
E&W	52	48	68	32
UK	53	47	70	30

Table D.1.1 Take-on of new dialysis patients

Take-on figures for new patients on dialysis				
	aged <65		aged >65	
	No. on HD	No. on PD	No. on HD	No. on PD
Sct	137	97	167	54
E&W	509	473	522	248
UK	646	570	689	302

Table D.1.2 Take-on totals of new dialysis patients

Treatment modalities at 90 days						
Centre	% on HD	% on PD	% on transplant	% transferred out	% stopped treatment	% died
A	36	39				25
B	62	14	3			21
C	74	8			2	16
D	64	23				12
E	51	40	1			8
F	57	29	2			12
G	34	56	4			5
H	59	30	1			11
I	82	13		3		3
J	48	38				14
K	33	58		3		8
L	52	31	4	1		11
M	43	50	2			5
N	55	28	6	1	1	10
O	54	35				11
P	48	45	2	1		4
Q	43	43	9	1		4
R	37	49	3		1	9
Sa	66	20	3	1		10
Sb	54	23				23
Sc	57	39				4
Sd	46	31	7	1		15
Se	72	19		2		7
Sf	59	34				6
Sg	54	36				11
Sh	62	23				15
Si	52	33				14
Sj	53	38				9
Sk	56	29	4			10
T	53	32	1			14
U	69	25				6
V	51	29	4			16
W	58	34	2	2		5
X	46	40		5		9
Sct	57	28	2	1		13
E&W	51	36	3	1	0.1	10
UK	52	34	2	1	0.1	10

Table D.1.3 Treatment modalities at 90 days

Treatment modalities at 90 days						
	No. on HD	No. on PD	No. on transplant	No. transferred out	No. stopped treatment	No. died
Sct	304	151	11	3		68
E&W	1031	721	52	11	3	199
UK	1335	872	63	14	3	267

Table D. 1.4 Number of patients per treatment modality at 90 days

First treatment modality			
Centre	% on HD	% on PD	% on transplant
A	50	50	
B	82	18	
C	84	16	
D	75	25	
E	51	48	1
F	64	36	
G	37	59	4
H	66	33	1
I	85	15	
J	56	44	
K	43	58	
L	62	35	4
M	44	56	
N	63	32	5
O	60		
P	51	48	1
Q	44	49	7
R	48	50	2
Sa	74	23	4
Sb	76	24	
Sc	61	39	
Sd	61	33	7
Se	79	21	
Sf	66	34	
Sg	61	39	
Sh	77	23	
Si	67	33	
Sj	58	42	
Sk	63	38	
T	66	33	1
U	75	25	
V	64	31	5
W	63	37	
X	58	42	
Sct	68	31	2
E&W	59	40	2
UK	60	38	2

Table D.1.5 First treatment modality

First treatment modality – patient numbers			
	No. on HD	No. on PD	No. on transplant
Sct	363	164	10
E&W	1182	797	38
UK	1545	961	48

Table D.1.6 First treatment modality - patient numbers

Treatment by gender						
Centre	Haemodialysis			Peritoneal Dialysis		
	% Male	% Female	M:F ratio	% Male	% Female	M:F ratio
A	70	30	2.3	36	64	0.6
B	63	37	1.7	79	21	3.7
C	57	43	1.3	75	25	3.0
D	66	34	1.9	59	41	1.4
E	59	41	1.5	52	48	1.1
F	71	29	2.5	56	44	1.3
G	75	25	3.0	58	42	1.4
H	60	40	1.5	41	59	0.7
I	69	31	2.2	60	40	1.5
J	65	35	1.8	71	29	2.4
K	69	31	2.3	74	26	2.8
L	59	41	1.5	59	41	1.4
M	52	48	1.1	63	37	1.7
N	52	48	1.1	45	55	0.8
O	70	30	2.3	64	36	1.8
P	52	46	1.1	69	31	2.2
Q	59	41	1.5	46	54	0.8
R	75	25	3.0	57	43	1.3
Sa	55	45	1.2	56	44	1.3
Sb	53	47	1.2	67	33	2.0
Sc	77	23	3.3	78	22	3.5
Sd	54	46	1.2	53	47	1.1
Se	61	39	1.6	75	25	3.0
Sf	68	32	2.2	64	36	1.8
Sg	60	40	1.5	60	40	1.5
Sh	69	31	2.2	33	67	0.5
Si	55	45	1.2	86	14	6.0
Sj	54	46	1.2	70	30	2.3
Sk	52	48	1.1	50	50	1.0
T	83	17	4.8	69	31	2.2
U	66	34	1.9	54	46	1.2
V	73	27	2.7	57	43	1.3
W	69	31	2.3	67	33	2.0
X	47	53	0.9	73	27	2.7
Sct	58	42	1.4	62	38	1.6
E&W	64	36	1.8	59	41	1.4
UK	63	37	1.7	59	41	1.5

Table D.1.7 Treatment modalities by gender

Treatment by gender						
	Haemodialysis			Peritoneal Dialysis		
	No. males	No. females	No. unknown	No. males	No. females	No. unknown
Sct	175	129		93	58	
E&W	661	369	1	424	297	
UK	836	498	1	517	355	

Table D.1.8 Treatment modality numbers by gender

2. Current patients 1999

Treatment Modalities by centre								
Centre	for patients aged < 65				for patients aged > 65			
	% on HD	% on PD	% on Transplant	HD:PD	% on HD	% on PD	% on Transplant	HD:PD
A	15	15	70	1.0	63	17	20	3.6
B	27	10	63	2.7	65	11	24	5.8
C	29	10	61	2.8	75	4	20	17.3
D	41	11	48	3.6	75	11	14	6.7
E	17	13	70	1.3	47	19	34	2.5
F	43	17	39	2.5	72	21	8	3.5
G	26	24	50	1.1	40	40	19	1.0
H	27	18	54	1.5	59	25	16	2.4
I	56	29	15	2.0	86	7	7	12.8
J	53	16	31	3.3	71	24	6	3.0
K	32	27	42	1.2	41	42	17	1.0
L	13	15	72	0.9	49	15	36	3.2
M	39	28	32	1.4	60	28	13	2.2
N	25	8	67	3.2	61	17	22	3.6
O	22	19	59	1.1	51	28	22	1.8
P	22	18	60	1.2	37	47	16	0.8
Q	16	13	72	1.3	46	18	36	2.5
R	25	21	54	1.2	48	26	26	1.8
Sa	25	8	68	3.2	62	12	26	5.2
Sb	34	15	51	2.3	66	17	17	3.9
Sc	26	21	53	1.3	45	36	18	1.3
Sd	13	8	80	1.7	43	17	40	2.5
Se	82	18		4.6	77	23		3.3
Sf	63	37		1.7	83	17		4.8
Sg	38	34	27	1.1	63	32	5	2.0
Sh	72	28		2.5	72	28		2.6
Si	64	22	14	2.9	81	14	5	5.7
Sj	73	27		2.7	87	13		6.6
Sk	28	9	63	3.3	54	17	30	3.2
T	40	14	46	2.8	53	22	25	2.4
U	25	24	51	1.1	66	24	11	2.8
V	23	8	69	2.9	58	9	34	6.6
W	21	27	52	0.8	73	20	7	3.7
X	34	21	44	1.6	66	18	15	3.6
Sct	30	13	57	2.3	61	18	21	3.3
E&W	27	16	57	1.7	56	22	22	2.5
UK	27	15	57	1.8	57	22	21	2.6

Table D.2.1 Treatment modalities for patients aged under 65 and over 65

Treatment Modality numbers						
	for patients aged < 65			for patients aged > 65		
	No. on HD	No. on PD	No. on transplant	No. on HD	No. on PD	No. on transplant
Sct	633	271	1209	465	139	158
E&W	2271	1375	4901	1865	749	718
UK	2904	1646	6110	2330	888	876

Table D.2.2 Numbers of patients under and over 65 per treatment modality

Haemodialysis Modalities with gender ratios									
Centre		Haemodialysis		Home Haemodialysis		Hospital Haemodialysis		Satellite Haemodialysis	
Code	M:F ratio	%	M:F ratio	%	M:F ratio	%	M:F ratio	%	M:F ratio
A	1.6	29	2.3	0	n/a	46	1.2	18	1.9
B	1.6	37	1.3	1	0.0	58	0.9	20	1.3
C	1.8	42	2.0	1	0.0	82	1.0	0	n/a
D	1.8	53	1.9	9	1.7	65	1.0	8	0.9
E	1.6	26	1.3	1	0.7	62	0.9	0	n/a
F	2.0	54	2.1	0	n/a	5	1.1	70	1.1
G	1.6	30	1.8	5	3.0	32	1.1	14	1.1
H	1.4	35	1.4	1	1.6	49	1.2	14	1.1
I	1.4	69	1.6	0	n/a	78	1.1	0	n/a
J	1.5	58	1.5	0	n/a	41	0.7	35	1.7
K	1.9	35	2.4	3	1.4	50	1.2	0	n/a
L	1.5	22	1.4	0	n/a	26	1.0	33	0.9
M	1.7	46	1.6	2	1.3	31	1.0	29	1.0
N	1.5	35	1.6	15	2.8	20	1.0	43	0.9
O	1.9	31	2.3	0.4	0.0	29	0.9	30	1.2
P	1.7	26	1.4	2	0.0	39	0.8	10	0.9
Q	1.4	24	1.5	6	1.2	57	1.2	0	n/a
R	1.7	31	2.2	4	4.6	55	1.0	0	n/a
Sa	1.7	33	1.3	2	0.0	77	0.9	0	n/a
Sb	1.4	46	1.4	2	0.4	73	1.0	0	n/a
Sc	1.6	32	1.3	0	n/a	56	0.8	0	n/a
Sd	1.3	19	1.3	0	n/a	66	1.0	0	n/a
Se	1.4	80	1.6	20	1.7	61	1.0	0	n/a
Sf	1.5	70	1.6	0	n/a	70	1.0	0	n/a
Sg	1.3	46	1.6	3	1.4	55	1.1	0	n/a
Sh	1.9	72	2.4	1	n/a	71	1.2	0	n/a
Si	1.5	70	1.5	2	0.0	76	1.1	0	n/a
Sj	1.2	79	1.1	0	n/a	79	1.0	0	n/a
Sk	1.2	36	1.1	5	2.2	72	0.9	0	n/a
T	1.7	43	2.1	9	1.0	34	1.3	30	0.9
U	1.4	38	1.4	0	n/a	62	1.0	0	n/a
V	1.5	30	1.8	2	3.1	34	1.0	43	1.2
W	1.3	45	1.6	0	n/a	66	1.0	0	n/a
X	2.0	44	1.3	6	0.9	44	0.7	19	0.9
Sct	1.4	38	1.4	4	1.7	69	1.0	0	n/a
E&W	1.6	35	1.7	4	1.8	42	1.0	21	1.1
UK	1.6	35	1.6	4	1.8	47	1.0	17	1.1

Table D.2.3 Haemodialysis modalities and gender ratios

Peritoneal Dialysis Modalities with gender ratios													
Centre		Peritoneal Dialysis		Standard PD		Disconnect PD		Cycling PD >= 6 nights		Cycling PD < 6 nights		Unknown type PD	
Centre	M:F ratio	%	M:F ratio	%	M:F ratio	%	M:F ratio	%	M:F ratio	%	M:F ratio	%	M:F ratio
A	1.6	16	1.1	1	0.0	28	0.6	6	1.7	0	n/a	0	n/a
B	1.6	10	1.7	0	n/a	22	1.2	0	0.0	0	n/a	0	n/a
C	1.8	9	2.3	0	n/a	10	0.7	7	3.4	0	n/a	0	n/a
D	1.8	11	1.3	0	n/a	15	0.6	3	1.4	0	n/a	0	n/a
E	1.6	15	1.5	0	n/a	36	1.1	0	n/a	0	n/a	0	n/a
F	2.0	18	1.3	0	n/a	26	0.7	0	n/a	0	n/a	0	n/a
G	1.6	29	1.2	0.2	0.0	43	0.8	6	1.0	0	n/a	0	n/a
H	1.4	20	0.9	0	n/a	33	0.7	3	0.8	0	n/a	0	n/a
I	1.4	20	0.9	0	n/a	22	0.6	0	n/a	0	n/a	0	n/a
J	1.5	18	1.4	0	n/a	24	0.9	0	n/a	0	n/a	0	n/a
K	1.9	32	1.8	0	n/a	48	0.9	0	n/a	0	n/a	0	n/a
L	1.5	15	1.5	0	n/a	41	1.1	0	n/a	0	n/a	0	n/a
M	1.7	28	1.6	0.3	0.0	30	1.0	5	0.9	3	1.0	0	n/a
N	1.5	10	1.1	7	0.8	14	0.8	2	0.5	0	n/a	0	n/a
O	1.9	22	2.1	0	n/a	39	1.1	1	0.2	1	0.0	0	n/a
P	1.7	26	2.1	0	n/a	40	1.2	10	1.3	0	n/a	0	n/a
Q	1.4	14	0.9	0	n/a	31	0.7	6	0.9	0.4	0.0	0	n/a
R	1.7	22	1.7	0	n/a	41	0.9	0	n/a	0	n/a	0	n/a
Sa	1.7	9	1.6	0	n/a	16	1.1	4	1.7	0	n/a	0	n/a
Sb	1.4	16	1.5	0	n/a	15	1.5	10	0.6	0	n/a	0	n/a
Sc	1.6	25	2.4	0	n/a	25	1.2	20	1.8	0	n/a	0	n/a
Sd	1.3	10	1.2	0	n/a	30	0.9	4	1.4	0	n/a	0	n/a
Se	1.4	20	0.8	0	n/a	19	0.6	1	0.0	0	n/a	0	n/a
Sf	1.5	30	1.4	0	n/a	21	0.7	8	2.0	0	n/a	0	n/a
Sg	1.3	33	1.3	0	n/a	30	1.0	12	0.7	0	n/a	0	n/a
Sh	1.9	28	1.1	0	n/a	4	1.1	24	0.5	0	n/a	0	n/a
Si	1.5	19	1.2	0	n/a	6	0.3	12	0.7	4	0.0	0	n/a
Sj	1.2	21	1.4	0	n/a	19	1.3	2	0.4	0	n/a	0	n/a
Sk	1.2	11	1.3	0	n/a	20	1.0	3	2.6	0	n/a	0	n/a
T	1.7	16	1.6	0	n/a	27	0.8	0.4	0.5	0	n/a	0	n/a
U	1.4	24	1.4	0	n/a	3	0.7	35	1.0	0	n/a	0	n/a
V	1.5	8	1.1	18	0.7	0	0.0	3	0.6	0	n/a	0	n/a
W	1.3	24	1.4	3	1.0	27	1.0	4	0.7	0	n/a	0	n/a
X	2.0	20	2.9	0	n/a	24	2.0	8	1.2	0	n/a	0	n/a
Sct	1.4	14	1.3	0	n/a	20	0.9	7	1.0	0.1	0.0	0	n/a
E&W	1.6	18	1.4	1	0.7	29	0.9	3	1.0	1	0.9	0	n/a
UK	1.6	17	1.4	1	0.7	27	0.9	4	1.0	1	1.0	0	n/a

Table D.2.4 Peritoneal dialysis modalities and gender ratios

Median ages and dialysis modalities by centre					
Centre	Median age on Dialysis	Median age on HD	Median age on PD	Median age on transplant	Median age for all
A	65	68	54	50	55
B	62	64	54	52	56
C	62	65	54	50	55
D	63	63	60	50	57
E	63	68	60	52	55
F	64	64	62	48	60
G	60	59	61	48	56
H	59	61	57	47	53
I	63	65	58	55	61
J	60	59	60	48	56
K	61	58	63	50	57
L	61	66	53	48	52
M	60	60	58	49	56
N	64	64	63	49	55
O	64	65	62	48	56
P	63	58	65	49	55
Q	61	65	55	51	54
R	59	60	57	49	54
Sa	60	61	54	48	52
Sb	65	65	53	52	57
Sc	63	63	63	46	54
Sd	62	62	59	46	49
Se	57	57	57		57
Sf	61	63	55		61
Sg	58	61	53	43	53
Sh	60	61	58		60
Si	60	60	60	45	59
Sj	61	62	60		61
Sk	59	59	59	48	52
T	55	55	56	47	52
U	64	67	56	46	56
V	58	60	48	46	49
W	69	72	61	50	62
X	60	62	56	46	54
Sct	60	61	57	47	52
E&W	61	62	59	49	54
UK	61	62	59	48	54

Table D.2.5 Treatment modality median ages by centre

Dialysis Modalities for patients aged under 65								
Centre	% on Home HD	% on Hosp HD	% on Satellite HD	% on standard PD	% on disconnect PD	% on cycling PD >=6 nights	% on cycling PD < 6 nights	% on unknown type PD
A	0	35	15	3	35	12	0	0
B	1	55	17	0	27	0	0	0
C	2	72	0	0	17	9	0	0
D	16	57	5	0	20	2	0	0
E	2	54	0	0	44	0	0	0
F	0	5	66	0	28	0	0	0
G	8	34	10	0.3	40	7	0	0
H	1	46	13	0	35	5	0	0
I	0	66	0	0	34	0	0	0
J	0	41	36	0	23	0	0	0
K	4	50	0	0	46	0	0	0
L	0	22	24	0	54	0	0	0
M	3	31	24	1	31	8	3	0
N	26	20	30	3	18	3	0	0
O	1	29	23	0	43	2	2	0
P	3	44	9	0	34	10	0	0
Q	9	47	0	0	36	8	0.4	0
R	6	49	0	0	45	0	0	0
Sa	4	72	0	0	18	6	0	0
Sb	2	67	0	0	17	13	0	0
Sc	0	56	0	0	24	21	0	0
Sd	0	63	0	0	31	6	0	0
Se	26	56	0	0	17	1	0	0
Sf	0	63	0	0	24	13	0	0
Sg	5	48	0	0	32	15	0	0
Sh	2	70	0	0	2	26	0	0
Si	3	71	0	0	6	16	3	0
Sj	0	73	0	0	23	3	0	0
Sk	9	68	0	0	21	3	0	0
T	12	34	28	0	26	0	0	0
U	0	51	0	0	4	45	0	0
V	3	35	37	21	0	4	0	0
W	0	44	0	4	42	11	0	0
X	8	37	16	0	28	10	0	0

Sct	6	64	0	0	21	9	0.1	0
E&W	6	39	18	1	31	4	1	0
UK	6	44	14	1	29	5	1	0

Table D.2.6 Dialysis modalities for patients aged under 65

Dialysis Modalities for patients aged 65 and over								
Centre	% on Home HD	% on Hosp HD	% on Satellite HD	% on standard PD	% on disconnect PD	% on cycling PD >=6 nights	% on cycling PD < 6 nights	% on unknown type PD
A	0	57	22	0	22	0	0	0
B	0	63	23	0	15	0	0	0
C	0	95	0	0	2	4	0	0
D	2	73	12	0	9	3	0	0
E	0	71	0	0	29	0	0	0
F	0	4	74	0	22	0	0	0
G	0.5	29	21	0	46	4	0	0
H	1	55	15	0	30	0	0	0
I	0	93	0	0	7	0	0	0
J	0	40	35	0	25	0	0	0
K	0	49	0	0	51	0	0	0
L	0	32	44	0	24	0	0	0
M	1	32	36	0	27	0	5	0
N	3	19	56	11	11	1	0	0
O	0	28	36	0	35	1	0	0
P	1	33	11	0	47	9	0	0
Q	2	69	0	0	25	3	0.5	0
R	0	65	0	0	35	0	0	0
Sa	0	84	0	0	14	2	0	0
Sb	1	78	0	0	13	7	0	0
Sc	0	56	0	0	26	19	0	0
Sd	0	71	0	0	28	1	0	0
Se	4	73	0	0	23	0	0	0
Sf	0	83	0	0	17	0	0	0
Sg	0	67	0	0	28	6	0	0
Sh	0	72	0	0	7	21	0	0
Si	0	85	0	0	5	5	5	0
Sj	0	87	0	0	13	0	0	0
Sk	0	76	0	0	20	3	0	0
T	1	34	35	0	28	1	0	0
U	0	74	0	0	1	25	0	0
V	0	31	56	13	0	0	0	0
W	0	79	0	3	18	0	0	0
X	1	55	23	0	18	4	0	0
Sct	0.5	76	0	0	19	4	0.2	0
E&W	1	46	25	1	25	2	1	0
UK	1	52	20	1	24	2	1	0

Table D.2.7 Dialysis modalities for patients aged over 65

Patients Age Ranges by Centre								
Centre	% 18-24	% 25-34	% 35-44	% 45-54	% 55-64	% 65-74	% 75-84	% 85+
A	1	9	16	21	23	23	6	
B	3	11	16	18	24	18	9	0
C	3	9	18	19	21	23	7	
D	4	11	14	17	21	24	10	1
E	3	8	20	17	22	15	13	1
F	1	10	12	17	23	23	12	1
G	2	10	17	18	25	19	8	1
H	3	11	19	21	22	18	6	0.1
I	1	5	10	14	29	24	15	3
J	3	13	12	19	23	20	10	0.4
K	2	7	12	23	24	23	9	
L	3	12	19	23	18	16	7	0.1
M	4	10	15	18	21	20	11	0.2
N	4	9	16	20	23	17	10	1
O	3	11	14	19	20	21	11	
P	2	15	15	19	22	17	10	2
Q	2	9	18	22	22	17	8	1
R	2	13	17	18	23	18	7	1
Sa	1	12	20	23	22	14	7	1
Sb	1	12	12	19	18	23	13	1
Sc	4	10	19	19	17	25	4	3
Sd	3	15	24	20	19	14	5	0
Se	1	9	14	22	22	21	9	1
Sf	6	9	10	12	27	23	11	1
Sg	1	16	21	14	19	16	12	1
Sh	1	9	19	12	20	25	13	
Si	7	7	12	16	21	28	9	
Sj	1	7	10	20	20	28	12	1
Sk	4	12	17	23	16	19	9	1
T	2	11	18	23	23	17	6	
U	2	12	15	19	20	20	12	1
V	6	15	19	19	21	13	7	1
W	2	6	13	13	20	23	19	4
X	3	12	15	21	20	20	9	1
Sct	2	13	19	20	20	18	8	1

E&W	3	11	16	20	22	18	9	1
UK	3	11	17	20	21	18	9	1

Table D.2.8 Age ranges by centre

Treatment Modalities with gender ratios										
	No. of males	No. of females	No. unknown	M:F ratio	No. on HD	M:F ratio	No. on PD	M:F ratio	No. on transplant	M:F ratio
Sct	1687	1188		1.4	1098	1.4	410	1.3	1367	1.5
E&W	7288	4585	6	1.6	4136	1.7	2124	1.4	5619	1.6
UK	8975	5773	6	1.6	5234	1.6	2534	1.4	6986	1.6

Table D.2.9 Numbers of patients by treatment modality with gender ratios

Non-diabetic dialysis modalities (all patients)											
Centre	% on HD	% on Home HD	% on Hospital HD	% on Satellite HD	% on PD	% on CAPD Standard	% on CAPD Disconnect	% on Cycling PD \geq 6 nights/wk	% on Cycling PD<6 nights/wk	% on PD Type Unknown	% on Transplant
A	26	0	43	18	17	2	31	7	0	0	57
B	33	1	57	19	10	0	23	0	0	0	57
C	40	1	84	0	7	0	9	6	0	0	53
D	51	11	63	9	11	0	15	2	0	0	38
E	25	2	62	0	14	0	37	0	0	0	61
F	56	0	4	71	18	0	24	0	0	0	27
G	29	6	33	13	26	0.2	42	6	0	0	45
H	32	1	47	15	19	0	34	3	0	0	49
I	75	0	84	0	14	0	16	0	0	0	11
J	57	0	41	36	18	0	24	0	0	0	26
K	35	3	53	0	28	0	44	0	0	0	37
L	17	0	24	31	14	0	46	0	0	0	69
M	47	2	33	30	25	0.4	28	5	2	0	28
N	33	17	18	43	10	7	14	1	0	0	57
O	26	1	34	28	16	0	35	2	1	0	58
P	22	3	40	10	20	0	37	10	0	0	58
Q	22	7	57	0	12	0	29	6	0.3	0	66
R	31	5	58	0	19	0	38	0	0	0	50
Sa	33	2	77	0	8	0	16	4	0	0	59
Sb	45	2	72	0	15	0	15	11	0	0	40
Sc	26	0	49	0	27	0	28	23	0	0	47
Sd	18	0	68	0	9	0	28	4	0	0	73
Se	81	20	61	0	19	0	19	0	0	0	
Sf	73	0	73	0	27	0	20	7	0	0	
Sg	49	3	57	0	31	0	28	11	0	0	20
Sh	73	2	72	0	27	0	3	23	0	0	
Si	71	3	78	0	18	0	8	13	0	0	11
Sj	78	0	78	0	22	0	21	2	0	0	
Sk	35	6	72	0	10	0	20	3	0	0	56
T	42	10	34	30	14	0	25	0	0	0	43
U	26	0	59	0	18	0	2	39	0	0	57
V	30	2	34	44	7	17	0	3	0	0	63
W	44	0	63	0	25	4	28	5	0	0	31
X	43	7	43	18	20	0	24	8	0	0	37
Sct	37	4	70	0	13	0	20	7	0	0	50
E&W	33	5	42	21	16	1	27	3	1	0	51
UK	34	5	47	17	15	1	26	4	0.5	0	51

Table D.2.10 Treatment modalities for non-diabetic patients

Non-diabetic dialysis modalities (all patients)			
	No. on HD	No. on PD	No. on Transplant
E&W	906	325	1242
Scotland	3336	1606	5168
UK	4242	1931	6410

Table D.2.11 Numbers of non-diabetic patients by treatment modality

Non-diabetic treatment modalities for patients aged under 65											
Centre	% on HD	% on Home HD	% on Hospital HD	% on Satellite HD	% on PD	% on CAPD Standard	% on CAPD Disconnect	% on Cycling PD ≥ 6 nights/wk	% on Cycling PD < 6 nights/wk	% on PD Type Unknown	% on Transplant
A	14	0	30	17	16	3	37	13	0	0	71
B	23	1	53	18	9	0	28	0	0	0	68
C	26	2	73	0	9	0	15	10	0	0	65
D	40	18	55	6	10	0	19	2	0	0	50
E	17	3	55	0	12	0	42	0	0	0	71
F	44	0	6	68	16	0	26	0	0	0	40
G	25	10	34	10	21	0.4	40	6	0	0	54
H	24	1	44	14	17	0	36	6	0	0	58
I	62	0	73	0	23	0	27	0	0	0	15
J	52	0	42	36	14	0	22	0	0	0	34
K	32	5	52	0	23	0	43	0	0	0	45
L	10	0	20	23	14	0	57	0	0	0	76
M	40	3	33	24	26	1	30	8	1	0	34
N	24	30	18	31	6	3	16	2	0	0	69
O	20	1	37	21	14	0	37	2	1	0	66
P	20	4	48	10	12	0	29	9	0	0	68
Q	16	11	50	0	10	0	31	7	0	0	75
R	25	8	52	0	17	0	40	0	0	0	58
Sa	24	4	73	0	7	0	18	5	0	0	69
Sb	31	3	65	0	15	0	17	15	0	0	54
Sc	25	0	55	0	20	0	24	21	0	0	55
Sd	13	0	65	0	7	0	29	6	0	0	80
Se	82	27	55	0	18	0	18	0	0	0	
Sf	70	0	70	0	30	0	20	10	0	0	
Sg	42	5	52	0	32	0	27	16	0	0	26
Sh	74	3	71	0	26	0	3	24	0	0	
Si	64	4	71	0	21	0	8	17	0	0	14
Sj	73	0	73	0	27	0	24	3	0	0	
Sk	28	11	69	0	7	0	18	2	0	0	65
T	39	14	34	28	12	0	24	0	0	0	49
U	13	0	45	0	16	0	3	52	0	0	71
V	23	4	35	38	7	19	0	4	0	0	70
W	18	0	37	0	30	4	46	13	0	0	53
X	32	10	36	14	21	0	28	12	0	0	47
Sct	29	6	65	0	11	0	20	8	0	0	60
E&W	25	7	39	18	14	1	30	4	1	0	61
UK	26	7	44	15	13	1	28	5	0.5	0	61

Table D 2.12 Treatment modalities for non-diabetic patients aged under 65

Non-diabetic dialysis modalities for patients aged < 65			
	No. on HD	No. on PD	No. on Transplant
Sct	522	207	1094
E&W	1852	1023	4488
UK	2374	1230	5582

Table D.2.13 Numbers of non-diabetic patients aged under 65 by treatment modality

Non-diabetic treatment modalities for patients aged 65 and over											
Centre	% on HD	% on Home HD	% on Hospital HD	% on Satellite HD	% on PD	% on CAPD Standard	% on CAPD Disconnect	% on Cycling PD ≥ 6 nights/wk	% on Cycling PD < 6 nights/wk	% on PD Type Unknown	% on Transplant
A	58	0	55	19	20	0	26	0	0	0	23
B	61	0	63	21	12	0	16	0	0	0	27
C	74	0	96	0	3	0	2	2	0	0	23
D	74	2	73	13	11	0	10	3	0	0	16
E	43	0	70	0	19	0	30	0	0	0	38
F	74	0	3	75	21	0	22	0	0	0	6
G	40	1	31	19	39	0	45	5	0	0	21
H	58	1	53	16	25	0	30	0	0	0	17
I	92	0	98	0	2	0	2	0	0	0	6
J	68	0	38	35	25	0	26	0	0	0	7
K	43	0	53	0	38	0	47	0	0	0	19
L	41	0	30	42	16	0	28	0	0	0	43
M	62	1	32	40	23	0	25	0	2	0	15
N	57	3	17	56	18	11	12	1	0	0	26
O	44	0	29	38	22	0	32	2	0	0	34
P	30	1	31	9	44	0	47	12	0	0	25
Q	41	3	66	0	18	0	26	4	1	0	41
R	47	0	67	0	23	0	33	0	0	0	29
Sa	61	0	83	0	12	0	14	2	0	0	27
Sb	68	1	79	0	17	0	13	7	0	0	15
Sc	29	0	39	0	46	0	33	28	0	0	25
Sd	42	0	72	0	16	0	27	1	0	0	42
Se	79	2	76	0	21	0	21	0	0	0	
Sf	80	0	80	0	20	0	20	0	0	0	
Sg	64	0	68	0	30	0	29	3	0	0	6
Sh	73	0	73	0	27	0	4	23	0	0	
Si	82	0	88	0	12	0	6	6	0	0	6
Sj	84	0	84	0	16	0	16	0	0	0	
Sk	51	0	75	0	17	0	21	4	0	0	32
T	53	2	35	35	21	0	27	2	0	0	25
U	59	0	73	0	22	0	0	27	0	0	19
V	57	0	31	55	9	13	0	0	0	0	34
W	72	0	78	0	21	4	19	0	0	0	8
X	66	1	53	24	18	0	18	3	0	0	16
Sct	59	0.4	76	0	18	0	19	5	0	0	23
E&W	54	1	46	25	21	2	24	2	1	0	25
UK	55	1	52	20	21	1	23	2	0.4	0	24

Table D.2.14 Treatment modalities for non-diabetic patients aged over 65

Non-diabetic dialysis modalities for patients aged 65 and over			
	No. on HD	No. on PD	No. on Transplant
Sct	384	118	148
E&W	1484	583	680
UK	1868	701	828

Table D.2.15 Numbers of non-diabetic patients aged over 65 by treatment modality

Diabetic Patient Dialysis Modalities											
<i>Centre</i>	% on HD	% on Home HD	% on Hospital HD	% on Satellite HD	% on PD	% on CAPD Standard	% on CAPD Disconnect	% on Cycling PD >=6 nights/wk	% on Cycling PD <6 nights/wk	% on PD Type Unknown	% on Transplant
A	56	0	70	20	6	0	10	0	0	0	38
B	58	0	67	19	10	0	14	0	0	0	32
C	60	0	75	0	20	0	19	6	0	0	20
D	65	0	74	3	19	0	16	6	0	0	16
E	27	0	55	0	22	0	45	0	0	0	51
F	50	0	3	63	27	0	35	0	0	0	23
G	42	0	38	14	38	0	39	8	0	0	20
H	51	0	54	12	26	0	33	1	0	0	23
I	57	0	63	0	33	0	37	0	0	0	10
J	66	0	41	34	22	0	25	0	0	0	12
K	32	0	33	0	64	0	67	0	0	0	4
L	41	0	37	44	10	0	20	0	0	0	49
M	44	0	24	26	44	0	40	2	7	0	13
N	47	4	19	47	20	8	17	6	0	0	33
O	47	0	27	41	22	0	32	0	0	0	31
P	22	0	29	6	42	0	53	12	0	0	36
Q	27	2	44	0	32	0	46	6	2	0	41
R	33	0	42	0	47	0	58	0	0	0	20
Sa	35	0	73	0	13	0	18	9	0	0	52
Sb	53	0	75	0	18	0	18	7	0	0	30
Sc	33	0	50	0	33	0	33	17	0	0	33
Sd	27	0	53	0	24	0	45	3	0	0	49
Se	84	5	79	0	16	0	11	5	0	0	
Sf	43	0	43	0	57	0	29	29	0	0	
Sg	32	0	40	0	47	0	47	13	0	0	21
Sh	64	0	64	0	36	0	9	27	0	0	
Si	80	0	80	0	20	0	0	10	10	0	
Sj	85	0	85	0	15	0	12	4	0	0	
Sk	44	0	70	0	19	0	25	5	0	0	38
T	46	0	37	25	28	0	38	0	0	0	26
U	45	0	59	0	31	0	9	0	32	0	24
V	38	0	32	35	18	32	0	0	0	0	44
W	44	0	78	0	13	0	22	0	0	0	44
X	53	0	45	24	23	0	24	6	0	0	23
Sct	46	0.5	67	0	22	0	24	8	0	0	31
E&W	44	0.4	41	20	28	2	33	3	1	0	29
UK	44	0.4	46	16	27	1	31	4	1	0	29

Table D.2.16 Treatment modalities for diabetic patients

Diabetic Patient Dialysis Modalities			
	No. on HD	No. on PD	No. on Transplant
Sct	136	66	92
E&W	520	334	341
UK	656	400	433

Table D.2.17 Numbers of diabetic patients by treatment modality

Diabetics						
Centre	Median age on 31.12.99	Median age at start of treat	% with age known at start of treat	M:F ratio	Median time on ESRF treatment	
					in days	in years
A	55	56	88	2.2	707	1.9
B	56	54	95	2.4	868	2.4
C	51	47	90	2.3	488	1.3
D	61	58	93	1.6	679	1.9
E	52	47	85	0.8	1361	3.7
F	58	56	95	1.3	1009	2.8
G	57	54	97	2.1	853	2.3
H	55	52	99	1.3	745	2.0
I	58	55	99	1.1	645	1.8
J	54	52	94	1.5	660	1.8
K	65	63	99	1.8	643	1.8
L	57	53	94	1.9	1075	2.9
M	60	57	90	2.2	341	0.9
N	55	51	99	0.9	815	2.2
O	57	58	97	1.3	1079	3.0
P	53	49	96	1.5	966	2.6
Q	51	46	96	1.1	1237	3.4
R	54	52	96	2.5	699	1.9
Sa	50	46	99	1.4	1682	4.6
Sb	62	58	100	1.9	658	1.8
Sc	63	62	99	2.0	1212	3.3
Sd	49	42	100	1.3	1299	3.6
Se	63	63	100	1.7	494	1.4
Sf	45	42	100	2.5	1106	3.0
Sg	51	47	100	0.7	879	2.4
Sh	62	60	100	2.7	533	1.5
Si	53	51	100	2.3	464	1.3
Sj	61	58	100	0.9	515	1.4
Sk	53	48	100	0.9	919	2.5
T	52	48	98	3.1	865	2.4
U	57	55	99	1.2	919	2.5
V	52	51	96	1.9	1387	3.8
W	47	43	98	0.8	1259	3.4
X	55	53	97	1.9	912	2.5
Sct	53	50	100	1.4	882	2.4
E&W	55	52	96	1.6	871	2.4
UK	55	52	96	1.5	877	2.4

Table D.2.18 Diabetics

Transplant rates with gender ratios			
Centre	Overall M:F	% on transplant	M:F
A	1.6	55	1.5
B	1.6	52	1.8
C	1.8	49	1.5
D	1.8	36	1.8
E	1.6	59	1.7
F	2.0	28	2.3
G	1.6	41	1.8
H	1.4	45	1.7
I	1.4	12	1.8
J	1.5	23	1.5
K	1.9	34	1.7
L	1.5	64	1.5
M	1.7	26	2.3
N	1.5	54	1.5
O	1.9	47	1.5
P	1.7	48	1.7
Q	1.4	62	1.5
R	1.7	47	1.5
Sa	1.7	59	2.1
Sb	1.4	38	1.3
Sc	1.6	42	1.5
Sd	1.3	72	1.4
Se	1.4		unknown
Sf	1.5		unknown
Sg	1.3	21	0.8
Sh	1.9		unknown
Si	1.5	11	2.0
Sj	1.2		unknown
Sk	1.2	54	1.3
T	1.7	41	1.4
U	1.4	38	1.4
V	1.5	62	1.4
W	1.3	32	1.0
X	2.0	36	2.8
Sct	1.4	48	1.5
E&W	1.6	47	1.6
UK	1.6	47	1.6

Table D.2.19 Transplant gender ratios