

Appendix E: Data Tables

E:1 Patients starting renal replacement in 2003

Table E.1.1. Take-on of new dialysis patients

| Centre | Take-on figures for new patients on dialysis | | | |
|---------|--|---------|----------|---------|
| | Aged <65 | | Aged >65 | |
| | % on HD | % on PD | % on HD | % on PD |
| Bangr | 60 | 40 | 82 | 18 |
| Bradf | 58 | 42 | 79 | 21 |
| Bristol | 56 | 44 | 82 | 18 |
| Camb | 70 | 30 | 77 | 23 |
| Carls | 55 | 45 | 76 | 24 |
| Carsh | 62 | 38 | 66 | 34 |
| Clwyd | 40 | 60 | 86 | 14 |
| Covnt | 61 | 39 | 82 | 18 |
| Crdff | 63 | 37 | 85 | 15 |
| Derby | 89 | 11 | 67 | 33 |
| Extr | 49 | 51 | 86 | 14 |
| Glouc | 74 | 26 | 73 | 27 |
| Guys | 50 | 50 | 72 | 28 |
| H&CX | 53 | 47 | 84 | 16 |
| Heart | 76 | 24 | 88 | 13 |
| Hull | 66 | 34 | 86 | 14 |
| Ipswi | 33 | 67 | 35 | 65 |
| Kings | 61 | 39 | 84 | 16 |
| Leeds | 76 | 24 | 94 | 6 |
| Leic | 56 | 44 | 73 | 27 |
| Livrpl | 60 | 40 | 80 | 20 |
| ManWst | 49 | 51 | 69 | 31 |
| Middlbr | 75 | 25 | 95 | 5 |
| Newc | 82 | 18 | 95 | 5 |
| Nottm | 62 | 38 | 71 | 29 |
| Oxfrd | 58 | 42 | 68 | 32 |
| Plym | 74 | 26 | 81 | 19 |
| Ports | 72 | 28 | 78 | 22 |
| Prstn | 51 | 49 | 70 | 30 |
| Redng | 53 | 47 | 69 | 31 |
| Sheff | 49 | 51 | 60 | 40 |
| Stevng | 68 | 32 | 92 | 8 |
| Sthend | 50 | 50 | 100 | – |
| Sund | 87 | 13 | 95 | 5 |
| Swnse | 63 | 38 | 71 | 29 |
| Truro | 71 | 29 | 75 | 25 |
| Wirrl | 70 | 30 | 72 | 28 |
| Wolve | 76 | 24 | 83 | 17 |
| Words | 67 | 33 | 76 | 24 |
| Wrexm | 53 | 47 | 77 | 23 |
| York | 64 | 36 | 81 | 19 |
| Eng | 63 | 37 | 78 | 22 |
| Wls | 61 | 39 | 78 | 22 |
| E&W | 62 | 38 | 78 | 22 |

Table E.1.2. Take-on totals of new dialysis patients

| | Take on figures for new patients on dialysis | | | |
|---------|--|----------|----------|----------|
| | Aged <65 | | Aged >65 | |
| | No on HD | No on PD | No on HD | No on PD |
| England | 965 | 578 | 1,140 | 329 |
| Wales | 92 | 60 | 115 | 32 |
| E&W | 1,057 | 638 | 1,255 | 361 |

Table E.1.3. Treatment modalities at 90 days

| Centre | Treatment modalities at 90 days | | | | | |
|---------|---------------------------------|---------|-----------------|-------------------|---------------------|--------|
| | % on HD | % on PD | % on transplant | % transferred out | % stopped treatment | % died |
| Bangr | 53 | 24 | – | 3 | – | 21 |
| Bradf | 62 | 28 | – | – | – | 11 |
| Bristl | 53 | 23 | 12 | 1 | 2 | 9 |
| Camb | 55 | 20 | 19 | – | – | 7 |
| Carls | 56 | 26 | – | – | – | 18 |
| Carsh | 57 | 32 | 3 | 1 | – | 7 |
| Clwyd | 67 | 33 | – | – | – | – |
| Covnt | 55 | 22 | 9 | – | 3 | 12 |
| Crdff | 62 | 24 | 3 | 1 | 1 | 10 |
| Derby | 70 | 22 | – | – | – | 9 |
| Extr | 61 | 26 | – | – | – | 13 |
| Glouc | 64 | 24 | 4 | – | – | 9 |
| Guys | 55 | 40 | 3 | – | 1 | 1 |
| H&CX | 59 | 30 | – | 2 | 1 | 9 |
| Heart | 74 | 15 | – | – | – | 11 |
| Hull | 69 | 23 | – | 1 | – | 7 |
| Ipswi | 33 | 60 | 3 | – | – | 5 |
| Kings | 66 | 26 | 3 | – | 1 | 4 |
| Leeds | 73 | 14 | 3 | 1 | – | 9 |
| Leic | 57 | 32 | 5 | – | – | 7 |
| Livrpl | 57 | 29 | 4 | – | – | 10 |
| ManWst | 53 | 40 | – | – | – | 8 |
| Middlbr | 70 | 14 | 3 | – | – | 12 |
| Newc | 69 | 10 | 8 | – | 2 | 12 |
| Nottm | 63 | 30 | 1 | – | 1 | 5 |
| Oxfrd | 51 | 30 | 5 | 2 | 1 | 11 |
| Plym | 60 | 17 | – | – | 2 | 21 |
| Ports | 63 | 21 | 4 | – | 1 | 10 |
| Prstn | 56 | 35 | 2 | – | 1 | 6 |
| Redng | 53 | 32 | 2 | 2 | – | 12 |
| Sheff | 51 | 43 | 1 | – | 1 | 5 |
| Stevng | 73 | 19 | – | 1 | – | 7 |
| Sthend | 54 | 32 | – | – | – | 14 |
| Sund | 82 | 8 | 2 | – | – | 8 |
| Swmse | 56 | 27 | 1 | – | – | 16 |
| Truro | 64 | 23 | – | – | 2 | 11 |
| Wirrl | 60 | 24 | – | – | 2 | 13 |
| Wolve | 65 | 18 | – | – | 1 | 16 |
| Words | 65 | 25 | – | – | – | 10 |
| Wrexm | 54 | 31 | – | 3 | – | 11 |
| York | 62 | 23 | – | – | – | 15 |
| Eng | 61 | 26 | 3 | 0 | 1 | 9 |
| Wls | 58 | 26 | 2 | 1 | 0 | 13 |
| E&W | 60 | 26 | 3 | 0 | 1 | 10 |

Table E.1.4. Number of patients per treatment modality at 90 days

| | Treatment modalities at 90 days | | | | | |
|-------|---------------------------------|----------|------------------|--------------------|----------------------|---------|
| | No on HD | No on PD | No on transplant | No transferred out | No stopped treatment | No died |
| Eng | 2,107 | 909 | 108 | 14 | 20 | 320 |
| Wales | 207 | 92 | 6 | 3 | 1 | 46 |
| E&W | 2,314 | 1,001 | 114 | 17 | 21 | 366 |

Table E.1.5. First treatment modality

| Centre | First treatment modality | | |
|---------|--------------------------|---------|-----------------|
| | % on HD | % on PD | % on transplant |
| Bangr | 79 | 21 | 0 |
| Bradf | 68 | 32 | 0 |
| Bristol | 62 | 26 | 11 |
| Camb | 58 | 24 | 18 |
| Carls | 59 | 41 | 0 |
| Carsh | 63 | 34 | 2 |
| Clwyd | 67 | 33 | 0 |
| Covnt | 68 | 26 | 6 |
| Crdff | 72 | 26 | 2 |
| Derby | 76 | 24 | 0 |
| Extr | 73 | 27 | 0 |
| Glouc | 73 | 27 | 0 |
| Guys | 52 | 45 | 2 |
| H&CX | 68 | 32 | 0 |
| Heart | 82 | 18 | 0 |
| Hull | 76 | 24 | 0 |
| Ipswi | 38 | 63 | 0 |
| Kings | 65 | 35 | 1 |
| Leeds | 81 | 16 | 3 |
| Leic | 62 | 35 | 4 |
| Livrpl | 63 | 33 | 3 |
| ManWst | 58 | 42 | 0 |
| Middlbr | 83 | 17 | 0 |
| Newc | 82 | 10 | 8 |
| Nottm | 68 | 31 | 1 |
| Oxfrd | 64 | 31 | 5 |
| Plym | 78 | 22 | 0 |
| Ports | 74 | 23 | 3 |
| Prstn | 60 | 40 | 0 |
| Redng | 63 | 37 | 0 |
| Sheff | 54 | 45 | 1 |
| Stevng | 79 | 21 | 0 |
| Sthend | 62 | 38 | 0 |
| Sund | 90 | 10 | 0 |
| Swlse | 70 | 30 | 0 |
| Truro | 74 | 26 | 0 |
| Wirrl | 73 | 27 | 0 |
| Wolve | 81 | 19 | 0 |
| Words | 73 | 28 | 0 |
| Wrexm | 66 | 34 | 0 |
| York | 68 | 32 | 0 |
| Eng | 68 | 29 | 2 |
| Wls | 71 | 28 | 1 |
| E&W | 69 | 29 | 2 |

Table E.1.6. First treatment modality – patient numbers

| | First treatment modality | | |
|---------|--------------------------|----------|------------------|
| | No on HD | No on PD | No on transplant |
| England | 2,380 | 1,018 | 83 |
| Wales | 252 | 100 | 3 |
| E&W | 2,632 | 1,118 | 86 |

Table E.1.7. Treatment modalities by gender

| Centre | Treatment by gender | | | | | |
|---------|---------------------|----------|-----------|---------------------|----------|-----------|
| | Haemodialysis | | | Peritoneal Dialysis | | |
| | % Male | % Female | M:F ratio | % Male | % Female | M:F ratio |
| Bangr | 61 | 39 | 1.6 | 50 | 50 | 1.0 |
| Bradf | 53 | 47 | 1.1 | 68 | 32 | 2.1 |
| Bristol | 53 | 47 | 1.1 | 59 | 41 | 1.4 |
| Camb | 62 | 38 | 1.6 | 78 | 22 | 3.5 |
| Carls | 58 | 42 | 1.4 | 89 | 11 | 8.0 |
| Carsh | 70 | 30 | 2.4 | 66 | 34 | 1.9 |
| Clwyd | 75 | 25 | 3.0 | 75 | 25 | 3.0 |
| Covnt | 60 | 40 | 1.5 | 59 | 41 | 1.4 |
| Crdff | 59 | 41 | 1.4 | 64 | 36 | 1.8 |
| Derby | 56 | 44 | 1.3 | 70 | 30 | 2.3 |
| Extr | 57 | 43 | 1.3 | 65 | 35 | 1.9 |
| Glouc | 69 | 31 | 2.3 | 38 | 62 | 0.6 |
| Guys | 65 | 35 | 1.8 | 63 | 37 | 1.7 |
| H&CX | 55 | 45 | 1.2 | 75 | 25 | 3.0 |
| Heart | 64 | 36 | 1.8 | 64 | 36 | 1.8 |
| Hull | 59 | 41 | 1.4 | 53 | 47 | 1.1 |
| Ipswi | 67 | 33 | 2.0 | 70 | 30 | 2.3 |
| Kings | 67 | 33 | 2.0 | 48 | 52 | 0.9 |
| Leeds | 66 | 34 | 1.9 | 61 | 39 | 1.6 |
| Leic | 62 | 38 | 1.6 | 59 | 41 | 1.5 |
| Livrpl | 57 | 43 | 1.3 | 69 | 31 | 2.2 |
| ManWst | 61 | 39 | 1.5 | 60 | 40 | 1.5 |
| Middlbr | 67 | 33 | 2.0 | 69 | 31 | 2.2 |
| Newc | 53 | 47 | 1.1 | 60 | 40 | 1.5 |
| Nottm | 61 | 39 | 1.6 | 55 | 45 | 1.2 |
| Oxfrd | 70 | 30 | 2.4 | 53 | 47 | 1.1 |
| Plym | 58 | 42 | 1.4 | 73 | 27 | 2.7 |
| Ports | 61 | 39 | 1.5 | 73 | 27 | 2.7 |
| Prstn | 67 | 33 | 2.1 | 51 | 49 | 1.1 |
| Redng | 69 | 31 | 2.2 | 35 | 65 | 0.5 |
| Sheff | 71 | 29 | 2.5 | 61 | 39 | 1.5 |
| Stevng | 74 | 26 | 2.8 | 43 | 57 | 0.7 |
| Sthend | 70 | 30 | 2.3 | 33 | 67 | 0.5 |
| Sund | 63 | 37 | 1.7 | 75 | 25 | 3.0 |
| Swlse | 64 | 36 | 1.8 | 70 | 30 | 2.3 |
| Truro | 68 | 32 | 2.1 | 92 | 8 | 11.0 |
| Wirrl | 67 | 33 | 2.0 | 55 | 45 | 1.2 |
| Wolve | 63 | 37 | 1.7 | 59 | 41 | 1.4 |
| Words | 81 | 19 | 4.2 | 80 | 20 | 4.0 |
| Wrexm | 58 | 42 | 1.4 | 73 | 27 | 2.7 |
| York | 68 | 32 | 2.2 | 67 | 33 | 2.0 |
| Eng | 63 | 37 | 1.7 | 61 | 39 | 1.6 |
| Wls | 61 | 39 | 1.6 | 66 | 34 | 2.0 |
| E&W | 63 | 37 | 1.7 | 62 | 38 | 1.6 |

Table E.1.8 Treatment modality numbers by gender

| | Treatment by gender | | | |
|---------|---------------------|--------------|---------------------|--------------|
| | Haemodialysis | | Peritoneal dialysis | |
| | No of male | No of female | No of male | No of female |
| England | 1,335 | 770 | 556 | 351 |
| Wales | 127 | 80 | 61 | 31 |
| E&W | 1,462 | 850 | 617 | 382 |

E:2 Current patients 2003

Table E.2.1. Treatment modalities for patients aged under 65 and over 65

| Centre | Treatment modalities by centre | | | | | | | |
|---------|--------------------------------|---------|-----------------|-------|-------------------|---------|-----------------|-------|
| | Patients aged <65 | | | | Patients aged >65 | | | |
| | % on HD | % on PD | % on transplant | HD:PD | % on HD | % on PD | % on transplant | HD:PD |
| Bangr | 65 | 35 | – | 1.8 | 80 | 20 | – | 4.1 |
| Bradf | 33 | 19 | 48 | 1.7 | 75 | 14 | 11 | 5.4 |
| Bristl | 22 | 6 | 71 | 3.6 | 63 | 9 | 28 | 7.1 |
| Camb | 19 | 12 | 68 | 1.6 | 60 | 16 | 23 | 3.7 |
| Carls | 17 | 19 | 64 | 0.9 | 64 | 17 | 19 | 3.8 |
| Carsh | 34 | 19 | 47 | 1.7 | 53 | 27 | 20 | 2.0 |
| Clwyd | 80 | 20 | – | 4.0 | 82 | 18 | – | 4.5 |
| Covnt | 31 | 13 | 56 | 2.5 | 62 | 17 | 21 | 3.7 |
| Crdff | 20 | 14 | 66 | 1.5 | 54 | 15 | 31 | 3.7 |
| Derby | 75 | 25 | – | 3.0 | 76 | 24 | – | 3.1 |
| Extr | 25 | 16 | 59 | 1.5 | 72 | 16 | 13 | 4.5 |
| Glouc | 35 | 13 | 52 | 2.7 | 72 | 16 | 12 | 4.6 |
| Guys | 22 | 11 | 68 | 2.0 | 56 | 14 | 30 | 4.0 |
| H&CX | 38 | 20 | 42 | 1.9 | 66 | 14 | 20 | 4.9 |
| Heart | 44 | 5 | 51 | 8.6 | 83 | 6 | 11 | 13.7 |
| Hull | 37 | 13 | 50 | 2.9 | 76 | 9 | 15 | 8.3 |
| Ipswi | 24 | 25 | 51 | 1.0 | 55 | 33 | 13 | 1.7 |
| Kings | 29 | 16 | 55 | 1.8 | 65 | 16 | 19 | 4.1 |
| Leeds | 26 | 9 | 65 | 2.8 | 67 | 9 | 23 | 7.2 |
| Leic | 30 | 17 | 53 | 1.8 | 53 | 25 | 22 | 2.1 |
| Livrpl | 25 | 10 | 65 | 2.5 | 51 | 12 | 37 | 4.2 |
| ManWst | 29 | 20 | 50 | 1.5 | 52 | 29 | 18 | 1.8 |
| Middlbr | 31 | 5 | 64 | 5.9 | 70 | 2 | 28 | 39.3 |
| Newc | 22 | 6 | 72 | 3.9 | 44 | 5 | 51 | 8.0 |
| Nottm | 26 | 16 | 58 | 1.6 | 59 | 22 | 19 | 2.7 |
| Oxfrd | 18 | 9 | 73 | 1.9 | 50 | 15 | 35 | 3.4 |
| Plym | 23 | 14 | 63 | 1.7 | 58 | 15 | 28 | 3.8 |
| Ports | 22 | 9 | 69 | 2.6 | 54 | 13 | 33 | 4.2 |
| Prstn | 31 | 16 | 53 | 1.9 | 64 | 18 | 18 | 3.6 |
| Redng | 53 | 37 | 10 | 1.5 | 65 | 35 | – | 1.9 |
| Sheff | 38 | 13 | 49 | 2.9 | 60 | 22 | 18 | 2.7 |
| Stevng | 48 | 12 | 40 | 4.0 | 83 | 8 | 9 | 10.7 |
| Sthend | 45 | 30 | 25 | 1.5 | 82 | 16 | 3 | 5.3 |
| Sund | 35 | 6 | 58 | 5.7 | 56 | 8 | 35 | 6.7 |
| Swnse | 38 | 22 | 40 | 1.7 | 65 | 25 | 10 | 2.6 |
| Truro | 38 | 16 | 46 | 2.4 | 73 | 14 | 14 | 5.4 |
| Wirrl | 83 | 17 | – | 4.9 | 92 | 8 | – | 12.2 |
| Wolve | 52 | 15 | 33 | 3.4 | 73 | 20 | 7 | 3.7 |
| Words | 31 | 20 | 49 | 1.5 | 56 | 21 | 23 | 2.6 |
| Wrexm | 39 | 26 | 35 | 1.5 | 68 | 22 | 10 | 3.1 |
| York | 45 | 18 | 37 | 2.5 | 73 | 19 | 8 | 3.9 |
| Eng | 30 | 13 | 57 | 2.3 | 63 | 16 | 22 | 4.0 |
| Wls | 29 | 18 | 53 | 1.6 | 62 | 19 | 19 | 3.3 |
| E&W | 30 | 13 | 57 | 2.2 | 63 | 16 | 21 | 3.9 |

Table E.2.2 Numbers of patients under and over 65 per treatment modality

| | Treatment modality numbers | | | | | |
|---------|----------------------------|----------|------------------|-------------------|----------|------------------|
| | Patients aged <65 | | | Patients aged >65 | | |
| | No on HD | No on PD | No on transplant | No on HD | No on PD | No on transplant |
| England | 4,641 | 2,049 | 8,894 | 4,330 | 1,086 | 1,485 |
| Wales | 375 | 229 | 690 | 413 | 126 | 125 |
| E&W | 5,016 | 2,278 | 9,584 | 4,743 | 1,212 | 1,610 |

Table E.2.3. Treatment modality median ages by centre

| Centre | Median ages and treatment modalities by centre | | | |
|---------|--|------------------|--------------------------|--------------------|
| | Median age on HD | Median age on PD | Median age on transplant | Median age for all |
| Bangr | 67.5 | 58.6 | 46.4 | 54.5 |
| Bradf | 65.6 | 64.1 | 40.3 | 63.4 |
| Bristol | 69.6 | 58.8 | 50.9 | 56.9 |
| Camb | 66.1 | 63.7 | 50.4 | 61.0 |
| Carls | 69.7 | 56.3 | 50.4 | 60.3 |
| Carsh | 61.3 | 51.2 | 49.1 | 52.5 |
| Clwyd | 64.3 | 61.5 | 47.5 | 58.6 |
| Covnt | 62.7 | 58.9 | 45.0 | 51.2 |
| Crdff | 65.2 | 62.0 | 48.5 | 56.0 |
| Derby | 65.1 | 59.5 | 50.5 | 56.9 |
| Extr | 69.2 | 59.3 | – | 64.1 |
| Glouc | 70.0 | 58.5 | 56.6 | 61.3 |
| Guys | 62.4 | 60.0 | 53.4 | 58.4 |
| H&CX | 62.6 | 54.5 | 49.6 | 54.5 |
| Heart | 65.6 | 52.0 | 48.0 | 51.8 |
| Hull | 64.2 | 57.8 | 49.9 | 58.6 |
| Ipswi | 66.6 | 52.8 | 48.7 | 56.4 |
| Kings | 66.0 | 56.4 | 50.0 | 58.8 |
| Leeds | 64.4 | 60.3 | 43.8 | 59.9 |
| Leic | 62.4 | 59.7 | 52.2 | 56.2 |
| Livrpl | 60.4 | 55.9 | – | 64.1 |
| ManWst | 55.7 | 53.4 | 52.4 | 53.8 |
| Middlbr | 65.0 | 58.9 | 47.5 | 55.0 |
| Newc | 57.9 | 57.2 | 49.8 | 54.6 |
| Nottm | 65.3 | 58.6 | 49.2 | 55.3 |
| Oxfrd | 66.9 | 62.2 | 55.5 | 64.7 |
| Plym | 65.8 | 59.2 | 50.5 | 54.9 |
| Ports | 64.7 | 63.8 | – | 64.3 |
| Prstn | 61.5 | 52.6 | 47.9 | 53.3 |
| Redng | 66.1 | 58.2 | 48.5 | 53.9 |
| Sheff | 60.3 | 62.0 | 51.0 | 60.8 |
| Stevng | 66.5 | 64.8 | – | 65.0 |
| Sthend | 67.7 | 63.2 | 44.0 | 61.5 |
| Sund | 59.5 | 53.3 | 53.5 | 57.2 |
| Swkse | 66.5 | 61.0 | 49.9 | 56.1 |
| Truro | 71.8 | 54.7 | 45.1 | 54.7 |
| Wirrl | 66.1 | 54.2 | 49.4 | 55.8 |
| Wolve | 63.5 | 55.4 | 51.0 | 53.8 |
| Words | 64.7 | 57.9 | 47.9 | 59.0 |
| Wrexm | 67.2 | 59.9 | 50.1 | 56.9 |
| York | 67.6 | 49.3 | 49.1 | 56.3 |
| Eng | 64.2 | 58.0 | 49.6 | 55.9 |
| Wls | 66.2 | 58.1 | 49.8 | 56.7 |
| E&W | 64.3 | 58.0 | 49.6 | 56.0 |

Table E.2.4. Dialysis modalities for patients aged under 65

| Centre | Dialysis modalities for patients aged under 65 | | | | | | | |
|---------|--|------------------|-------------------|-----------------|--------------------|---------------------------|---------------------------|-------------------------|
| | % on home HD | % on hospital HD | % on satellite HD | % on connect PD | % on disconnect PD | % on cycling PD ≥6 nights | % on cycling PD <6 nights | % on unknown type of PD |
| Bangr | 0 | 65 | 0 | 0 | 10 | 25 | 0 | 0 |
| Bradf | 0 | 46 | 17 | 0 | 19 | 17 | 0 | 0 |
| Bristol | 15 | 18 | 44 | 0 | 18 | 2 | 0 | 0 |
| Camb | 3 | 41 | 17 | 0 | 31 | 4 | 2 | 0 |
| Carls | 0 | 38 | 10 | 0 | 48 | 5 | 0 | 0 |
| Carsh | 1 | 44 | 19 | 0 | 18 | 19 | 0 | 0 |
| Clwyd | 3 | 77 | 0 | 0 | 14 | 6 | 0 | 0 |
| Covnt | 3 | 68 | 0 | 0 | 29 | 0 | 0 | 0 |
| Crdff | 0 | 28 | 31 | 0 | 41 | 0 | 0 | 0 |
| Derby | 3 | 72 | 0 | 0 | 24 | 0 | 1 | 0 |
| Extr | 1 | 24 | 34 | 0 | 26 | 3 | 3 | 0 |
| Glouc | 0 | 73 | 0 | 0 | 23 | 4 | 0 | 0 |
| Guys | 6 | 25 | 36 | 0 | 22 | 0 | 11 | 0 |
| H&CX | 3 | 35 | 28 | 0 | 21 | 13 | 0 | 0 |
| Heart | 11 | 72 | 6 | 0 | 8 | 2 | 0 | 0 |
| Hull | 4 | 43 | 27 | 0 | 15 | 11 | 0 | 0 |
| Ipswi | 11 | 38 | 0 | 0 | 18 | 33 | 0 | 0 |
| Kings | 0 | 64 | 0 | 0 | 32 | 1 | 0 | 0 |
| Leeds | 1 | 42 | 30 | 0 | 20 | 7 | 0 | 0 |
| Leic | 5 | 26 | 33 | 0 | 17 | 18 | 0 | 0 |
| Livrpl | 1 | 36 | 34 | 0 | 10 | 0 | 3 | 0 |
| ManWst | 5 | 28 | 26 | 0 | 39 | 0 | 0 | 0 |
| Middlbr | 3 | 59 | 24 | 0 | 14 | 0 | 0 | 0 |
| Newc | 3 | 77 | 0 | 0 | 3 | 17 | 0 | 0 |
| Nottm | 1 | 38 | 23 | 0 | 17 | 21 | 0 | 0 |
| Oxfrd | 6 | 60 | 0 | 0 | 15 | 19 | 0 | 0 |
| Plym | 0 | 63 | 0 | 0 | 27 | 0 | 0 | 0 |
| Ports | 0 | 39 | 33 | 0 | 28 | 0 | 0 | 0 |
| Prstn | 5 | 29 | 32 | 0 | 25 | 7 | 2 | 0 |
| Redng | 0 | 37 | 22 | 0 | 41 | 0 | 0 | 0 |
| Sheff | 10 | 53 | 12 | 0 | 25 | 1 | 0 | 0 |
| Stevng | 0 | 40 | 41 | 0 | 20 | 0 | 0 | 0 |
| Sthend | 0 | 60 | 0 | 0 | 40 | 0 | 0 | 0 |
| Sund | 1 | 66 | 18 | 0 | 5 | 10 | 0 | 0 |
| Swmse | 5 | 37 | 22 | 0 | 36 | 0 | 1 | 0 |
| Truro | 3 | 53 | 14 | 0 | 28 | 2 | 0 | 0 |
| Wirrl | 0 | 46 | 37 | 0 | 8 | 0 | 0 | 0 |
| Wolve | 0 | 29 | 48 | 0 | 22 | 1 | 0 | 0 |
| Words | 1 | 59 | 0 | 0 | 40 | 0 | 0 | 0 |
| Wrexm | 0 | 60 | 0 | 0 | 0 | 39 | 1 | 0 |
| York | 0 | 46 | 26 | 0 | 29 | 0 | 0 | 0 |
| Eng | 3 | 44 | 22 | 0 | 21 | 7 | 1 | 0 |
| Wls | 1 | 40 | 20 | 0 | 30 | 7 | 0 | 0 |
| E&W | 3 | 44 | 22 | 0 | 22 | 7 | 1 | 0 |

Table E.2.5 Dialysis modalities for patients aged over 65

| Centre | Dialysis modalities for patients aged over 65 | | | | | | | |
|---------|---|------------------|-------------------|-----------------|--------------------|---------------------------|---------------------------|-------------------------|
| | % on home HD | % on hospital HD | % on satellite HD | % on connect PD | % on disconnect PD | % on cycling PD ≥6 nights | % on cycling PD <6 nights | % on unknown type of PD |
| Bangr | 0 | 80 | 0 | 0 | 13 | 7 | 0 | 0 |
| Bradf | 0 | 64 | 20 | 0 | 9 | 7 | 0 | 0 |
| Bristol | 1 | 13 | 73 | 0 | 11 | 1 | 0 | 0 |
| Camb | 1 | 51 | 27 | 0 | 20 | 1 | 0 | 0 |
| Carls | 0 | 65 | 15 | 0 | 19 | 2 | 0 | 0 |
| Carsh | 0 | 47 | 19 | 0 | 19 | 14 | 0 | 0 |
| Clwyd | 3 | 79 | 0 | 9 | 6 | 3 | 0 | 0 |
| Covnt | 1 | 78 | 0 | 0 | 21 | 0 | 0 | 0 |
| Crdff | 0 | 26 | 53 | 0 | 21 | 0 | 0 | 0 |
| Derby | 0 | 76 | 0 | 0 | 22 | 0 | 1 | 0 |
| Extr | 0 | 33 | 49 | 0 | 17 | 0 | 1 | 0 |
| Glouc | 0 | 82 | 0 | 0 | 17 | 1 | 0 | 0 |
| Guys | 1 | 27 | 53 | 0 | 13 | 0 | 7 | 0 |
| H&CX | 0 | 50 | 33 | 0 | 11 | 7 | 0 | 0 |
| Heart | 2 | 81 | 9 | 0 | 6 | 1 | 0 | 0 |
| Hull | 1 | 45 | 43 | 0 | 6 | 4 | 0 | 0 |
| Ipswi | 0 | 61 | 1 | 0 | 20 | 17 | 0 | 0 |
| Kings | 1 | 80 | 0 | 0 | 16 | 2 | 0 | 0 |
| Leeds | 0 | 49 | 39 | 0 | 9 | 3 | 0 | 0 |
| Leic | 1 | 26 | 41 | 0 | 20 | 12 | 0 | 0 |
| Livrpl | 0 | 52 | 28 | 0 | 13 | 1 | 2 | 1 |
| ManWst | 0 | 34 | 30 | 0 | 35 | 0 | 0 | 0 |
| Middlbr | 0 | 69 | 28 | 0 | 2 | 0 | 0 | 0 |
| Newc | 0 | 89 | 0 | 0 | 2 | 9 | 0 | 0 |
| Nottm | 0 | 44 | 29 | 0 | 19 | 8 | 0 | 0 |
| Oxfrd | 2 | 75 | 0 | 0 | 18 | 4 | 0 | 0 |
| Plym | 0 | 79 | 0 | 0 | 17 | 0 | 0 | 0 |
| Ports | 0 | 45 | 36 | 0 | 19 | 0 | 0 | 0 |
| Prstn | 1 | 33 | 45 | 0 | 19 | 1 | 1 | 0 |
| Redng | 0 | 43 | 22 | 0 | 35 | 0 | 0 | 0 |
| Sheff | 0 | 59 | 13 | 0 | 26 | 1 | 0 | 0 |
| Stevng | 0 | 38 | 53 | 0 | 9 | 0 | 0 | 0 |
| Sthend | 0 | 84 | 0 | 0 | 16 | 0 | 0 | 0 |
| Sund | 0 | 63 | 24 | 0 | 7 | 7 | 0 | 0 |
| Swkse | 1 | 45 | 27 | 0 | 28 | 0 | 0 | 0 |
| Truro | 0 | 71 | 14 | 0 | 15 | 0 | 0 | 0 |
| Wirrl | 0 | 43 | 49 | 0 | 8 | 0 | 0 | 0 |
| Wolve | 0 | 23 | 56 | 0 | 20 | 1 | 0 | 0 |
| Words | 0 | 72 | 0 | 0 | 28 | 0 | 0 | 0 |
| Wrexm | 0 | 76 | 0 | 0 | 0 | 24 | 0 | 0 |
| York | 0 | 58 | 22 | 0 | 18 | 3 | 0 | 0 |
| Eng | 0 | 52 | 28 | 0 | 16 | 3 | 0 | 0 |
| Wls | 0 | 47 | 30 | 1 | 19 | 4 | 0 | 0 |
| E&W | 0 | 51 | 28 | 0 | 16 | 3 | 0 | 0 |

Table E.2.6 Age ranges by centre

| Centre | Patient age range by centre (%) | | | | | | | |
|---------|---------------------------------|-------|-------|-------|-------|-------|-------|-----|
| | 18–24 | 25–34 | 35–44 | 45–54 | 55–64 | 65–74 | 75–84 | 85+ |
| Bangr | 2 | 3 | 9 | 14 | 23 | 28 | 20 | 1 |
| Bradf | 5 | 10 | 17 | 18 | 18 | 23 | 9 | – |
| Bristol | 4 | 8 | 16 | 19 | 20 | 19 | 13 | 2 |
| Camb | 2 | 10 | 19 | 21 | 22 | 17 | 9 | 1 |
| Carls | 2 | 8 | 16 | 16 | 25 | 21 | 12 | 1 |
| Carsh | 2 | 10 | 20 | 15 | 24 | 20 | 10 | 1 |
| Clwyd | 4 | 6 | 9 | 19 | 13 | 29 | 18 | 1 |
| Covnt | 2 | 10 | 19 | 18 | 22 | 17 | 10 | 1 |
| Crdff | 3 | 10 | 17 | 21 | 21 | 16 | 9 | 2 |
| Derby | 1 | 6 | 10 | 16 | 17 | 29 | 18 | 3 |
| Extr | 2 | 7 | 15 | 18 | 24 | 16 | 16 | 2 |
| Glouc | 2 | 7 | 10 | 17 | 23 | 21 | 16 | 3 |
| Guys | 2 | 10 | 23 | 21 | 20 | 16 | 7 | 1 |
| H&CX | 1 | 7 | 15 | 22 | 23 | 21 | 10 | 1 |
| Heart | 3 | 9 | 15 | 16 | 22 | 19 | 15 | 1 |
| Hull | 4 | 9 | 16 | 18 | 22 | 17 | 13 | 2 |
| Ipswi | 3 | 6 | 20 | 21 | 18 | 19 | 14 | 1 |
| Kings | 1 | 8 | 19 | 21 | 17 | 23 | 11 | 1 |
| Leeds | 5 | 10 | 17 | 22 | 19 | 17 | 8 | 1 |
| Leic | 2 | 9 | 16 | 20 | 21 | 20 | 9 | 1 |
| Livrpl | 3 | 9 | 21 | 21 | 21 | 16 | 8 | 1 |
| ManWst | 3 | 14 | 20 | 19 | 18 | 17 | 8 | 0 |
| Middlbr | 3 | 8 | 21 | 16 | 21 | 19 | 11 | 0 |
| Newc | 4 | 8 | 19 | 23 | 23 | 17 | 6 | 0 |
| Nottm | 5 | 10 | 17 | 19 | 18 | 20 | 11 | 1 |
| Oxfrd | 2 | 9 | 18 | 19 | 23 | 19 | 10 | 1 |
| Plym | 2 | 9 | 15 | 18 | 25 | 17 | 13 | 1 |
| Ports | 4 | 8 | 19 | 19 | 22 | 17 | 10 | 1 |
| Prstn | 3 | 10 | 17 | 21 | 22 | 17 | 9 | 1 |
| Redng | 3 | 8 | 11 | 17 | 13 | 29 | 17 | 2 |
| Sheff | 3 | 8 | 16 | 21 | 22 | 21 | 9 | 0 |
| Stevng | 1 | 7 | 13 | 17 | 20 | 26 | 13 | 1 |
| Sthend | 3 | 6 | 9 | 13 | 29 | 19 | 17 | 4 |
| Sund | 2 | 13 | 17 | 21 | 21 | 20 | 7 | 0 |
| Swkse | 3 | 6 | 12 | 18 | 20 | 26 | 15 | 2 |
| Truro | 1 | 5 | 9 | 15 | 19 | 30 | 15 | 5 |
| Wirrl | 2 | 6 | 10 | 12 | 20 | 27 | 20 | 2 |
| Wolve | 3 | 7 | 15 | 15 | 22 | 22 | 15 | 1 |
| Words | 2 | 5 | 14 | 22 | 23 | 21 | 12 | 1 |
| Wrexm | 2 | 7 | 13 | 17 | 21 | 26 | 13 | 1 |
| York | 5 | 7 | 14 | 14 | 17 | 21 | 18 | 5 |
| Eng | 3 | 9 | 17 | 19 | 21 | 19 | 11 | 1 |
| Wls | 3 | 8 | 15 | 20 | 21 | 21 | 12 | 2 |
| E&W | 3 | 9 | 17 | 19 | 21 | 19 | 11 | 1 |

Table E.2.7. Dialysis modalities for non-diabetic patients (all ages)

| Centre | Dialysis modalities for non-diabetic patients (all ages) | | | | | | | |
|---------|--|------------------|-------------------|-----------------|--------------------|----------------------------|---------------------------|-------------------------|
| | % on home HD | % on hospital HD | % on satellite HD | % on connect PD | % on disconnect PD | % on cycling PD ≥ 6 nights | % on cycling PD <6 nights | % on unknown type of PD |
| Bangr | 0 | 70 | 0 | 0 | 13 | 17 | 0 | 0 |
| Bradf | 0 | 54 | 21 | 0 | 15 | 11 | 0 | 0 |
| Bristl | 8 | 14 | 61 | 0 | 14 | 1 | 0 | 0 |
| Camb | 2 | 46 | 20 | 0 | 26 | 3 | 1 | 0 |
| Carls | 0 | 51 | 9 | 0 | 36 | 4 | 0 | 0 |
| Carsh | 1 | 47 | 18 | 0 | 19 | 16 | 0 | 0 |
| Clwyd | 2 | 77 | 0 | 6 | 13 | 2 | 0 | 0 |
| Covnt | 2 | 75 | 0 | 0 | 23 | 0 | 0 | 0 |
| Crdff | 0 | 28 | 38 | 0 | 34 | 0 | 0 | 0 |
| Derby | 2 | 75 | 0 | 0 | 21 | 0 | 1 | 0 |
| Extr | 1 | 27 | 40 | 0 | 22 | 2 | 2 | 0 |
| Glouc | 0 | 81 | 0 | 0 | 18 | 1 | 0 | 0 |
| Guys | 5 | 26 | 43 | 0 | 18 | 0 | 9 | 0 |
| H&CX | 2 | 39 | 31 | 0 | 16 | 11 | 0 | 0 |
| Heart | 8 | 77 | 7 | 0 | 7 | 1 | 0 | 0 |
| Hull | 4 | 45 | 34 | 0 | 8 | 9 | 0 | 0 |
| Ipswi | 6 | 54 | 1 | 0 | 13 | 26 | 0 | 0 |
| Kings | 0 | 74 | 0 | 0 | 22 | 1 | 0 | 0 |
| Leeds | 1 | 41 | 39 | 0 | 13 | 5 | 0 | 0 |
| Leic | 4 | 26 | 37 | 0 | 18 | 16 | 0 | 0 |
| Livrpl | 1 | 40 | 34 | 0 | 11 | 0 | 2 | 0 |
| ManWst | 4 | 31 | 27 | 0 | 36 | 0 | 0 | 0 |
| Middlbr | 1 | 62 | 27 | 0 | 10 | 0 | 0 | 0 |
| Newc | 2 | 81 | 0 | 0 | 3 | 14 | 0 | 0 |
| Nottm | 1 | 39 | 29 | 0 | 18 | 13 | 0 | 0 |
| Oxfrd | 5 | 68 | 0 | 0 | 16 | 11 | 0 | 0 |
| Plym | 0 | 74 | 0 | 0 | 19 | 0 | 0 | 0 |
| Ports | 0 | 41 | 36 | 0 | 23 | 0 | 0 | 0 |
| Prstn | 4 | 29 | 38 | 0 | 23 | 5 | 1 | 0 |
| Redng | 0 | 41 | 23 | 0 | 36 | 0 | 0 | 0 |
| Sheff | 6 | 55 | 14 | 0 | 25 | 0 | 0 | 0 |
| Stevng | 0 | 39 | 47 | 0 | 14 | 0 | 0 | 0 |
| Sthend | 0 | 75 | 0 | 0 | 25 | 0 | 0 | 0 |
| Sund | 1 | 65 | 20 | 0 | 5 | 10 | 0 | 0 |
| Swmse | 3 | 41 | 25 | 0 | 31 | 0 | 0 | 0 |
| Truro | 1 | 66 | 12 | 0 | 20 | 1 | 0 | 0 |
| Wirrl | 0 | 44 | 43 | 0 | 8 | 0 | 0 | 0 |
| Wolve | 0 | 28 | 50 | 0 | 20 | 2 | 0 | 0 |
| Words | 1 | 65 | 0 | 0 | 34 | 0 | 0 | 0 |
| Wrexm | 0 | 71 | 0 | 0 | 0 | 28 | 1 | 0 |
| York | 0 | 52 | 33 | 0 | 14 | 1 | 0 | 0 |
| Eng | 3 | 47 | 26 | 0 | 18 | 5 | 1 | 0 |
| Wls | 1 | 42 | 25 | 0 | 27 | 4 | 0 | 0 |
| E&W | 2 | 46 | 26 | 0 | 19 | 5 | 1 | 0 |

Table E.2.8. Numbers of non-diabetic patients by treatment modalities

| | Treatment modalities for non-diabetic patients (all ages) | | |
|---------|---|----------|-------------------|
| | No on HD | No on PD | No on transplants |
| England | 7,201 | 2,391 | 9,311 |
| Wales | 599 | 279 | 763 |
| E&W | 7,800 | 2,670 | 10,074 |

Table E.2.9. Dialysis modalities for non-diabetic patients aged under 65

| Centre | Dialysis modalities for non-diabetic patients aged under 65 | | | | | | | |
|---------|---|------------------|-------------------|-----------------|--------------------|----------------------------|---------------------------|-------------------------|
| | % on home HD | % on hospital HD | % on satellite HD | % on connect PD | % on disconnect PD | % on cycling PD ≥ 6 nights | % on cycling PD <6 nights | % on unknown type of PD |
| Bradf | 0 | 50 | 17 | 0 | 21 | 12 | 0 | 0 |
| Sthend | 0 | 67 | 0 | 0 | 33 | 0 | 0 | 0 |
| Stevng | 0 | 40 | 41 | 0 | 19 | 0 | 0 | 0 |
| Carsh | 1 | 46 | 18 | 0 | 17 | 18 | 0 | 0 |
| Wirrl | 0 | 45 | 37 | 0 | 9 | 0 | 0 | 0 |
| York | 0 | 42 | 40 | 0 | 18 | 0 | 0 | 0 |
| Middlbr | 2 | 57 | 26 | 0 | 16 | 0 | 0 | 0 |
| Nottm | 2 | 35 | 27 | 0 | 18 | 18 | 0 | 0 |
| Bristl | 18 | 15 | 44 | 0 | 19 | 1 | 0 | 0 |
| Truro | 2 | 55 | 11 | 0 | 30 | 2 | 0 | 0 |
| Hull | 6 | 46 | 25 | 0 | 10 | 13 | 0 | 0 |
| Leic | 6 | 26 | 33 | 0 | 16 | 19 | 0 | 0 |
| Derby | 4 | 73 | 0 | 0 | 23 | 0 | 0 | 0 |
| Ipswi | 13 | 44 | 0 | 0 | 10 | 33 | 0 | 0 |
| Camb | 3 | 40 | 17 | 0 | 31 | 4 | 3 | 0 |
| Glouc | 0 | 77 | 0 | 0 | 19 | 4 | 0 | 0 |
| Extr | 2 | 23 | 31 | 0 | 26 | 4 | 4 | 0 |
| Ports | 0 | 38 | 36 | 0 | 27 | 0 | 0 | 0 |
| Redng | 0 | 38 | 23 | 0 | 40 | 0 | 0 | 0 |
| Guys | 8 | 24 | 37 | 0 | 20 | 0 | 11 | 0 |
| Kings | 0 | 71 | 0 | 0 | 25 | 1 | 0 | 0 |
| Sheff | 11 | 52 | 13 | 0 | 24 | 0 | 0 | 0 |
| Plym | 0 | 68 | 0 | 0 | 22 | 0 | 0 | 0 |
| Covnt | 3 | 74 | 0 | 0 | 23 | 0 | 0 | 0 |
| Clwyd | 4 | 77 | 0 | 0 | 19 | 0 | 0 | 0 |
| Wrexm | 0 | 65 | 0 | 0 | 0 | 33 | 3 | 0 |
| Wolve | 0 | 32 | 45 | 0 | 22 | 2 | 0 | 0 |
| Heart | 14 | 70 | 6 | 0 | 8 | 2 | 0 | 0 |
| Carls | 0 | 38 | 5 | 0 | 51 | 5 | 0 | 0 |
| Sund | 2 | 66 | 18 | 0 | 3 | 11 | 0 | 0 |
| ManWst | 6 | 29 | 25 | 0 | 38 | 1 | 0 | 0 |
| Prstn | 6 | 28 | 32 | 0 | 26 | 7 | 1 | 0 |
| Words | 1 | 58 | 0 | 0 | 40 | 0 | 0 | 0 |
| Oxfrd | 7 | 60 | 0 | 0 | 14 | 19 | 0 | 0 |
| Leeds | 1 | 39 | 33 | 0 | 19 | 8 | 0 | 0 |
| Livrpl | 1 | 34 | 37 | 0 | 10 | 0 | 2 | 0 |
| Bangr | 0 | 64 | 0 | 0 | 11 | 25 | 0 | 0 |
| Swmse | 6 | 36 | 18 | 0 | 39 | 0 | 1 | 0 |
| H&CX | 3 | 33 | 29 | 0 | 20 | 14 | 1 | 0 |
| Crdff | 0 | 31 | 26 | 0 | 43 | 0 | 0 | 0 |
| Newc | 3 | 77 | 0 | 0 | 3 | 17 | 0 | 0 |
| Eng | 4 | 43 | 23 | 0 | 20 | 7 | 1 | 0 |
| Wls | 2 | 41 | 18 | 0 | 34 | 5 | 0 | 0 |
| E&W | 4 | 43 | 23 | 0 | 21 | 7 | 1 | 0 |

Table E.2.10. Numbers of non-diabetic patients aged under 65 by treatment modalities

| | Treatment modalities for non-diabetic patients aged under 65 | | |
|---------|--|----------|-------------------|
| | No on HD | No on PD | No on transplants |
| England | 3,714 | 1,554 | 7,938 |
| Wales | 279 | 182 | 646 |
| E&W | 3,993 | 1,736 | 8,584 |

Table E.2.11. Dialysis modalities for non-diabetic patients aged over 65

| Centre | Dialysis modalities for non-diabetic patients aged over 65 | | | | | | | |
|---------|--|------------------|-------------------|-----------------|--------------------|----------------------------|---------------------------|-------------------------|
| | % on home HD | % on hospital HD | % on satellite HD | % on connect PD | % on disconnect PD | % on cycling PD ≥ 6 nights | % on cycling PD <6 nights | % on unknown type of PD |
| Bangr | 0 | 77 | 0 | 0 | 15 | 8 | 0 | 0 |
| Bradf | 0 | 59 | 25 | 0 | 7 | 9 | 0 | 0 |
| Bristl | 1 | 13 | 74 | 0 | 10 | 1 | 0 | 0 |
| Camb | 1 | 53 | 24 | 0 | 21 | 2 | 0 | 0 |
| Carls | 0 | 63 | 12 | 0 | 22 | 2 | 0 | 0 |
| Carsh | 1 | 48 | 17 | 0 | 21 | 13 | 0 | 0 |
| Clwyd | 0 | 78 | 0 | 11 | 7 | 4 | 0 | 0 |
| Covnt | 1 | 76 | 0 | 0 | 23 | 0 | 0 | 0 |
| Crdff | 0 | 25 | 52 | 0 | 23 | 0 | 0 | 0 |
| Derby | 0 | 77 | 0 | 0 | 18 | 0 | 2 | 0 |
| Extr | 0 | 31 | 49 | 0 | 19 | 0 | 1 | 0 |
| Glouc | 0 | 83 | 0 | 0 | 17 | 0 | 0 | 0 |
| Guys | 1 | 28 | 51 | 0 | 13 | 0 | 6 | 0 |
| H&CX | 0 | 49 | 35 | 0 | 10 | 7 | 0 | 0 |
| Heart | 2 | 83 | 8 | 0 | 6 | 1 | 0 | 0 |
| Hull | 2 | 43 | 45 | 0 | 5 | 5 | 0 | 0 |
| Ipswi | 0 | 64 | 2 | 0 | 16 | 18 | 0 | 0 |
| Kings | 1 | 77 | 0 | 0 | 19 | 2 | 0 | 0 |
| Leeds | 0 | 45 | 48 | 0 | 6 | 2 | 0 | 0 |
| Leic | 1 | 26 | 41 | 0 | 20 | 12 | 0 | 0 |
| Livrpl | 0 | 52 | 28 | 0 | 13 | 1 | 3 | 1 |
| ManWst | 0 | 35 | 32 | 0 | 32 | 0 | 0 | 0 |
| Middlbr | 0 | 68 | 29 | 0 | 3 | 0 | 0 | 0 |
| Newc | 0 | 89 | 0 | 0 | 3 | 9 | 0 | 0 |
| Nottm | 0 | 43 | 31 | 0 | 17 | 9 | 0 | 0 |
| Oxfrd | 2 | 76 | 0 | 0 | 17 | 4 | 0 | 0 |
| Plym | 0 | 80 | 0 | 0 | 15 | 0 | 0 | 0 |
| Ports | 0 | 44 | 37 | 0 | 18 | 0 | 0 | 0 |
| Prstn | 1 | 31 | 47 | 0 | 19 | 1 | 1 | 0 |
| Redng | 0 | 44 | 23 | 0 | 33 | 0 | 0 | 0 |
| Sheff | 0 | 59 | 15 | 0 | 26 | 0 | 0 | 0 |
| Stevng | 0 | 38 | 53 | 0 | 9 | 0 | 0 | 0 |
| Sthend | 0 | 82 | 0 | 0 | 18 | 0 | 0 | 0 |
| Sund | 0 | 63 | 23 | 0 | 8 | 8 | 0 | 0 |
| Swkse | 1 | 45 | 30 | 0 | 25 | 0 | 0 | 0 |
| Truro | 0 | 72 | 13 | 0 | 14 | 0 | 0 | 0 |
| Wirrl | 0 | 43 | 49 | 0 | 8 | 0 | 0 | 0 |
| Wolve | 0 | 24 | 57 | 0 | 17 | 2 | 0 | 0 |
| Words | 0 | 74 | 0 | 0 | 26 | 0 | 0 | 0 |
| Wrexm | 0 | 79 | 0 | 0 | 0 | 21 | 0 | 0 |
| York | 0 | 60 | 28 | 0 | 10 | 2 | 0 | 0 |
| Eng | 1 | 51 | 29 | 0 | 16 | 3 | 0 | 0 |
| Wls | 0 | 44 | 33 | 1 | 20 | 2 | 0 | 0 |
| E&W | 0 | 50 | 29 | 0 | 16 | 3 | 0 | 0 |

Table E.2.12. Numbers of non-diabetic patients aged over 65 by treatment modalities

| | Treatment modalities for non-diabetic patients aged >65 | | |
|---------|---|----------|-------------------|
| | No on HD | No on PD | No on transplants |
| England | 3,487 | 837 | 1,373 |
| Wales | 320 | 97 | 117 |
| E&W | 3,807 | 934 | 1,490 |

Table E.2.13. Dialysis modalities for diabetic patients

| Centre | Dialysis modalities for diabetic patients | | | | | | | |
|---------|---|------------------|-------------------|-----------------|--------------------|------------------------------------|---------------------------------|-------------------------|
| | % on home HD | % on hospital HD | % on satellite HD | % on connect PD | % on disconnect PD | % on cycling PD ≥ 6 nights/wk | % on cycling PD < 6 nights/wk | % on unknown type of PD |
| Bangr | 0 | 91 | 0 | 0 | 0 | 9 | 0 | 0 |
| Bradf | 0 | 63 | 13 | 0 | 13 | 13 | 0 | 0 |
| Bristl | 2 | 22 | 58 | 0 | 15 | 3 | 0 | 0 |
| Camb | 2 | 43 | 30 | 0 | 23 | 2 | 0 | 0 |
| Carls | 0 | 55 | 36 | 0 | 9 | 0 | 0 | 0 |
| Carsh | 0 | 48 | 17 | 0 | 20 | 15 | 0 | 0 |
| Clwyd | 7 | 80 | 0 | 0 | 0 | 13 | 0 | 0 |
| Covnt | 0 | 61 | 0 | 0 | 39 | 0 | 0 | 0 |
| Crdff | 0 | 22 | 53 | 0 | 25 | 0 | 0 | 0 |
| Derby | 0 | 80 | 0 | 0 | 17 | 0 | 2 | 0 |
| Extr | 0 | 23 | 55 | 0 | 14 | 0 | 0 | 0 |
| Glouc | 0 | 73 | 0 | 0 | 20 | 7 | 0 | 0 |
| Guys | 0 | 27 | 41 | 0 | 20 | 0 | 12 | 0 |
| H&CX | 0 | 48 | 25 | 0 | 18 | 9 | 0 | 0 |
| Heart | 0 | 79 | 11 | 0 | 9 | 2 | 0 | 0 |
| Hull | 0 | 38 | 38 | 0 | 21 | 4 | 0 | 0 |
| Ipswi | 4 | 24 | 0 | 0 | 48 | 24 | 0 | 0 |
| Kings | 0 | 66 | 0 | 0 | 28 | 2 | 0 | 0 |
| Leeds | 0 | 51 | 24 | 0 | 19 | 5 | 0 | 0 |
| Leic | 1 | 31 | 30 | 0 | 21 | 16 | 0 | 0 |
| Livrpl | 0 | 52 | 23 | 1 | 11 | 0 | 5 | 1 |
| ManWst | 0 | 24 | 29 | 0 | 46 | 0 | 0 | 0 |
| Middlbr | 5 | 67 | 21 | 0 | 7 | 0 | 0 | 0 |
| Newc | 0 | 71 | 0 | 0 | 0 | 29 | 0 | 0 |
| Nottm | 0 | 46 | 16 | 0 | 16 | 22 | 0 | 0 |
| Oxfrd | 0 | 62 | 0 | 0 | 22 | 16 | 0 | 0 |
| Plym | 0 | 65 | 0 | 0 | 29 | 0 | 0 | 0 |
| Ports | 0 | 43 | 30 | 0 | 26 | 0 | 0 | 0 |
| Prstn | 0 | 41 | 33 | 0 | 22 | 2 | 2 | 0 |
| Redng | 0 | 36 | 21 | 0 | 43 | 0 | 0 | 0 |
| Sheff | 2 | 61 | 5 | 0 | 29 | 3 | 0 | 0 |
| Stevng | 0 | 37 | 46 | 0 | 17 | 0 | 0 | 0 |
| Sthend | 0 | 67 | 0 | 0 | 33 | 0 | 0 | 0 |
| Sund | 0 | 65 | 20 | 0 | 10 | 5 | 0 | 0 |
| Swnse | 2 | 42 | 23 | 0 | 33 | 0 | 0 | 0 |
| Truro | 0 | 71 | 8 | 0 | 21 | 0 | 0 | 0 |
| Wirrl | 0 | 50 | 50 | 0 | 0 | 0 | 0 | 0 |
| Wolve | 0 | 18 | 56 | 0 | 26 | 0 | 0 | 0 |
| Words | 0 | 63 | 0 | 0 | 37 | 0 | 0 | 0 |
| Wrexm | 0 | 75 | 0 | 0 | 0 | 25 | 0 | 0 |
| York | 0 | 86 | 0 | 0 | 14 | 0 | 0 | 0 |
| Eng | 0 | 49 | 22 | 0 | 22 | 6 | 1 | 0 |
| Wls | 1 | 41 | 32 | 0 | 21 | 4 | 0 | 0 |
| E&W | 0 | 48 | 23 | 0 | 22 | 6 | 1 | 0 |

Table E.2.14. Number of diabetic patients by treatment modalities

| | Treatment modalities of diabetic patients | | | |
|---------|---|-----------|-----------|-------------------|
| | Type of Diabetes | No. on HD | No. on PD | No. on transplant |
| England | Type I | 711 | 345 | 637 |
| | Type II | 635 | 209 | 116 |
| Wales | Type I | 93 | 35 | 44 |
| | Type II | 43 | 11 | 4 |
| E&W | Type I | 804 | 380 | 681 |
| | Type II | 678 | 220 | 120 |

Table E.2.15. Diabetics

| Centre | M:F ratio | Median age on 31/12/2003 | Median age at start of treatment | Median time on ESRF treatment | |
|---------|-----------|--------------------------|----------------------------------|-------------------------------|----------|
| | | | | in days | in years |
| Bangr | 5 | 68 | 66 | 532 | 1.5 |
| Bradf | 1 | 63 | 60 | 882 | 2.4 |
| Bristol | 2 | 57 | 51 | 1,010 | 2.8 |
| Camb | 2 | 51 | 45 | 927 | 2.5 |
| Carls | 1 | 62 | 58 | 1,358 | 3.7 |
| Carsh | 1 | 58 | 53 | 490 | 1.3 |
| Clwyd | 1 | 62 | 58 | 918 | 2.5 |
| Covnt | 2 | 56 | 52 | 1,095 | 3.0 |
| Crdff | 2 | 56 | 53 | 981 | 2.7 |
| Derby | 2 | 60 | 56 | 861 | 2.4 |
| Extr | 1 | 55 | 51 | 1,454 | 4.0 |
| Glouc | 1 | 60 | 55 | 1,311 | 3.6 |
| Guys | 1 | 54 | 50 | 1,228 | 3.4 |
| H&CX | 2 | 62 | 58 | 931 | 2.6 |
| Heart | 1 | 61 | 56 | 828 | 2.3 |
| Hull | 1 | 58 | 54 | 974 | 2.7 |
| Ipswi | 2 | 50 | 48 | 862 | 2.4 |
| Kings | 2 | 64 | 61 | 920 | 2.5 |
| Leeds | 2 | 55 | 51 | 1,185 | 3.2 |
| Leic | 2 | 59 | 54 | 774 | 2.1 |
| Livrpl | 2 | 52 | 46 | 1,404 | 3.8 |
| ManWst | 2 | 58 | 55 | 841 | 2.3 |
| Middlbr | 2 | 51 | 46 | 778 | 2.1 |
| Newc | 2 | 54 | 48 | 1,568 | 4.3 |
| Nottm | 1 | 58 | 53 | 1,389 | 3.8 |
| Oxfrd | 1 | 55 | 50 | 1,146 | 3.1 |
| Plym | 2 | 53 | 50 | 674 | 1.8 |
| Ports | 2 | 55 | 49 | 1,148 | 3.1 |
| Prstn | 1 | 57 | 54 | 919 | 2.5 |
| Redng | 2 | 62 | 58 | 713 | 2.0 |
| Sheff | 2 | 56 | 52 | 1,016 | 2.8 |
| Stevng | 2 | 57 | 53 | 839 | 2.3 |
| Sthend | 2 | 59 | 55 | 425 | 1.2 |
| Sund | 2 | 51 | 46 | 731 | 2.0 |
| Swmse | 2 | 60 | 56 | 792 | 2.2 |
| Truro | 2 | 62 | 65 | 743 | 2.0 |
| Wirrl | 3 | 61 | 59 | 752 | 2.1 |
| Wolve | 2 | 60 | 57 | 630 | 1.7 |
| Words | 2 | 63 | 58 | 1,029 | 2.8 |
| Wrexm | 2 | 55 | 49 | 1,233 | 3.4 |
| York | 2 | 50 | 49 | 668 | 1.8 |
| Eng | 2 | 57 | 53 | 987 | 2.7 |
| Wls | 2 | 59 | 54 | 905 | 2.5 |
| E&W | 2 | 57 | 53 | 974 | 2.7 |

Table E.2.16. Transplant gender ratios

| | % of males | % of females | No of males | No of females | M:F ratio |
|---------|------------|--------------|-------------|---------------|-----------|
| England | 60.8 | 39.2 | 6,315 | 4,064 | 1.6 |
| Wales | 64.3 | 35.7 | 524 | 291 | 1.8 |
| E&W | 61.1 | 38.9 | 6,839 | 4,355 | 1.6 |

E:3 EDTA Primary Diagnosis Groups

Table E.3.4. Collation of EDTA Primary Renal Diagnoses

| CODE | TITLE | Group |
|------|--|------------------------|
| 0 | Chronic renal failure; aetiology uncertain Unknown/Unavailable [0] | Uncertain |
| 10 | Glomerulonephritis; histologically NOT examined [10] | Uncertain |
| 11 | Focal segmental glomerulosclerosis with nephrotic syndrome in children [11] | Glomerulonephritis |
| 12 | IgA nephropathy (proven by immunofluorescence, not code 76 and not 85) [12] | Glomerulonephritis |
| 13 | Dense deposit disease; membrano-proliferative GN; type II (proven by immunofluorescence and/or electron microscopy) [13] | Glomerulonephritis |
| 14 | Membranous nephropathy [14] | Glomerulonephritis |
| 15 | Membrano-proliferative GN; type I (proven by immunofluorescence and/or electron microscopy – not code 84 or 89) [15] | Glomerulonephritis |
| 16 | Crescentic (extracapillary) glomerulonephritis (type I, II, III) [16] | Glomerulonephritis |
| 17 | Focal segmental glomerulosclerosis with nephrotic syndrome in adults [17] | Glomerulonephritis |
| 19 | Glomerulonephritis; histologically examined, not given above [19] | Glomerulonephritis |
| 20 | Pyelonephritis – cause not specified [20] | Pyelonephritis |
| 21 | Pyelonephritis associated with neurogenic bladder [21] | Pyelonephritis |
| 22 | Pyelonephritis due to congenital obstructive uropathy with/without vesico-ureteric reflux [22] | Pyelonephritis |
| 23 | Pyelonephritis due to acquired obstructive uropathy [23] | Pyelonephritis |
| 24 | Pyelonephritis due to vesico-ureteric reflux without obstruction [24] | Pyelonephritis |
| 25 | Pyelonephritis due to urolithiasis [25] | Pyelonephritis |
| 29 | Pyelonephritis due to other cause [29] | Pyelonephritis |
| 30 | Interstitial nephritis (not pyelonephritis) due to other cause, or unspecified (not mentioned above) [30] | Interstitial |
| 31 | Nephropathy (interstitial) due to analgesic drugs [31] | Interstitial |
| 32 | Nephropathy (interstitial) due to cis-platinum [32] | Interstitial |
| 33 | Nephropathy (interstitial) due to cyclosporin A [33] | Interstitial |
| 34 | Lead induced nephropathy (interstitial) [34] | Interstitial |
| 39 | Drug induced nephropathy (interstitial) not mentioned above [39] | Interstitial |
| 40 | Cystic kidney disease – type unspecified [40] | Cystic/poly |
| 41 | Polycystic kidneys; adult type (dominant) [41] | Cystic/poly |
| 42 | Polycystic kidneys; infantile (recessive) [42] | Cystic/poly |
| 43 | Medullary cystic disease; including nephronophthisis [43] | Other |
| 49 | Cystic kidney disease – other specified type [49] | Other |
| 50 | Hereditary/Familial nephropathy – type unspecified [50] | Other |
| 51 | Hereditary nephritis with nerve deafness (Alport's Syndrome) [51] | Other |
| 52 | Cystinosis [52] | Other |
| 53 | Primary oxalosis [53] | Other |
| 54 | Fabry's disease [54] | Other |
| 59 | Hereditary nephropathy – other specified type [59] | Other |
| 60 | Renal hypoplasia (congenital) – type unspecified [60] | Other |
| 61 | Oligomeganephronic hypoplasia [61] | Other |
| 63 | Congenital renal dysplasia with or without urinary tract malformation [63] | Other |
| 66 | Syndrome of agenesis of abdominal muscles (Prune Belly) [66] | Other |
| 70 | Renal vascular disease – type unspecified [70] | Renal Vascular Disease |
| 71 | Renal vascular disease due to malignant hypertension [71] | Renal Vascular Disease |
| 72 | Renal vascular disease due to hypertension [72] | Renal Vascular Disease |
| 73 | Renal vascular disease due to polyarteritis [73] | Renal Vascular Disease |
| 74 | Wegener's granulomatosis [74] | Other |
| 75 | Ischaemic renal disease/cholesterol embolism [75] | Other |
| 76 | Glomerulonephritis related to liver cirrhosis [76] | Other |
| 78 | Cryoglobulinemic glomerulonephritis [78] | Other |
| 79 | Renal vascular disease – due to other cause (not given above and not code 84-88) [79] | Renal Vascular Disease |
| 80 | Type 1 diabetes with diabetic nephropathy [80] | Diabetes |
| 81 | Type 2 diabetes with diabetic nephropathy [81] | Diabetes |
| 82 | Myelomatosis/light chain deposit disease [82] | Malignancy |

Table E.3.4. (continued)

| CODE | TITLE | Group |
|------|---|---------|
| 83 | Amyloid [83] | Amyloid |
| 84 | Lupus erythematosus [84] | Other |
| 85 | Henoch-Schoenlein purpura [85] | Other |
| 86 | Goodpasture's Syndrome [86] | Other |
| 87 | Systemic sclerosis (scleroderma) [87] | Other |
| 88 | Haemolytic Uraemic Syndrome (including Moschcowitz Syndrome) [88] | Other |
| 89 | Multi-system disease – other (not mentioned above) [89] | Other |
| 90 | Tubular necrosis (irreversible) or cortical necrosis (different from 88) [90] | Other |
| 91 | Tuberculosis [91] | Other |
| 92 | Gout nephropathy (urate) [92] | Other |
| 93 | Nephrocalcinosis and hypercalcaemic nephropathy [93] | Other |
| 94 | Balkan nephropathy [94] | Other |
| 95 | Kidney tumour [95] | Other |
| 96 | Traumatic or surgical loss of kidney [96] | Other |
| 99 | Other identified renal disorders [99] | Other |
| 199 | Code not sent [199] | Other |