

Appendix E: Data Tables

E:1 Patients starting renal replacement in 2004

Table E.1.1: Take-on of new dialysis patients

Treatment centre	Take-on figures for new patients in dialysis				Treatment centre	Take-on figures for new patients in dialysis			
	Aged <65		Aged >65			Aged <65		Aged >65	
	% on HD	% on PD	% on HD	% on PD		% on HD	% on PD	% on HD	% on PD
Abrdn	58	42	84	16	Klmarnk	44	56	93	7
Airdr	68	32	95	5	Kings	61	39	85	15
Bangr	86	14	71	29	Leeds	71	29	78	22
Barts	64	36	55	45	Leic	57	43	68	32
Basldn	94	6	57	43	Livrpl	72	28	88	12
Bradf	59	41	97	3	ManWst	54	46	57	43
Bright	64	36	77	23	Middlbr	77	23	95	5
Bristl	79	21	92	8	Newc	76	24	79	21
Camb	53	47	89	11	Norwch	75	25	88	12
Carls	78	22	89	11	Nottm	49	51	78	22
Carsh	71	29	80	20	Oxfrd	67	33	70	30
Chelms	50	50	78	22	Plym	67	33	76	24
Clwyd	100	0	100	0	Ports	55	45	77	23
Covnt	42	58	60	40	Prstn	47	53	72	28
Crdff	75	25	87	13	QEH	77	23	93	7
D&Gall	67	33	80	20	Redng	48	52	58	42
Derby	68	32	87	13	Sheff	56	44	68	32
Dorset	44	56	39	61	Shrew	37	63	82	18
Dudley	52	48	78	22	Stevn	64	36	85	15
Dunde	52	48	89	11	Sthend	82	18	96	4
Dunfn	80	20	93	7	Stob	100	0	100	0
Edinb	75	25	93	7	Sund	94	6	88	13
Extr	64	36	82	18	Swmse	75	25	81	19
GlasRI	70	30	93	7	Truro	43	57	75	25
GlasWI	60	40	83	17	Wirrl	75	25	88	12
Glouc	63	38	93	7	Wolve	65	35	89	11
Guys	53	47	87	13	Wrexm	50	50	100	0
H&CX	66	34	87	13	York	56	44	70	30
Heart	84	16	86	14	Eng	64	36	79	21
Hull	60	40	90	10	Sct	63	37	88	12
Inver	36	64	59	41	Wls	74	26	85	15
Ipswi	45	55	69	31	UK	64	36	81	19

Table E.1.2: Take-on totals of new dialysis patients

	Take on figures for new patients on dialysis			
	Aged <65		Aged >65	
	HD	PD	HD	PD
Eng	1,201	685	1,391	361
Sct	162	94	222	31
Wls	92	33	156	27
UK	1,455	812	1,769	419

Table E.1.3: Treatment modalities at 90 days

Centre	% on HD	% on PD	% transplant	% transferred out	% stopped treatment	% died
Abrdn	67	23	–	–	–	10
Airdr	73	18	–	–	2	6
Bangr	54	18	–	3	3	23
Barts	51	33	7	1	–	8
Basldn	60	18	–	–	8	15
Bradf	74	22	–	–	–	5
Bright	67	27	–	–	–	6
Bristol	72	11	4	–	–	13
Camb	61	27	4	–	–	8
Carls	83	14	3	–	–	–
Carsh	66	22	2	2	–	9
Chelms	59	30	–	–	–	11
Clwyd	89	–	–	–	–	11
Covnt	42	40	9	–	–	10
Crdff	70	16	6	–	–	9
D&Gall	60	20	–	–	–	20
Derby	68	18	–	3	–	11
Dorset	33	46	–	–	13	8
Dudley	54	30	–	–	–	15
Dunde	67	22	1	–	–	9
Dunfn	81	12	–	–	–	8
Edinb	73	15	1	–	1	9
Extr	71	21	–	–	1	7
GlasRI	75	18	–	–	–	7
GlasWI	59	27	3	–	–	11
Glouc	70	16	6	–	–	8
Guys	53	30	13	1	–	3
H&CX	69	24	–	–	1	7
Heart	79	14	1	–	1	5
Hull	62	19	–	–	1	18
Inver	43	46	–	–	–	11
Ipswi	49	41	–	–	–	10
Klmarnk	68	32	–	–	–	–
Kings	62	26	4	3	1	5
Leeds	60	21	5	–	–	13
Leic	53	32	10	–	–	6
Livrpl	68	19	3	–	1	9
ManWst	53	43	–	–	–	4
Middlbr	75	13	–	1	–	11
Newc	57	17	14	–	–	12
Norwch	63	13	–	15	3	6
Nottm	57	30	3	1	–	9
Oxfrd	57	27	7	2	1	7
Plym	54	21	–	–	1	24
Ports	58	33	4	–	–	4
Prstn	56	35	4	–	–	4
QEH	72	14	4	–	–	10
Redng	50	44	1	–	–	4
Sheff	55	35	3	–	–	7
Shrew	50	36	–	2	–	12
Stevn	66	25	2	–	–	7
Sthend	78	10	–	2	–	10
Stob	86	–	–	–	–	14
Sund	86	9	–	–	–	5

Table E.1.3: (continued)

Centre	% on HD	% on PD	% transplant	% transferred out	% stopped treatment	% died
Swuse	71	19	–	–	–	10
Truro	61	38	–	–	2	–
Wirrl	71	16	–	–	–	13
Wolve	65	22	1	–	–	12
Wrexm	70	19	4	4	–	4
York	55	32	–	–	–	13
Eng	62	25	3	1	1	9
Sct	68	22	1	–	0	9
Wls	69	17	3	1	0	10
UK	63	24	3	1	0	9

Table E.1.4: Number of patients per treatment modality at 90 days

	Treatment modalities at 90 days					
	HD	PD	Transplant	Transferred out	Stopped treatment	Died
Eng	2,592	1,046	139	29	22	360
Sct	384	125	5	–	2	51
Wls	248	60	12	2	1	37
UK	3,224	1,231	156	31	25	448

Table E.1.5: First treatment modality

Centre	First treatment modality			Centre	First treatment modality		
	% HD	% PD	% transplant		% HD	% PD	% transplant
Abrdn	74	26	–	Klmarnk	68	32	–
Airdr	86	14	–	Kings	72	27	2
Bangr	82	18	–	Leeds	72	24	4
Barts	59	36	5	Leic	57	35	7
Basldn	83	18	–	Livrpl	77	21	2
Bradf	77	23	–	ManWst	52	48	–
Bright	69	31	–	Middlbr	84	16	–
Bristol	82	14	4	Newc	69	19	11
Camb	69	27	4	Norwch	87	13	–
Carls	76	24	–	Nottm	66	32	2
Carsh	78	22	–	Oxfrd	64	31	5
Chelms	67	33	–	Plym	76	24	–
Clwyd	100	–	–	Ports	59	37	3
Covnt	51	43	6	Prstn	55	40	4
Crdff	78	18	4	QEH	81	17	2
D&Gall	80	20	–	Redng	51	47	1
Derby	79	21	–	Sheff	60	37	3
Dorset	48	52	–	Shrew	64	36	–
Dudley	65	35	–	Stevn	72	25	3
Dunde	78	22	–	Sthend	88	12	–
Dunfn	88	12	–	Stob	100	–	–
Edinb	85	15	–	Sund	90	10	–
Extr	77	23	–	Swmse	77	23	–
GlasRI	81	19	–	Truro	59	41	–
GlasWI	70	27	3	Wirrl	85	15	–
Glouc	76	18	6	Wolve	75	25	–
Guys	57	33	10	Wrexm	78	22	–
H&CX	73	26	1	York	62	38	–
Heart	83	17	–	Eng	70	28	3
Hull	81	19	–	Sct	77	22	1
Inver	54	46	–	Wls	79	19	2
Ipswi	56	44	–	UK	71	27	2

Table E.1.6: First treatment modality – patient numbers

	First treatment modality		
	HD	PD	Transplant
Eng	2,921	1,161	107
Sct	438	126	3
Wls	284	69	7
UK	3,643	1,356	117

Table E.1.7: Treatment modalities by gender

Centre	Treatment by gender					
	Haemodialysis			Peritoneal dialysis		
	% Male	% Female	M:F Ratio	% Male	% Female	M:F Ratio
Abrdn	63	37	1.7	44	56	0.8
Airdr	53	47	1.1	44	56	0.8
Bangr	67	33	2.0	86	14	6.0
Barts	57	43	1.3	59	41	1.4
Basldn	75	25	3.0	71	29	2.5
Bradf	65	35	1.8	50	50	1.0
Bright	67	33	2.1	57	43	1.3
Bristol	64	36	1.8	58	42	1.4
Camb	69	31	2.3	77	23	3.3
Carls	75	25	3.0	75	25	3.0
Carsh	62	38	1.6	54	46	1.2
Chelms	52	48	1.1	43	57	0.7
Clwyd	100	0	–	–	–	–
Covnt	59	41	1.4	66	34	1.9
Crdff	62	38	1.6	55	45	1.2
D&Gall	50	50	1.0	100	–	–
Derby	57	43	1.3	55	45	1.2
Dorset	81	19	4.2	59	41	1.4
Dudley	64	36	1.8	86	14	6.0
Dunde	58	42	1.4	53	47	1.1
Dunfn	48	52	0.9	33	67	0.5
Edinb	48	52	0.9	50	50	1.0
Extr	70	30	2.3	59	41	1.4
GlasRI	67	33	2.0	54	46	1.2
GlasWI	60	40	1.5	38	62	0.6
Glouc	74	26	2.9	38	63	0.6
Guys	66	34	1.9	53	47	1.1
H&CX	59	41	1.4	65	35	1.9
Heart	60	40	1.5	79	21	3.7
Hull	74	26	2.9	44	56	0.8
Inver	47	53	0.9	38	63	0.6
Ipswi	63	37	1.7	75	25	3.0
Klmarnk	67	33	2.0	40	60	0.7
Kings	63	37	1.7	61	39	1.5
Leeds	63	37	1.7	55	45	1.2
Leic	68	32	2.2	55	45	1.2
Livrpl	62	38	1.6	52	48	1.1
ManWst	58	42	1.4	65	35	1.8
Middlbr	64	36	1.8	92	8	11.0
Newc	60	40	1.5	68	32	2.2
Norweh	76	24	3.1	33	67	0.5
Nottm	53	47	1.1	59	41	1.5
Oxfrd	61	39	1.6	64	36	1.7
Plym	75	25	3.0	71	29	2.5
Ports	58	42	1.4	74	26	2.9
Prstn	58	42	1.4	45	55	0.8
QEH	58	42	1.4	35	65	0.5
Redng	59	41	1.4	67	33	2.0
Sheff	62	38	1.7	63	37	1.7
Shrew	67	33	2.0	87	13	6.5
Stevn	71	29	2.4	68	32	2.1
Sthend	55	45	1.2	40	60	0.7

Table E.1.7: (continued)

Centre	Treatment by gender					
	Haemodialysis			Peritoneal dialysis		
	% Male	% Female	M:F Ratio	% Male	% Female	M:F Ratio
Stob	42	58	0.7	–	–	–
Sund	64	36	1.8	80	20	4.0
Swmse	59	41	1.4	84	16	5.3
Truro	44	56	0.8	71	29	2.5
Wirrl	61	39	1.6	50	50	1.0
Wolve	76	24	3.2	71	29	2.5
Wrexm	63	37	1.7	80	20	4.0
York	54	46	1.2	27	73	0.4
Eng	63	37	1.7	61	39	1.6
Sct	57	43	1.3	45	55	0.8
Wls	63	37	1.7	70	30	2.3
UK	62	38	1.7	60	40	1.5

Table E.1.8: Treatment modality numbers by gender

	Haemodialysis		Peritoneal dialysis	
	Male	Female	Male	Female
Eng	1,638	954	636	410
Sct	218	166	56	69
Wls	156	92	42	18
UK	2,012	1,212	734	497

E:2 Current patients 2004

Table E.2.1: Treatment modalities for patients aged under 65 and over 65

Centre	Treatment modalities by centre							
	Patients aged <65				Patients aged >65			
	% HD	% PD	% transplant	HD:PD	% HD	% PD	% transplant	HD:PD
Abrdn	30	12	58	2.4	73	8	19	9.2
Airdr	72	28	0	2.6	92	8	0	11.8
Bangr	73	27	0	2.7	76	24	0	3.2
Barts	28	15	56	1.9	47	22	31	2.1
Basldn	64	16	21	4.1	75	17	8	4.4
Bradf	33	17	50	2.0	77	11	13	7.1
Bright	35	14	52	2.5	66	18	17	3.7
Bristol	21	6	73	3.6	67	6	27	11.9
Camb	20	12	68	1.7	63	12	25	5.1
Carls	25	8	67	3.0	75	10	15	7.5
Carsh	37	18	45	2.1	59	22	19	2.6
Chelms	67	26	7	2.5	78	22	0	3.5
Clwyd	73	10	17	7.5	94	6	0	15.5
Covnt	30	11	58	2.7	64	17	19	3.9
Crdff	23	10	67	2.2	60	13	27	4.5
D&Gall	62	15	23	4.0	76	24	0	3.2
Derby	71	26	3	2.7	80	20	1	4.0

Table E.2.1: (continued)

Centre	Treatment modalities by centre							
	Patients aged <65				Patients aged >65			
	% HD	% PD	% transplant	HD:PD	% HD	% PD	% transplant	HD:PD
Dorset	25	16	59	1.6	43	33	23	1.3
Dudley	34	23	43	1.5	58	21	21	2.8
Dunde	27	13	60	2.0	63	13	23	4.8
Dunfn	53	19	27	2.8	81	11	8	7.4
Edinb	28	8	64	3.3	60	11	29	5.7
Extr	24	18	59	1.3	75	13	12	5.9
GlasRI	71	27	2	2.7	94	6	0	16.6
GlasWI	15	6	78	2.4	42	8	50	5.0
Glouc	32	13	55	2.5	78	9	13	8.2
Guys	22	7	70	3.0	58	12	31	4.9
H&CX	39	17	44	2.4	67	12	21	5.6
Heart	49	6	45	8.4	84	5	11	18.0
Hull	40	10	50	4.2	80	5	15	15.3
Inver	29	14	57	2.1	60	31	9	1.9
Ipswi	27	24	49	1.1	55	33	11	1.7
Klmarnk	44	35	20	1.2	74	19	7	3.8
Kings	33	14	53	2.4	65	14	21	4.5
Leeds	23	9	68	2.7	66	11	23	6.3
Leic	30	15	55	2.0	58	20	21	2.9
Livrpl	26	9	65	3.1	48	11	41	4.4
ManWst	28	19	53	1.5	52	29	19	1.8
Middlbr	30	5	65	5.9	71	2	27	32.7
Newc	21	6	73	3.8	45	7	48	6.2
Norwch	47	14	38	3.4	79	10	11	8.1
Nottm	24	16	60	1.5	62	18	20	3.5
Oxfrd	21	11	69	2.0	50	14	36	3.6
Plym	26	11	64	2.4	53	16	31	3.4
Ports	22	8	70	2.8	52	13	35	4.0
Prstn	32	11	56	2.8	64	16	19	3.9
QEH	39	11	50	3.6	74	9	17	8.6
Redng	35	19	45	1.8	54	31	15	1.8
Sheff	38	13	49	3.0	64	18	18	3.7
Shrew	42	20	38	2.1	76	11	13	6.8
Stevn	45	13	42	3.6	78	9	14	9.1
Sthend	56	18	27	3.2	91	7	3	13.8
Stob	100	0	0		100	0	0	
Sund	43	4	53	10.1	67	6	27	10.8
Swmse	46	17	38	2.8	68	21	12	3.3
Truro	33	24	43	1.4	71	16	13	4.4
Wirrl	84	16	0	5.4	90	10	0	9.0
Wolve	57	13	30	4.5	80	13	7	6.3
Wrexm	45	29	26	1.6	73	19	9	3.9
York	44	12	44	3.8	76	18	5	4.1
Eng	31	12	56	2.5	64	14	21	4.5
Sct	31	12	58	2.6	67	11	22	6.1
Wls	32	14	54	2.3	66	16	18	4.1
UK	31	12	56	2.5	65	14	21	4.6

Table E.2.2: Numbers of patients under and over 65 per treatment modality

	Treatment modality numbers					
	Patients aged <65			Patients aged >65		
	HD	PD	Transplant	HD	PD	Transplant
Eng	5,968	2,343	10,724	5,633	1,246	1,866
Sct	743	281	1,411	785	129	253
Wls	429	183	714	483	119	128
UK	7,140	2,807	12,849	6,901	1,494	2,247

Table E.2.3: Treatment modality median ages by centre

Centre	Median ages and treatment modalities by centre			
	Median age on HD	Median age on PD	Median age on transplant	Median age for all
Abrdn	65.1	57.9	50.3	56.1
Airdr	64.8	47.0	–	62.7
Bangr	68.2	66.7	–	68.0
Barts	57.7	56.5	48.9	52.6
Basldn	61.3	60.2	47.2	59.8
Bradf	66.6	54.8	46.3	55.6
Bright	67.1	63.5	50.5	61.3
Bristl	70.3	58.0	50.4	57.6
Camb	66.5	58.8	48.8	54.6
Carls	68.3	56.9	50.4	59.4
Carsh	62.0	57.5	51.9	57.8
Chelms	66.2	62.9	38.4	64.3
Clwyd	65.3	56.3	49.4	59.3
Covnt	63.8	60.4	47.6	55.7
Crdff	67.0	59.4	49.8	55.7
D&Gall	66.4	66.4	43.7	65.7
Derby	65.0	58.9	47.6	63.4
Dorset	64.3	67.7	54.3	58.7
Dudley	61.9	58.4	54.6	58.3
Dunde	69.9	59.6	52.5	59.4
Dunfn	67.5	60.6	47.0	61.7
Edinb	63.8	56.4	51.1	55.4
Extr	70.6	58.2	50.6	60.0
GlasRI	66.3	52.5	51.4	62.2
GlasWI	60.8	55.4	47.6	50.5
Glouc	70.2	60.6	51.3	62.1
Guys	62.0	54.5	48.1	51.4
H&CX	62.8	55.0	53.2	57.8
Heart	65.5	59.2	50.4	60.4
Hull	65.3	51.8	50.2	57.5
Inver	67.8	67.8	45.4	56.8
Ipswi	65.4	59.6	50.6	56.9
Klmarnk	67.1	54.0	50.2	60.5
Kings	64.9	56.1	49.8	55.2
Leeds	65.4	54.2	48.5	53.7
Leic	63.2	60.7	50.1	56.1
Livrpl	58.5	50.6	49.7	52.0
ManWst	58.1	56.9	46.0	52.2
Middlbr	65.8	53.2	49.8	56.1
Newc	59.5	55.4	52.5	53.9

Table E.2.3: (continued)

Centre	Median ages and treatment modalities by centre			
	Median age on HD	Median age on PD	Median age on transplant	Median age for all
Norwch	66.1	56.5	50.1	60.5
Nottm	66.4	57.7	46.7	54.5
Oxfrd	65.4	60.3	51.6	55.6
Plym	63.5	62.9	51.5	57.3
Ports	64.3	59.1	49.9	55.1
Prstn	61.3	55.6	49.0	54.0
QEH	63.0	55.3	48.5	55.7
Redng	64.2	64.7	52.6	59.5
Sheff	61.6	61.2	48.8	56.6
Shrew	64.6	56.0	50.4	58.9
Stevn	65.8	59.6	51.3	59.9
Sthend	69.1	60.2	54.0	63.3
Stob	66.6	–	–	66.6
Sund	60.6	54.3	50.5	55.6
Swkse	66.5	63.7	53.2	61.8
Truro	73.2	60.6	55.4	65.5
Wirrl	65.1	61.7	–	64.5
Wolve	64.1	60.8	44.7	61.0
Wrexm	66.4	57.7	50.8	59.7
York	67.8	65.8	42.8	59.9
Eng	64.3	58.3	49.8	56.3
Sct	65.4	57.0	49.0	55.8
Wls	66.8	60.1	50.2	57.8
UK	64.7	58.3	49.7	56.4

Table E.2.4: Dialysis modalities for patients aged less than 65

Centre	Dialysis modalities for patients aged under 65							
	% on home HD	% on hospital HD	% on satellite HD	% on connect PD	% on disconnect PD	% on cycling PD ≥6 nights	% on cycling PD <6 nights	% on unknown type of PD
Abrdn	5	66	0	0	28	1	0	0
Airdr	0	72	0	0	13	16	0	0
Bangr	0	73	0	0	7	20	0	0
Barts	2	45	18	0	17	17	0	0
Basldn	0	80	0	0	8	11	1	0
Bradf	0	50	17	0	14	19	0	0
Bright	19	31	22	0	12	16	0	0
Bristl	13	15	50	0	18	3	0	0
Camb	2	47	13	0	32	4	2	0
Carls	0	60	15	0	18	8	0	0
Carsh	1	46	21	0	16	17	0	0
Chelms	0	72	0	16	1	9	1	0
Clwyd	3	85	0	3	6	3	0	0
Covnt	5	69	0	0	27	0	0	0
Crdff	0	36	32	0	32	0	0	0
D&Gall	5	75	0	0	15	5	0	0
Derby	1	72	0	3	23	0	1	0

Table E.2.4: (continued)

Centre	Dialysis modalities for patients aged under 65							
	% on home HD	% on hospital HD	% on satellite HD	% on connect PD	% on disconnect PD	% on cycling PD ≥6 nights	% on cycling PD <6 nights	% on unknown type of PD
Dorset	0	62	0	2	21	13	1	1
Dudley	1	59	0	0	40	0	0	0
Dunde	3	64	0	0	8	26	0	0
Dunfn	2	72	0	0	6	21	0	0
Edinb	3	74	0	0	13	10	0	0
Extr	1	29	27	0	28	14	1	0
GlasRI	0	73	0	0	9	18	0	0
GlasWI	0	71	0	0	13	15	1	0
Glouc	0	71	0	0	23	6	0	0
Guys	6	29	39	0	13	0	12	0
H&CX	2	39	29	0	17	12	0	0
Heart	12	72	5	0	8	2	0	0
Hull	6	44	31	0	10	9	0	0
Inver	0	68	0	0	17	15	0	0
Ipswi	7	46	0	0	24	22	1	0
Klmarnk	3	53	0	0	23	20	1	0
Kings	0	38	32	0	24	4	0	2
Leeds	2	41	30	0	20	8	0	0
Leic	4	24	39	0	15	18	0	0
Livrpl	1	35	40	1	9	13	2	0
ManWst	7	28	25	0	37	3	0	0
Middlbr	2	59	24	0	14	0	0	0
Newc	4	75	0	0	6	15	0	0
Norweh	0	77	0	0	19	4	0	0
Nottm	1	36	24	0	14	25	0	0
Oxfrd	6	61	0	0	14	19	0	0
Plym	1	70	0	0	22	7	0	0
Ports	0	45	29	0	26	0	0	0
Prstn	7	34	34	0	17	7	2	0
QEH	4	23	51	22	0	0	0	0
Redng	0	35	30	0	35	0	0	0
Sheff	9	29	37	0	25	0	0	0
Shrew	1	67	0	0	32	0	0	0
Stevn	0	36	42	0	22	0	0	0
Sthend	0	76	0	0	24	0	0	0
Stob	30	70	0	0	0	0	0	0
Sund	1	66	24	0	3	6	0	0
Swmse	7	41	25	0	27	0	0	0
Truro	3	44	12	0	35	8	0	0
Wirrl	0	50	34	0	8	7	0	0
Wolve	0	28	54	0	18	1	0	0
Wrexm	3	57	0	0	1	38	0	0
York	2	53	25	0	21	0	0	0
Eng	4	43	25	1	18	8	1	0
Sct	3	69	0	0	14	13	0	0
Wls	2	46	22	0	23	7	0	0
UK	3	46	22	1	18	9	1	0

Table E.2.5: Dialysis modalities for patients aged over 65

Centre	Dialysis modalities for patients aged over 65							
	% on home HD	% on hospital HD	% on satellite HD	% on connect PD	% on disconnect PD	% on cycling PD ≥6 nights	% on cycling PD <6 nights	% on unknown type of PD
Abrdn	3	87	0	0	10	0	0	0
Airdr	0	92	0	0	6	1	0	0
Bangr	0	76	0	0	9	15	0	0
Barts	0	48	20	0	25	7	0	0
Basldn	0	81	0	2	8	8	0	0
Bradf	0	60	28	0	8	4	0	0
Bright	5	42	31	0	13	8	0	0
Bristol	1	18	73	0	6	1	0	0
Camb	2	60	22	0	16	1	0	0
Carls	0	78	10	2	8	2	0	0
Carsh	0	53	19	0	12	16	0	0
Chelms	0	78	0	16	0	4	1	0
Clwyd	0	94	0	6	0	0	0	0
Covnt	0	79	0	0	21	0	0	0
Crdff	0	36	45	0	18	0	0	0
D&Gall	0	76	0	0	6	18	0	0
Derby	0	80	0	1	17	1	1	0
Dorset	0	56	0	0	36	7	0	1
Dudley	0	74	0	0	26	0	0	0
Dunde	0	83	0	0	7	10	0	0
Dunfn	0	88	0	0	2	10	0	0
Edinb	1	84	0	0	10	5	0	0
Extr	0	41	44	0	13	1	1	0
GlasRI	0	94	0	0	6	0	0	0
GlasWI	0	83	0	0	9	6	2	0
Glouc	0	89	0	0	8	3	0	0
Guys	1	26	57	0	11	0	6	0
H&CX	0	51	34	0	7	8	0	0
Heart	1	85	9	0	5	0	0	0
Hull	1	46	47	0	2	4	0	0
Inver	0	66	0	0	22	13	0	0
Ipswi	1	61	0	0	18	12	8	0
Klmarnk	0	79	0	0	17	3	0	0
Kings	1	38	43	0	16	2	0	0
Leeds	0	46	40	0	11	3	0	0
Leic	1	26	47	0	18	8	0	0
Livrpl	1	51	30	0	13	4	1	1
ManWst	0	40	24	0	35	1	0	0
Middlbr	0	66	31	0	3	0	0	0
Newc	0	86	0	0	2	12	0	0
Norweh	0	89	0	0	11	0	0	0
Nottm	0	45	32	0	14	9	0	0
Oxfrd	3	75	0	0	15	7	0	0
Plym	0	77	0	0	19	4	0	0
Ports	0	42	38	0	20	0	0	0
Prstn	1	30	49	0	17	2	1	0
QEH	1	29	60	10	0	0	0	0
Redng	0	37	26	0	36	0	0	0
Sheff	1	38	39	0	21	0	0	0
Shrew	0	87	0	0	13	0	0	0
Stevn	0	44	46	0	10	0	0	0
Sthend	0	93	0	0	7	0	0	0

Table E.2.5: (continued)

Centre	Dialysis modalities for patients aged over 65							
	% on home HD	% on hospital HD	% on satellite HD	% on connect PD	% on disconnect PD	% on cycling PD ≥6 nights	% on cycling PD <6 nights	% on unknown type of PD
Stob	5	95	0	0	0	0	0	0
Sund	0	66	25	0	5	3	0	0
Swmse	1	50	26	0	23	0	0	0
Truro	1	53	28	0	16	2	0	0
Wirrl	0	56	34	0	7	3	0	0
Wolve	0	25	61	0	12	1	0	0
Wrexm	0	79	0	0	0	19	1	0
York	0	56	25	0	18	1	0	0
Eng	1	51	31	1	13	4	0	0
Sct	1	85	0	0	9	5	0	0
Wls	0	52	28	0	16	4	0	0
UK	1	55	27	1	13	4	0	0

Table E.2.6: Age ranges by centre

Centre	Patient age range by centre (%)							
	18–24	25–34	35–44	45–54	55–64	65–74	75–84	85+
Abrdn	3	8	15	22	23	17	12	1
Airdr	2	8	12	19	16	24	18	1
Bangr	2	4	7	13	19	26	24	4
Barts	3	10	19	24	20	19	5	0
Basldn	2	10	9	19	20	24	15	1
Bradf	4	8	19	18	17	21	12	1
Bright	3	6	13	15	23	21	16	2
Bristol	4	7	16	18	21	19	13	2
Camb	2	9	19	21	22	17	9	1
Carls	1	7	16	15	28	18	14	1
Carsh	2	9	19	15	24	20	11	1
Chelms	2	5	10	14	21	22	25	1
Clwyd	5	4	14	16	16	20	22	3
Covnt	2	9	20	19	21	17	13	0
Crdff	3	9	17	19	22	17	11	2
D&Gall	0	7	12	8	17	40	13	3
Derby	1	4	12	17	18	27	19	1
Dorset	2	6	13	19	24	21	14	1
Dudley	2	5	13	22	24	21	12	1
Dunde	2	8	16	15	19	19	17	3
Dunfn	3	7	12	18	13	27	17	3
Edinb	2	9	19	20	22	21	8	1
Extr	2	6	14	18	22	18	17	2
GlasRI	1	5	12	19	18	26	18	2
GlasWI	2	12	22	23	19	16	6	0
Glouc	2	6	10	16	22	22	19	3
Guys	3	10	23	21	20	16	7	1
H&CX	2	7	13	21	24	22	10	1
Heart	2	8	13	15	23	19	17	2
Hull	3	8	15	18	21	19	13	2
Inver	2	9	16	18	16	26	12	1
Ipswi	3	5	17	20	21	20	12	2
Klmarnk	1	9	16	16	16	22	19	1
Kings	1	8	21	20	17	22	11	1

Table E.2.6: (continued)

Centre	Patient age range by centre (%)							
	18–24	25–34	35–44	45–54	55–64	65–74	75–84	85+
Leeds	6	10	17	20	20	17	9	1
Leic	3	9	17	19	22	19	11	1
Livrpl	3	10	21	22	21	16	8	0
ManWst	2	12	21	20	20	18	7	0
Middlbr	3	8	20	17	21	19	12	1
Newc	4	8	18	23	23	17	7	1
Norwch	1	6	14	16	23	20	17	3
Nottm	5	10	16	20	19	18	11	1
Oxfrd	2	9	19	19	21	19	10	2
Plym	2	10	16	17	24	18	12	1
Ports	4	8	19	19	23	17	10	1
Prstn	2	9	19	22	21	18	8	1
QEH	3	8	17	20	20	20	10	1
Redng	3	7	12	21	19	23	13	2
Sheff	2	8	16	20	23	21	9	1
Shrew	2	7	15	18	23	21	13	1
Stevn	2	7	15	17	22	25	13	1
Sthend	1	6	9	12	28	21	17	5
Stob	1	2	9	16	18	32	22	2
Sund	2	12	14	21	20	19	10	0
Swmse	2	5	11	17	22	27	15	2
Truro	1	4	10	13	20	27	19	5
Wirrl	3	5	10	12	22	26	19	4
Wolve	3	8	14	16	20	23	15	1
Wrexm	3	7	12	17	22	26	12	3
York	5	6	17	15	13	20	17	6
Eng	3	8	17	19	21	19	11	1
Sct	2	9	17	20	19	20	11	1
Wls	3	8	14	18	22	21	13	2
UK	3	8	17	19	21	19	11	1

Table E.2.7: Dialysis modalities for non-diabetic patients (all ages)

Centre	Dialysis modalities for non-diabetic patients (all ages)							
	% on home HD	% on hospital HD	% on satellite HD	% on connect PD	% on disconnect PD	% on cycling PD ≥6 nights	% on cycling PD <6 nights	% on unknown type of PD
Abrdn	5	75	0	0	19	1	0	0
Airdr	0	81	0	0	9	9	0	0
Bangr	0	75	0	0	8	17	0	0
Barts	2	44	20	0	19	15	0	0
Basldn	0	81	0	1	7	10	1	0
Bradf	0	53	24	0	12	11	0	0
Bright	63	10	8	0	6	13	0	0
Bristol	7	15	65	0	10	2	0	0
Camb	2	54	16	0	24	3	1	0
Carls	0	68	13	1	14	4	0	0
Carsh	1	47	20	0	14	18	0	0
Chelms	0	78	0	14	0	7	1	0
Clwyd	2	91	0	4	4	0	0	0
Covnt	3	75	0	0	22	0	0	0
Crdff	0	34	40	0	26	0	0	0
D&Gall	2	76	0	0	8	14	0	0

Table E.2.7: (continued)

Centre	Dialysis modalities for non-diabetic patients (all ages)							
	% on home HD	% on hospital HD	% on satellite HD	% on connect PD	% on disconnect PD	% on cycling PD ≥6 nights	% on cycling PD <6 nights	% on unknown type of PD
Derby	1	73	0	2	23	0	0	0
Dorset	0	58	0	1	29	11	1	1
Dudley	1	65	0	0	34	0	0	0
Dunde	1	78	0	0	5	16	0	0
Dunfn	1	83	0	0	2	14	0	0
Edinb	2	80	0	0	10	8	0	0
Extr	1	32	37	0	22	8	1	0
GlasRI	0	83	0	0	6	11	0	0
GlasWI	0	77	0	0	12	10	1	0
Glouc	0	82	0	0	14	4	0	0
Guys	5	28	46	0	12	0	9	0
H&CX	2	40	33	0	14	11	1	0
Heart	8	78	6	0	6	1	0	0
Hull	4	46	38	0	6	6	0	0
Inver	0	64	0	0	22	14	0	0
Ipswi	4	55	0	0	20	16	5	0
Klmark	2	63	0	0	22	14	0	0
Kings	0	35	40	0	22	3	0	1
Leeds	1	39	39	0	15	6	0	0
Leic	3	24	41	0	17	15	0	0
Livrpl	1	38	38	0	10	11	1	0
ManWst	5	33	23	0	37	3	0	0
Middlbr	1	62	29	0	9	0	0	0
Newc	3	81	0	0	4	12	0	0
Norweh	0	82	0	0	16	2	0	0
Nottm	1	40	29	0	14	16	0	0
Oxfrd	5	70	0	0	12	12	0	0
Plym	1	73	0	0	19	6	0	0
Ports	0	44	34	0	22	0	0	0
Prstn	5	30	41	0	17	5	1	0
QEH	3	25	55	17	0	0	0	0
Redng	0	39	27	0	33	0	0	0
Sheff	6	33	40	0	22	0	0	0
Shrew	0	74	0	0	26	0	0	0
Stevn	0	40	45	0	15	0	0	0
Sthend	0	85	0	0	15	0	0	0
Stob	17	83	0	0	0	0	0	0
Sund	1	66	25	0	3	5	0	0
Swmse	4	47	26	0	23	0	0	0
Truro	1	52	22	0	20	5	0	0
Wirrl	0	54	33	0	8	6	0	0
Wolve	0	26	59	0	14	1	0	0
Wrexm	3	72	0	0	1	22	1	0
York	1	50	28	0	20	1	0	0
Eng	3	46	28	1	16	6	1	0
Sct	2	77	0	0	11	10	0	0
Wls	1	48	26	0	20	4	0	0
UK	3	50	25	1	15	6	0	0

Table E.2.8: Numbers of non-diabetic patients by treatment modalities

	Treatment modalities for non-diabetic patients (all ages)		
	HD	PD	Transplants
Eng	9,212	2,809	11,279
Sct	1,258	319	1,532
Wls	685	217	732
UK	11,155	3,345	13,543

Table E.2.9: Dialysis modalities for non-diabetic patients aged less than 65

Centre	Dialysis modalities for non-diabetic patients aged under 65							
	% on home HD	% on hospital HD	% on satellite HD	% on connect PD	% on disconnect PD	% on cycling PD ≥6 nights	% on cycling PD <6 nights	% on unknown type of PD
Abrdn	7	64	0	0	27	1	0	0
Airdr	0	71	0	0	12	17	0	0
Bangr	0	73	0	0	8	20	0	0
Barts	3	44	18	0	17	19	0	0
Basldn	0	82	0	0	5	11	2	0
Bradf	0	51	16	0	15	18	0	0
Bright	66	11	11	0	3	9	0	0
Bristl	16	14	50	0	16	4	0	0
Camb	3	48	14	0	29	4	2	0
Carls	0	59	15	0	21	6	0	0
Carsh	1	44	22	0	14	19	0	0
Chelms	0	76	0	14	0	10	0	0
Clwyd	4	88	0	0	8	0	0	0
Covnt	6	72	0	0	23	0	0	0
Crdff	0	36	30	0	33	0	0	0
D&Gall	6	72	0	0	17	6	0	0
Derby	2	70	0	3	25	0	0	0
Dorset	0	58	0	1	24	14	1	1
Dudley	1	60	0	0	39	0	0	0
Dunde	2	68	0	0	7	24	0	0
Dunfn	2	76	0	0	4	18	0	0
Edinb	3	76	0	0	11	9	0	0
Extr	2	28	24	0	29	16	1	0
GlasRI	0	73	0	0	7	20	0	0
GlasWI	0	74	0	0	13	13	1	0
Glouc	0	69	0	0	24	7	0	0
Guys	8	30	38	0	12	0	12	0
H&CX	3	37	30	0	18	12	1	0
Heart	16	70	5	0	7	3	0	0
Hull	7	45	29	0	10	10	0	0
Inver	0	64	0	0	18	18	0	0
Ipswi	8	49	0	0	24	20	0	0
Klmarnk	3	51	0	0	24	22	0	0
Kings	0	36	34	0	24	4	0	1
Leeds	2	37	33	0	19	9	0	0
Leic	5	22	37	0	16	20	0	0
Livrpl	1	32	43	0	8	14	1	0
ManWst	7	27	24	0	38	3	0	0
Middlbr	2	58	26	0	14	0	0	0
Newc	5	77	0	0	5	13	0	0
Norwch	0	76	0	0	20	4	0	0
Nottm	2	36	25	0	15	22	0	0

Table E.2.9: (continued)

Centre	Dialysis modalities for non-diabetic patients aged under 65							
	% on home HD	% on hospital HD	% on satellite HD	% on connect PD	% on disconnect PD	% on cycling PD ≥6 nights	% on cycling PD <6 nights	% on unknown type of PD
Oxfrd	7	62	0	0	12	18	0	0
Plym	2	71	0	0	18	9	0	0
Ports	0	45	30	0	26	0	0	0
Prstn	8	33	34	0	17	6	2	0
QEH	5	22	52	22	0	0	0	0
Redng	0	40	26	0	34	0	0	0
Sheff	11	29	37	0	23	0	0	0
Shrew	0	67	0	0	33	0	0	0
Stevn	0	37	43	0	20	0	0	0
Sthend	0	74	0	0	26	0	0	0
Stob	30	70	0	0	0	0	0	0
Sund	1	65	25	0	1	7	0	0
Swkse	7	44	24	0	25	0	0	0
Truro	2	45	13	0	32	9	0	0
Wirrl	0	52	32	0	9	8	0	0
Wolve	0	26	55	0	18	1	0	0
Wrexm	6	61	0	0	2	31	0	0
York	2	49	26	0	23	0	0	0
Eng	4	43	25	1	17	8	1	0
Sct	4	70	0	0	13	13	0	0
Wls	3	47	21	0	24	5	0	0
UK	4	46	23	1	17	9	1	0

Table E.2.10: Numbers of non-diabetic patients aged less than 65 by treatment modalities

	Treatment modalities for non-diabetic patients aged under 65		
	HD	PD	Transplant
Eng	4,763	1,822	9,575
Sct	612	216	1,288
Wls	314	130	620
UK	5,689	2,168	11,483

Table E.2.11: Dialysis modalities for non-diabetic patients aged over 65

Centre	Dialysis modalities for non-diabetic patients aged over 65							
	% on home HD	% on hospital HD	% on satellite HD	% on connect PD	% on disconnect PD	% on cycling PD ≥6 nights	% on cycling PD <6 nights	% on unknown type of PD
Abrdn	3	89	0	0	8	0	0	0
Airdr	0	94	0	0	6	0	0	0
Bangr	0	77	0	0	9	14	0	0
Barts	1	45	25	0	24	6	0	0
Basldn	0	80	0	2	9	9	0	0
Bradf	0	55	32	0	8	4	0	0
Bright	54	8	0	0	15	23	0	0
Bristl	1	16	76	0	6	1	0	0
Camb	1	62	18	0	18	1	0	0
Carls	0	75	11	2	9	2	0	0
Carsh	0	52	16	0	14	18	0	0
Chelms	0	80	0	15	0	4	2	0
Clwyd	0	93	0	7	0	0	0	0
Covnt	0	78	0	0	22	0	0	0
Crdff	0	31	50	0	19	0	0	0
D&Gall	0	77	0	0	3	19	0	0
Derby	0	76	0	2	20	1	1	0
Dorset	0	58	0	0	34	8	0	1
Dudley	0	73	0	0	27	0	0	0
Dunde	0	86	0	0	4	11	0	0
Dunfn	0	90	0	0	0	10	0	0
Edinb	1	84	0	0	9	6	0	0
Extr	0	34	48	0	16	1	1	0
GlasRI	0	96	0	0	4	0	0	0
GlasWI	0	83	0	0	10	7	1	0
Guys	1	24	59	0	11	0	5	0
H&CX	0	46	36	0	8	9	0	0
Heart	1	85	8	0	6	0	0	0
Hull	1	47	47	0	2	2	0	0
Inver	0	64	0	0	25	11	0	0
Ipswi	0	63	0	0	16	12	9	0
Klmarnk	0	77	0	0	20	4	0	0
Kings	1	32	47	0	18	1	0	0
Leeds	0	42	45	0	10	2	0	0
Leic	1	25	47	0	19	8	0	0
Livrpl	1	50	29	0	14	4	1	1
ManWst	0	41	23	0	35	1	0	0
Middlbr	0	65	31	0	3	0	0	0
Newc	0	87	0	0	2	11	0	0
Norweh	0	89	0	0	11	0	0	0
Nottm	0	45	34	0	13	9	0	0
Oxfrd	4	77	0	0	13	7	0	0
Plym	0	76	0	0	21	3	0	0
Ports	0	42	39	0	19	0	0	0
Prstn	1	27	51	0	18	3	1	0
QEH	1	29	59	12	0	0	0	0
Redng	0	39	29	0	33	0	0	0
Sheff	0	37	43	0	21	0	0	0
Shrew	0	86	0	0	14	0	0	0
Stevn	0	43	47	0	10	0	0	0
Sthend	0	95	0	0	5	0	0	0
Stob	6	94	0	0	0	0	0	0

Table E.2.11: (continued)

Dialysis modalities for non-diabetic patients aged over 65								
Centre	% on home HD	% on hospital HD	% on satellite HD	% on connect PD	% on disconnect PD	% on cycling PD ≥6 nights	% on cycling PD <6 nights	% on unknown type of PD
Sund	0	68	24	0	6	2	0	0
Swmse	1	50	28	0	22	0	0	0
Truro	1	56	28	0	13	2	0	0
Wirrl	0	56	34	0	7	3	0	0
Wolve	0	25	63	0	11	2	0	0
Wrexm	0	85	0	0	0	13	3	0
York	0	51	30	0	18	2	0	0
Eng	1	50	31	1	14	3	0	0
Sct	1	85	0	0	8	5	0	0
Wls	0	50	31	0	16	2	0	0
UK	1	54	28	1	13	4	0	0

Table E.2.12: Numbers of non-diabetic patients aged over 65 by treatment modalities

Treatment modalities for non-diabetic patients aged over 65			
	HD	PD	Transplant
Eng	4,449	987	1,704
Sct	646	103	244
Wls	371	87	112
UK	5,466	1,177	2,060

Table E.2.13: Dialysis modalities for diabetic patients

Dialysis modalities for diabetic patients								
Centre	% on home HD	% on hospital HD	% on satellite HD	% on connect PD	% on disconnect PD	% on cycling PD ≥6 nights	% on cycling PD <6 nights	% on unknown type of PD
Abrdn	3	81	0	0	17	0	0	0
Airdr	0	77	0	0	13	10	0	0
Bangr	0	73	0	0	7	20	0	0
Barts	0	50	15	0	23	11	0	0
Basldn	0	80	0	0	10	10	0	0
Bradf	0	63	15	0	7	15	0	0
Bright	100	0	0	0	0	0	0	0
Bristl	1	18	64	0	16	1	0	0
Camb	2	44	27	0	27	0	0	0
Carls	0	85	8	0	0	8	0	0
Carsh	0	55	19	0	15	10	0	0
Chelms	0	54	0	29	4	8	4	0
Clwyd	0	86	0	7	0	7	0	0
Covnt	0	71	0	0	29	0	0	0
Crdff	0	31	42	0	27	0	0	0
D&Gall	0	75	0	0	25	0	0	0
Derby	0	84	0	0	16	0	0	0
Dorset	0	67	0	4	22	7	0	0
Dudley	0	62	0	0	38	0	0	0
Dunde	3	62	0	0	15	21	0	0
Dunfn	0	64	0	0	18	18	0	0
Edinb	0	65	0	0	26	10	0	0
Extr	0	37	48	0	7	7	0	0
GlasRI	0	82	0	0	9	9	0	0
GlasWI	0	68	0	0	13	18	0	0

Table E.2.13: (continued)

Centre	Dialysis modalities for diabetic patients							
	% on home HD	% on hospital HD	% on satellite HD	% on connect PD	% on disconnect PD	% on cycling PD ≥6 nights	% on cycling PD <6 nights	% on unknown type of PD
Glouc	0	83	0	0	13	4	0	0
Guys	0	29	46	0	14	0	11	0
H&CX	0	53	27	0	12	8	0	0
Heart	1	80	10	0	9	0	0	0
Hull	0	41	40	0	9	10	0	0
Inver	0	86	0	0	0	14	0	0
Ipswi	8	38	0	0	27	23	4	0
Klmarnk	0	85	0	0	8	0	8	0
Kings	0	46	32	0	17	4	0	1
Leeds	0	49	29	0	17	5	0	0
Leic	0	29	46	0	15	10	0	0
Livrpl	0	53	23	2	13	5	5	0
ManWst	0	30	39	0	30	0	0	0
Middlbr	2	68	22	0	7	0	0	0
Newc	0	62	0	0	8	31	0	0
Norwch	0	87	0	0	13	0	0	0
Nottm	0	41	21	0	14	24	0	0
Oxfrd	0	56	0	0	26	17	1	0
Plym	0	77	0	0	18	5	0	0
Ports	0	45	28	0	27	0	0	0
Prstn	0	41	34	0	16	8	2	0
QEH	0	28	57	15	0	0	0	0
Redng	0	22	31	0	47	0	0	0
Sheff	3	34	29	0	35	0	0	0
Shrew	0	87	0	0	13	0	0	0
Stevn	0	40	40	0	21	0	0	0
Sthend	0	84	0	0	16	0	0	0
Stob	8	92	0	0	0	0	0	0
Sund	0	64	24	0	8	4	0	0
Swkse	2	51	19	0	28	0	0	0
Truro	0	55	19	0	26	0	0	0
Wirrl	0	25	75	0	0	0	0	0
Wolve	0	29	52	0	19	0	0	0
Wrexm	0	64	0	0	0	36	0	0
York	0	57	29	0	14	0	0	0
Eng	1	48	26	1	17	6	1	0
Sct	1	74	0	0	14	11	0	0
Wls	0	47	25	0	20	7	0	0
UK	1	51	24	1	17	6	1	0

Table E.2.14: Number of diabetic patients by treatment modalities

	Treatment modalities of diabetic patients			
	Type of diabetes	HD	PD	Transplant
Eng	Type 1	990	360	749
	Type 2	897	264	156
Sct	Type 1	113	47	120
	Type 2	86	18	6
Wls	Type 1	98	42	47
	Type 2	50	14	1
UK	Type 1	1,201	449	916
	Type 2	1,033	296	163

Table E.2.15: Diabetics

Centre	M:F ratio	Median age on 31/12/2004	Median age at start of treatment	Median time on ESRF treatment	
				in days	in years
Abrdn	1	59	55	913	2.5
Airdr	2	57	55	578	1.6
Bangr	4	69	67	697	1.9
Barts	2	62	58	945	2.6
Basldn	2	58	57	440	1.2
Bradf	1	58	55	912	2.5
Bright	5	57	48	1,035	2.8
Bristol	1	60	54	1,086	3.0
Camb	2	53	44	1,178	3.2
Carls	1	60	57	1,452	4.0
Carsh	1	60	56	678	1.9
Chelms	2	56	52	512	1.4
Clwyd	1	58	45	756	2.1
Covnt	2	58	52	1,144	3.1
Crdff	2	59	54	1,006	2.8
D&Gall	2	66	64	1,040	2.8
Derby	2	62	58	1,079	3.0
Dorset	2	55	49	778	2.1
Dudley	2	63	58	578	1.6
Dunde	1	61	58	725	2.0
Dunfn	1	65	63	518	1.4
Edinb	2	53	46	1,445	4.0
Extr	1	58	54	1,159	3.2
GlasRI	1	63	62	705	1.9
GlasWI	1	52	42	1,697	4.6
Glouc	1	59	53	998	2.7
Guys	1	54	51	1,365	3.7
H&CX	2	62	58	911	2.5
Heart	2	63	61	565	1.5
Hull	1	58	54	1,005	2.8
Inver	1	56	55	1,052	2.9
Ipswi	2	51	48	1,047	2.9
Klmarnk	1	53	50	1,063	2.9
Kings	2	64	61	1,022	2.8
Leeds	2	57	53	1,200	3.3
Leic	2	57	54	784	2.1
Livrpl	2	52	45	1,744	4.8
ManWst	2	60	58	1,054	2.9
Middlbr	2	51	47	799	2.2
Newc	2	53	47	1,552	4.2
Norweh	2	60	56	567	1.6
Nottm	1	58	52	1,383	3.8
Oxfrd	1	57	51	1,218	3.3
Plym	2	53	48	1,040	2.8
Ports	2	53	48	1,259	3.4
Prstn	1	57	54	975	2.7
QEH	2	61	56	1,012	2.8
Redng	2	58	55	795	2.2
Sheff	2	56	49	1,052	2.9
Shrew	6	66	63	893	2.4
Stevn	2	58	53	979	2.7
Sthend	2	63	58	661	1.8
Stob	1	70	69	758	2.1

Table E.2.15: (continued)

Centre	M:F ratio	Median age on 31/12/2004	Median age at start of treatment	Median time on ESRF treatment	
				in days	in years
Sund	2	51	46	885	2.4
Swlse	2	61	57	611	1.7
Truro	2	65	65	608	1.7
Wirrl	3	62	59	1,118	3.1
Wolve	2	58	55	777	2.1
Wrexm	3	56	55	865	2.4
York	1	51	48	408	1.1
Eng	2	58	54	1,005	2.8
Sct	1	57	51	1,010	2.8
Wls	2	60	55	858	2.3
UK	2	58	54	998	2.7

Table E.2.16: Transplant gender ratios

	% of males	% of females	No of males	No of females	M:F ratio
Eng	60.9	39.1	7,671	4,919	1.6
Sct	58.8	41.2	978	686	1.4
Wls	64.1	35.9	540	302	1.8
UK	60.9	39.1	9,189	5,907	1.6

E:3 EDTA Primary Diagnosis Groups

Table E.3.1: Collation of EDTA Primary Renal Diagnoses

Code	Title	Group
0	Chronic renal failure; aetiology uncertain unknown/unavailable [0]	Uncertain
10	Glomerulonephritis; histologically NOT examined [10]	Uncertain
11	Focal segmental glomerulosclerosis with nephrotic syndrome in children [11]	Glomerulonephritis
12	IgA nephropathy (proven by immunofluorescence, not code 76 and not 85) [12]	Glomerulonephritis
13	Dense deposit disease; membrano-proliferative GN; type II (proven by immunofluorescence and/or electron microscopy) [13]	Glomerulonephritis
14	Membranous nephropathy [14]	Glomerulonephritis
15	Membrano-proliferative GN; type I (proven by immunofluorescence and/or electron microscopy – not code 84 or 89) [15]	Glomerulonephritis
16	Crescentic (extracapillary) glomerulonephritis (type I, II, III) [16]	Glomerulonephritis
17	Focal segmental glomerulosclerosis with nephrotic syndrome in adults [17]	Glomerulonephritis
19	Glomerulonephritis; histologically examined, not given above [19]	Glomerulonephritis
20	Pyelonephritis – cause not specified [20]	Pyelonephritis
21	Pyelonephritis associated with neurogenic bladder [21]	Pyelonephritis
22	Pyelonephritis due to congenital obstructive uropathy with/without vesico-ureteric reflux [22]	Pyelonephritis
23	Pyelonephritis due to acquired obstructive uropathy [23]	Pyelonephritis
24	Pyelonephritis due to vesico-ureteric reflux without obstruction [24]	Pyelonephritis
25	Pyelonephritis due to urolithiasis [25]	Pyelonephritis
29	Pyelonephritis due to other cause [29]	Pyelonephritis
30	Interstitial nephritis (not pyelonephritis) due to other cause, or unspecified (not mentioned above) [30]	Interstitial
31	Nephropathy (interstitial) due to analgesic drugs [31]	Interstitial
32	Nephropathy (interstitial) due to cis-platinum [32]	Interstitial
33	Nephropathy (interstitial) due to cyclosporin A [33]	Interstitial
34	Lead induced nephropathy (interstitial) [34]	Interstitial
39	Drug induced nephropathy (interstitial) not mentioned above [39]	Interstitial

Table E.3.1: (continued)

Code	Title	Group
40	Cystic kidney disease – type unspecified [40]	Cystic/poly
41	Polycystic kidneys; adult type (dominant) [41]	Cystic/poly
42	Polycystic kidneys; infantile (recessive) [42]	Cystic/poly
43	Medullary cystic disease; including nephronophthisis [43]	Other
49	Cystic kidney disease – other specified type [49]	Other
50	Hereditary/Familial nephropathy – type unspecified [50]	Other
51	Hereditary nephritis with nerve deafness (Alport's Syndrome) [51]	Other
52	Cystinosis [52]	Other
53	Primary oxalosis [53]	Other
54	Fabry's disease [54]	Other
59	Hereditary nephropathy – other specified type [59]	Other
60	Renal hypoplasia (congenital) – type unspecified [60]	Other
61	Oligomeganephronic hypoplasia [61]	Other
63	Congenital renal dysplasia with or without urinary tract malformation [63]	Other
66	Syndrome of agenesis of abdominal muscles (Prune Belly) [66]	Other
70	Renal vascular disease – type unspecified [70]	Renal Vascular Disease
71	Renal vascular disease due to malignant hypertension [71]	Renal Vascular Disease
72	Renal vascular disease due to hypertension [72]	Renal Vascular Disease
73	Renal vascular disease due to polyarteritis [73]	Renal Vascular Disease
74	Wegener's granulomatosis [74]	Other
75	Ischaemic renal disease/cholesterol embolism [75]	Other
76	Glomerulonephritis related to liver cirrhosis [76]	Other
78	Cryoglobulinemic glomerulonephritis [78]	Other
79	Renal vascular disease – due to other cause (not given above and not code 84–88) [79]	Renal Vascular Disease
80	Type 1 diabetes with diabetic nephropathy [80]	Diabetes
81	Type 2 diabetes with diabetic nephropathy [81]	Diabetes
82	Myelomatosis/light chain deposit disease [82]	Malignancy
83	Amyloid [83]	Amyloid
84	Lupus erythematosus [84]	Other
85	Henoch–Schoenlein purpura [85]	Other
86	Goodpasture's Syndrome [86]	Other
87	Systemic sclerosis (scleroderma) [87]	Other
88	Haemolytic Uraemic Syndrome (including Moschowitz Syndrome) [88]	Other
89	Multi-system disease – other (not mentioned above) [89]	Other
90	Tubular necrosis (irreversible) or cortical necrosis (different from 88) [90]	Other
91	Tuberculosis [91]	Other
92	Gout nephropathy (urate) [92]	Other
93	Nephrocalcinosis and hypercalcaemic nephropathy [93]	Other
94	Balkan nephropathy [94]	Other
95	Kidney tumour [95]	Other
96	Traumatic or surgical loss of kidney [96]	Other
99	Other identified renal disorders [99]	Other
199	Code not sent [199]	Other