

# Appendix E: Data Tables

## E:1 Patients starting renal replacement in 2006

Table E.1.1: Take on figures for new patients on dialysis at 90 days by modality and age

Centre	Aged <65 (%)		Aged ≥65 (%)		Centre	Aged <65 (%)		Aged ≥65 (%)	
	HD	PD	HD	PD		HD	PD	HD	PD
Abrdn	82	18	93	7	L Kings	73	27	77	23
Airdrie	84	16	89	11	L Rfree	73	27	90	10
Antrim	67	33	77	23	L West	89	11	92	8
B Heart	73	27	88	12	Leeds	69	31	92	8
B QEH	67	33	92	8	Leic	76	24	77	23
Bangor	57	43	56	44	Liv Ain	100		100	
Basldn	68	32	75	25	Liv RI	48	52	78	22
Belfast	70	30	88	10	ManWst	54	46	75	25
Bradfd	82	18	86	14	Middlbr	60	40	91	9
Brightn	58	42	82	18	Newc	67	33	87	13
Bristol	59	41	95	5	Newry	50	50	100	
Camb	95	5	92	8	Norwch	84	16	92	8
Cardff	68	32	86	14	Nottm	53	47	75	25
Carlis	69	31	82	18	Oxford	57	43	75	25
Carsh	78	22	86	14	Plymth	76	24	82	18
Chelms	67	33	95	5	Ports	59	41	90	10
Chestr	100		100		Prestn	73	27	80	20
Clwyd	100		92	8	Redng	56	44	81	19
Covnt	70	30	70	30	Sheff	68	32	84	16
D&Gall	100		93	7	Shrew	64	36	85	15
Derby	66	34	73	27	Stevng	89	11	87	13
Derry				100	Sthend	77	23	90	10
Dorset	70	30	46	54	Sund	82	18	89	11
Dudley	88	12	71	29	Swanse	70	30	88	12
Dundee	76	24	83	17	Truro	68	32	83	17
Dunfn	67	33	87	13	Tyrone	83	17	100	
Edinb	61	39	77	23	Ulster	50	50	100	
Exeter	57	43	84	16	Wirral	70	30	76	24
Glasgw	68	32	85	15	Wolve	79	21	72	28
Glouc	78	22	88	12	Wrexm	73	27	67	33
Hull	75	25	85	15	York	68	32	73	27
Inverns	52	48	57	43	<b>England</b>	<b>70</b>	<b>30</b>	<b>83</b>	<b>17</b>
Ipswi	53	47	60	40	<b>N Ireland</b>	<b>69</b>	<b>31</b>	<b>89</b>	<b>11</b>
Klmarnk	72	28	90	10	<b>Scotland</b>	<b>70</b>	<b>30</b>	<b>84</b>	<b>16</b>
L Barts	57	43	57	43	<b>Wales</b>	<b>70</b>	<b>30</b>	<b>83</b>	<b>17</b>
L Guys	85	15	81	19	<b>UK</b>	<b>70</b>	<b>30</b>	<b>83</b>	<b>17</b>

Table E.1.2: Take on totals for new patients on dialysis

	Aged <65		Aged ≥65	
	No. on HD	No. on PD	No. on HD	No. on PD
England	1,595	680	1,768	370
N Ireland	50	22	90	11
Scotland	196	83	204	39
Wales	120	52	173	35
<b>UK</b>	<b>1,961</b>	<b>837</b>	<b>2,235</b>	<b>455</b>

Table E.1.3: Treatment modalities at 90 days

Centre	% HD	% PD	% transplant	% stopped treatment	% died
Abrdn	82	12			5
Airdrie	81	13			6
Antrim	70	23			7
B Heart	69	17	2		12
B QEH	74	19	3		4
Bangor	40	31		12	17
Basldn	68	28		3	3
Belfast	67	17	1	9	7
Bradfd	73	14			14
Brightn	66	26			9
Bristol	68	20	3		9
Camb	68	5	9		19
Cardff	66	19	6		8
Carlis	74	24			3
Carsh	74	16	4		6
Chelms	67	14		2	16
Chestr	100				
Clwyd	80	4			16
Covnt	56	24	11		9
D&Gall	75	5		5	15
Derby	64	29			7
Derry		100			
Dorset	49	37	5	7	2
Dudley	67	19			15
Dundee	69	17	2		12
Dunfn	71	24			5
Edinb	58	26	8		9
Exeter	65	24	4		7
Glasgw	65	21	3		10
Glouc	74	14	3		9
Hull	73	19			8
Inverns	53	44			3
Ipswi	53	40			8
Klmarnk	75	20			6
L Barts	52	39	5		4
L Guys	78	15	6		1
L Kings	67	23	6		5
L Rfree	71	18	7		3
L West	75	8	15	0	1
Leeds	68	18	4		11
Leic	63	19	7		11
Liv Ain	85			4	11
Liv RI	51	31	3	3	13
ManWst	60	34	2		5
Middlbr	68	19	2		11
Newc	60	18	12	1	9
Newry	71	21			7
Norweh	71	9		1	19
Nottm	56	32	2		10
Oxford	53	29	13	1	5
Plymth	66	17	7	1	9
Ports	62	23	7		8
Prestn	71	22	2		5
Redng	64	29			8

Table E.1.3: (continued)

Centre	% HD	% PD	% transplant	% stopped treatment	% died
Sheff	66	21	5		8
Shrew	62	22	6		10
Stevng	79	11	4	1	6
Sthend	77	15			9
Sund	78	14			8
Swanse	76	18	1		5
Truro	72	22			7
Tyrone	90	7			3
Ulster	70	10			20
Wirral	66	25		4	6
Wolve	62	20		2	16
Wrexm	63	28	3		6
York	63	26			11
<b>England</b>	<b>66</b>	<b>21</b>	<b>5</b>	<b>0</b>	<b>8</b>
<b>N Ireland</b>	<b>71</b>	<b>17</b>	<b>1</b>	<b>5</b>	<b>7</b>
<b>Scotland</b>	<b>68</b>	<b>21</b>	<b>2</b>	<b>0</b>	<b>8</b>
<b>Wales</b>	<b>67</b>	<b>20</b>	<b>4</b>	<b>1</b>	<b>8</b>
<b>UK</b>	<b>67</b>	<b>21</b>	<b>4</b>	<b>1</b>	<b>8</b>

Table E.1.4: Number of patients per treatment modality at 90 days

	HD	PD	Transplant	Stopped treatment	Died
England	3,363	1,050	236	22	394
N Ireland	140	33	1	10	14
Scotland	400	122	14	1	48
Wales	293	87	16	5	37
<b>UK</b>	<b>4,196</b>	<b>1,292</b>	<b>267</b>	<b>38</b>	<b>493</b>

**Table E.1.5: First treatment modality**

Centre	% HD	% PD	% transplant	Centre	% HD	% PD	% transplant
Abrdn	94	6		L Kings	71	23	5
Airdrie	84	16		L Rfree	74	16	10
Antrim	87	13		L West	73	10	16
B Heart	89	11		Leeds	80	18	2
B QEH	80	17	3	Leic	76	19	5
Bangor	80	20		Liv Ain	100		
Basldn	77	23		Liv RI	68	29	4
Belfast	84	16		ManWst	68	32	
Bradfd	86	14		Middlbr	78	22	
Brightn	74	26		Newc	71	24	6
Bristol	78	20	2	Newry	64	36	
Camb	88	1	11	Norwch	81	19	
Cardff	76	18	5	Nottm	67	31	2
Carlis	81	19		Oxford	60	29	11
Carsh	80	17	4	Plymth	77	18	4
Chelms	90	10		Ports	73	24	3
Chestr	100			Prestn	76	22	2
Clwyd	94	6		Redng	74	26	
Covnt	79	15	6	Sheff	77	18	5
D&Gall	86	14		Shrew	74	24	2
Derby	71	29		Stevng	91	9	
Derry	67	33		Sthend	93	7	
Dorset	60	40		Sund	88	12	
Dudley	73	27		Swanse	84	16	
Dundee	88	12		Truro	78	22	
Dunfn	77	23		Tyrone	97	3	
Edinb	67	30	4	Ulster	88	13	
Exeter	76	24		Wirral	73	27	
Glasgw	78	20	3	Wolve	71	29	
Glouc	83	15	1	Wrexm	72	28	
Hull	78	22		York	75	25	
Inverns	59	41		<b>England</b>	<b>76</b>	<b>20</b>	<b>4</b>
Ipswi	60	40		<b>N Ireland</b>	<b>85</b>	<b>15</b>	
Klmarnk	83	17		<b>Scotland</b>	<b>79</b>	<b>20</b>	<b>2</b>
L Barts	62	32	6	<b>Wales</b>	<b>79</b>	<b>18</b>	<b>3</b>
L Guys	81	12	7	<b>UK</b>	<b>77</b>	<b>20</b>	<b>3</b>

**Table E.1.6: First treatment modality, patient numbers**

	HD	PD	Transplant
England	3,825	1,031	192
N Ireland	170	30	
Scotland	460	117	9
Wales	317	71	11
<b>UK</b>	<b>4,772</b>	<b>1,249</b>	<b>212</b>

Table E.1.7: Treatment modality by gender (at 90 days)

Centre	Haemodialysis			Peritoneal dialysis		
	% Male	% Female	M:F ratio	% Male	% Female	M:F ratio
Abrdn	64	36	1.8	71	29	2.5
Airdrie	74	26	2.9	86	14	6.0
Antrim	71	29	2.5	100		
B Heart	63	37	1.7	68	32	2.2
B QEH	64	36	1.8	46	54	0.8
Bangor	77	24	3.3	85	15	5.5
Basldn	78	22	3.5	64	36	1.7
Belfast	54	46	1.2	58	42	1.4
Bradfd	68	32	2.1	57	43	1.3
Brightn	63	37	1.7	58	42	1.4
Bristol	59	41	1.4	64	36	1.8
Camb	58	42	1.4	60	40	1.5
Cardff	53	47	1.1	64	36	1.8
Carlis	56	44	1.3	50	50	1.0
Carsh	60	40	1.5	68	32	2.1
Chelms	62	38	1.6	50	50	1.0
Chestr	75	25	3.0			
Clwyd	65	35	1.9	100		
Covnt	69	32	2.2	70	30	2.3
D&Gall	40	60	0.7	100		
Derby	76	25	3.1	68	32	2.1
Derry					100	
Dorset	68	32	2.1	62	38	1.6
Dudley	63	38	1.7	78	22	3.5
Dundee	53	48	1.1	50	50	1.0
Dunfn	59	41	1.4	50	50	1.0
Edinb	71	29	2.5	48	52	0.9
Exeter	58	42	1.4	76	24	3.2
Glasgw	60	40	1.5	50	50	1.0
Glouc	50	50	1.0	78	22	3.5
Hull	72	28	2.6	47	53	0.9
Inverns	84	16	5.3	50	50	1.0
Ipswi	67	33	2.0	88	13	7.0
Klmarnk	61	40	1.5	50	50	1.0
L Barts	68	32	2.2	61	39	1.6
L Guys	67	33	2.1	52	48	1.1
L Kings	62	38	1.6	63	38	1.7
L Rfree	62	38	1.6	50	50	1.0
L West	61	39	1.6	61	39	1.6
Leeds	64	36	1.8	58	42	1.4
Leic	68	32	2.1	64	36	1.8
Liv Ain	59	41	1.4			
Liv RI	73	27	2.7	47	53	0.9
ManWst	65	35	1.9	73	27	2.7
Middlbr	64	37	1.7	67	33	2.0
Newc	56	44	1.3	63	37	1.7
Newry	60	40	1.5	67	33	2.0
Norweh	62	38	1.7	89	11	8.0
Nottm	57	43	1.3	62	38	1.6
Oxford	51	49	1.0	74	27	2.8
Plymth	78	22	3.5	67	33	2.0
Ports	63	37	1.7	63	38	1.7
Prestn	52	48	1.1	54	46	1.2

**Table E.1.7: (continued)**

Centre	Haemodialysis			Peritoneal dialysis		
	% Male	% Female	M:F ratio	% Male	% Female	M:F ratio
Redng	61	39	1.6	59	41	1.4
Sheff	68	32	2.1	59	41	1.4
Shrew	61	39	1.6	36	64	0.6
Stevng	67	33	2.0	46	54	0.9
Sthend	58	42	1.4	43	57	0.8
Sund	72	28	2.6	70	30	2.3
Swanse	62	38	1.6	77	23	3.4
Truro	49	52	0.9	100		
Tyrone	54	46	1.2	50	50	1.0
Ulster	100			100		
Wirral	63	37	1.7	46	54	0.9
Wolve	70	30	2.3	50	50	1.0
Wrexm	60	40	1.5	89	11	8.0
York	38	62	0.6	50	50	1.0
<b>England</b>	<b>63</b>	<b>37</b>	<b>1.7</b>	<b>62</b>	<b>38</b>	<b>1.6</b>
<b>N Ireland</b>	<b>59</b>	<b>41</b>	<b>1.5</b>	<b>67</b>	<b>33</b>	<b>2.0</b>
<b>Scotland</b>	<b>63</b>	<b>37</b>	<b>1.7</b>	<b>53</b>	<b>47</b>	<b>1.1</b>
<b>Wales</b>	<b>58</b>	<b>42</b>	<b>1.4</b>	<b>74</b>	<b>26</b>	<b>2.8</b>
<b>UK</b>	<b>63</b>	<b>37</b>	<b>1.7</b>	<b>62</b>	<b>38</b>	<b>1.6</b>

**Table E.1.8: Treatment modality numbers by gender (at 90 days)**

	Haemodialysis		Peritoneal dialysis	
	Male	Female	Male	Female
England	2,122	1,241	645	405
N Ireland	83	57	22	11
Scotland	252	148	65	57
Wales	171	122	64	23
<b>UK</b>	<b>2,628</b>	<b>1,568</b>	<b>796</b>	<b>496</b>

## E:2 Current patients 2006

Table E.2.1: Treatment modalities for patients aged under 65 and over 65

Centre	Patients aged <65				Patients aged ≥65			
	% HD	% PD	% transplant	HD:PD	% HD	% PD	% transplant	HD:PD
Abrdn	34	8	58	4.4	75	6	19	12.7
Airdrie	56	13	31	4.3	86	7	7	12.6
Antrim	48	12	40	4.0	81	13	6	6.2
B Heart	51	7	42	6.9	81	7	13	12.0
B QEH	36	9	55	4.0	72	9	19	8.5
Bangor	65	35	0	1.8	67	33	0	2.1
Basldn	66	14	20	4.7	76	17	8	4.5
Belfast	27	8	65	3.4	59	9	32	6.5
Bradfd	30	13	57	2.2	71	10	19	7.0
Brightn	35	14	51	2.4	68	15	17	4.5
Bristol	24	7	69	3.3	65	6	29	11.7
Camb	26	6	68	4.5	64	11	25	6.1
Cardff	23	10	67	2.2	59	14	27	4.2
Carlisle	32	7	62	4.8	72	6	22	12.2
Carsh	32	11	58	2.9	73	12	15	5.9
Chelms	56	23	21	2.5	76	19	5	4.1
Chestr	100	0	0		100	0	0	
Clwyd	77	7	16	11.0	86	14	0	6.4
Covnt	34	8	59	4.3	64	16	20	4.1
D&Gall	58	18	24	3.1	87	13	0	6.8
Derby	63	27	10	2.3	75	25	0	3.0
Derry	81	0	19		100	0	0	
Dorset	30	8	62	3.6	49	24	28	2.1
Dudley	46	17	37	2.8	54	25	21	2.2
Dundee	25	16	59	1.6	64	10	27	6.6
Dunfn	55	19	26	2.8	79	14	7	5.6
Edinb	29	11	60	2.7	58	13	29	4.3
Exeter	27	12	61	2.2	72	15	12	4.7
Glasgw	26	7	67	3.8	66	6	28	10.1
Glouc	33	12	55	2.7	76	11	13	7.1
Hull	37	12	51	3.1	79	8	14	10.3
Inverns	29	18	53	1.6	61	27	13	2.3
Ipswi	25	18	58	1.4	59	26	16	2.3
Klmarnk	52	25	23	2.0	80	15	6	5.5
L Barts	33	14	53	2.3	51	24	25	2.2
L Guys	27	4	69	6.4	59	9	31	6.4
L Kings	40	10	51	4.0	64	15	21	4.3
L Rfree	32	9	59	3.4	66	10	24	6.3
L West	53	6	41	8.9	82	4	14	23.3
Leeds	25	7	68	3.3	66	9	25	7.2
Leic	34	11	56	3.1	59	19	22	3.2
Liv Ain	100	0	0		100	0	0	
Liv RI	24	6	70	3.9	50	10	39	4.8
ManWst	33	19	48	1.8	68	19	13	3.5
Middlbr	30	6	64	4.9	66	4	30	16.7
Newc	20	7	73	3.0	47	8	45	5.7
Newry	43	13	44	3.2	76	8	15	9.0
Norweh	40	11	48	3.5	74	14	13	5.5
Nottm	26	15	59	1.8	61	17	22	3.5

**Table E.2.1: (continued)**

Centre	Patients aged <65				Patients aged ≥65			
	% HD	% PD	% transplant	HD:PD	% HD	% PD	% transplant	HD:PD
Oxford	20	8	72	2.5	50	14	36	3.7
Plymth	21	8	71	2.5	59	13	28	4.4
Ports	22	8	70	2.7	59	12	29	5.0
Prestn	34	10	57	3.4	65	13	21	4.9
Redng	41	25	33	1.6	70	21	9	3.3
Sheff	38	11	51	3.7	67	14	19	4.8
Shrew	41	22	37	1.9	74	14	12	5.2
Stevng	46	7	48	6.6	76	9	14	8.3
Sthend	57	9	34	6.4	80	8	12	9.4
Sund	48	6	46	8.1	75	6	19	12.8
Swanse	40	18	42	2.3	70	17	13	4.2
Truro	35	14	51	2.5	73	11	16	6.4
Tyrone	43	5	52	8.4	81	3	16	25.0
Ulster	85	4	12	22.0	97	3		34.0
Wirral	78	22		3.5	79	21		3.8
Wolve	54	13	33	4.2	80	16	5	5.1
Wrexm	69	28	3	2.5	70	28	2	2.5
York	32	11	56	2.8	76	12	12	6.4
<b>England</b>	<b>33</b>	<b>10</b>	<b>57</b>	<b>3.3</b>	<b>67</b>	<b>12</b>	<b>21</b>	<b>5.4</b>
<b>N Ireland</b>	<b>36</b>	<b>8</b>	<b>56</b>	<b>4.2</b>	<b>72</b>	<b>8</b>	<b>19</b>	<b>8.7</b>
<b>Scotland</b>	<b>32</b>	<b>11</b>	<b>57</b>	<b>3.0</b>	<b>69</b>	<b>10</b>	<b>21</b>	<b>6.8</b>
<b>Wales</b>	<b>32</b>	<b>13</b>	<b>55</b>	<b>2.4</b>	<b>65</b>	<b>17</b>	<b>18</b>	<b>3.8</b>
<b>UK</b>	<b>33</b>	<b>10</b>	<b>57</b>	<b>3.3</b>	<b>67</b>	<b>12</b>	<b>21</b>	<b>5.4</b>

Note: Patients without a treatment modality on 31/12/2006 are excluded.

**Table E.2.2: Number of patients under and over 65 per treatment modality**

	Patients aged <65			Patients aged ≥65		
	HD	PD	Transplant	HD	PD	Transplant
England	7,227	2,166	12,489	7,156	1,331	2,229
N Ireland	306	72	481	358	41	96
Scotland	869	293	1,533	849	124	266
Wales	437	184	754	505	134	137
<b>UK</b>	<b>8,839</b>	<b>2,715</b>	<b>15,257</b>	<b>8,868</b>	<b>1,630</b>	<b>2,728</b>

Note: Patients without a treatment modality on 31/12/2006 are excluded.



**Table E.2.3: Treatment modality median age by centre**

Centre	Median age on HD	Median age on PD	Median age on transplant	Median age for all
Abrdn	65.0	49.0	50.8	56.6
Airdrie	60.3	45.9	43.2	53.8
Antrim	70.7	65.6	48.2	65.0
B Heart	66.8	63.2	49.9	62.4
B QEH	64.8	55.7	48.9	55.9
Bangor	67.0	66.7		66.7
Basldn	62.5	62.2	49.6	61.7
Belfast	64.0	55.3	47.7	53.8
Bradfd	66.9	51.5	48.1	55.1
Brightn	68.1	62.2	51.7	60.8
Bristol	68.9	58.2	51.5	58.5
Camb	64.4	62.8	49.0	54.4
Cardff	66.3	60.3	49.9	56.4
Carlis	67.8	48.1	52.4	58.9
Carsh	67.0	58.2	48.3	59.1
Chelms	70.2	64.9	56.3	65.4
Chestr	68.5			68.5
Clwyd	64.6	71.5	51.4	63.1
Covnt	63.2	64.5	47.0	55.3
D&Gall	69.0	63.2	46.2	65.5
Derby	65.3	63.0	48.4	64.1
Derry	69.4		59.0	67.5
Dorset	65.3	70.4	56.7	60.8
Dudley	61.9	63.3	56.4	60.2
Dundee	68.9	59.0	54.7	59.9
Dunfn	64.3	56.9	48.9	60.2
Edinb	60.4	57.1	50.9	55.0
Exeter	71.9	63.3	50.5	60.5
Glasgw	65.1	56.1	49.1	54.4
Glouc	71.7	62.6	51.4	63.6
Hull	65.2	53.0	49.6	57.7
Inverns	65.0	58.1	46.4	55.3
Ipswi	66.2	56.9	52.1	56.8
Klmarnk	66.8	59.4	48.6	61.9
L Barts	56.9	58.4	49.3	53.2
L Guys	60.2	60.7	49.3	51.7
L Kings	60.9	61.9	49.9	55.7
L Rfree	63.1	59.9	48.3	54.3
L West	65.0	56.6	53.4	61.1
Leeds	66.4	59.5	49.8	54.9
Leic	62.2	63.1	50.4	56.7
Liv Ain	59.6			59.6
Liv RI	60.3	57.0	49.7	52.7
ManWst	60.6	54.8	46.4	53.9
Middlbr	65.6	53.3	50.2	56.9
Newc	61.3	55.6	51.7	54.9
Newry	65.9	57.3	54.3	62.2
Norweh	69.0	63.2	50.3	62.4
Nottm	65.5	58.8	48.6	55.7
Oxford	64.6	60.8	50.5	55.2
Plymth	69.5	65.7	50.5	59.5
Ports	66.1	59.5	50.5	55.9
Prestn	64.0	57.6	50.0	56.4
Redng	66.9	57.4	54.6	61.3

Table E.2.3: (continued)

Centre	Median age on HD	Median age on PD	Median age on transplant	Median age for all
Sheff	63.4	60.3	49.3	56.9
Shrew	64.6	55.2	49.3	58.2
Stevng	65.2	61.6	49.9	59.4
Sthend	66.1	62.2	53.1	62.5
Sund	63.4	55.6	50.6	57.9
Swanse	68.5	63.7	53.7	62.4
Truro	71.5	64.1	55.4	65.5
Tyrone	66.1	62.7	44.9	59.4
Ulster	69.5	62.4	42.5	68.8
Wirral	66.7	65.5		66.5
Wolve	65.8	63.3	44.6	60.9
Wrexm	62.6	64.1	59.6	62.6
York	69.9	63.1	44.8	60.1
<b>England</b>	<b>64.9</b>	<b>60.1</b>	<b>50.0</b>	<b>57.1</b>
<b>N Ireland</b>	<b>66.9</b>	<b>60.4</b>	<b>47.9</b>	<b>58.0</b>
<b>Scotland</b>	<b>64.8</b>	<b>56.9</b>	<b>49.5</b>	<b>56.0</b>
<b>Wales</b>	<b>66.9</b>	<b>62.9</b>	<b>50.5</b>	<b>58.7</b>
<b>UK</b>	<b>65.0</b>	<b>59.9</b>	<b>49.9</b>	<b>57.1</b>

Note: Patients without a treatment modality on 31/12/2006 are excluded.

Table E.2.4: Dialysis modalities for patients aged under 65

Centre	% home HD	% hospital HD	% satellite HD	% connect PD	% disconnect PD	% cycling PD $\geq 6$ nights	% cycling PD $< 6$ nights	% type of PD unknown
Abrdn	5	77	0	0	18	1	0	0
Airdrie	0	81	0	0	8	11	0	0
Antrim	7	73	0	0	7	12	2	0
B Heart	6	73	8	0	10	3	0	0
B QEH	4	21	55	0	12	8	0	0
Bangor	6	58	0	0	13	23	0	0
Basldn	0	83	0	0	5	13	0	0
Belfast	3	74	1	1	2	18	0	2
Bradfd	0	55	14	0	14	17	0	0
Brightn	10	35	26	0	10	19	0	0
Bristol	9	19	49	0	18	5	0	0
Camb	1	50	30	0	0	0	0	18
Cardff	0	37	32	0	31	0	0	0
Carlis	2	74	7	0	2	13	2	0
Carsh	0	39	36	0	13	13	0	0
Chelms	0	71	0	3	3	22	0	0
Chestr	0	100	0	0	0	0	0	0
Clwyd	3	89	0	0	0	6	0	3
Covnt	5	77	0	0	19	0	0	0
D&Gall	0	76	0	0	14	7	3	0
Derby	5	65	0	0	23	8	0	0
Derry	0	100	0	0	0	0	0	0
Dorset	1	48	29	0	15	5	1	0

Table E.2.4: (continued)

Centre	% home HD	% hospital HD	% satellite HD	% connect PD	% disconnect PD	% cycling PD $\geq 6$ nights	% cycling PD $< 6$ nights	% type of PD unknown
Dudley	3	42	28	0	26	0	0	0
Dundee	0	62	0	0	13	18	7	0
Dunfn	0	74	0	0	3	23	0	0
Edinb	2	71	0	0	13	14	0	0
Exeter	1	32	36	0	17	14	0	0
Glasgw	6	74	0	0	9	10	2	0
Glouc	0	73	0	0	12	16	0	0
Hull	3	44	28	0	10	14	0	0
Inverns	2	59	0	0	13	27	0	0
Ipswi	9	50	0	0	22	20	0	0
Klmarnk	2	65	0	0	10	20	3	0
L Barts	2	39	29	0	13	17	0	0
L Guys	8	25	54	0	5	0	9	0
L Kings	0	30	50	0	6	14	0	0
L Rfree	3	35	40	0	7	16	0	0
L West	1	20	69	1	3	6	0	0
Leeds	3	48	26	0	9	14	0	0
Leic	4	18	54	0	12	13	0	0
Liv Ain	0	63	37	0	0	0	0	0
Liv RI	1	42	36	0	7	13	0	0
ManWst	2	32	30	0	20	15	0	1
Middlbr	1	40	42	0	13	4	0	0
Newc	5	69	0	0	7	18	0	0
Newry	2	74	0	0	0	22	0	2
Norwch	6	55	17	0	20	2	0	0
Nottm	3	33	29	0	12	23	0	0
Oxford	6	65	1	0	11	18	0	0
Plymth	1	70	0	0	27	1	0	0
Ports	0	43	30	0	27	0	0	0
Prestn	7	28	42	0	11	12	0	0
Redng	0	32	30	0	38	0	0	0
Sheff	9	29	40	0	21	0	0	0
Shrew	1	48	16	0	35	0	0	0
Stevng	0	34	53	0	13	0	0	0
Sthend	0	87	0	0	13	0	0	0
Sund	1	71	17	0	2	9	0	0
Swanse	9	43	18	0	31	0	0	0
Truro	4	41	26	0	29	0	0	0
Tyrone	0	89	0	0	2	6	0	2
Ulster	4	91	0	0	0	4	0	0
Wirral	1	65	12	9	5	8	0	0
Wolve	0	26	55	0	19	0	0	0
Wrexm	4	67	0	0	1	26	0	1
York	4	42	28	0	26	0	0	0
<b>England</b>	<b>3</b>	<b>40</b>	<b>34</b>	<b>0</b>	<b>13</b>	<b>9</b>	<b>0</b>	<b>0</b>
<b>N Ireland</b>	<b>3</b>	<b>78</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>15</b>	<b>0</b>	<b>1</b>
<b>Scotland</b>	<b>3</b>	<b>72</b>	<b>0</b>	<b>0</b>	<b>11</b>	<b>13</b>	<b>1</b>	<b>0</b>
<b>Wales</b>	<b>3</b>	<b>46</b>	<b>21</b>	<b>0</b>	<b>24</b>	<b>5</b>	<b>0</b>	<b>0</b>
<b>UK</b>	<b>3</b>	<b>45</b>	<b>29</b>	<b>0</b>	<b>13</b>	<b>10</b>	<b>0</b>	<b>0</b>

**Table E.2.5: Dialysis modalities for patients aged over 65**

Centre	% home HD	% hospital HD	% satellite HD	% connect PD	% disconnect PD	% cycling PD ≥6 nights	% cycling PD ≤6 nights	% type of PD unknown
Abrdn	0	93	0	0	7	0	0	0
Airdrie	0	93	0	0	1	6	0	0
Antrim	0	85	1	0	12	2	0	0
B Heart	1	86	5	0	6	1	0	0
B QEH	0	22	67	0	6	5	0	0
Bangor	0	67	0	2	13	18	0	0
Basldn	0	82	0	0	11	7	0	0
Belfast	2	85	0	1	6	7	0	0
Bradfd	0	64	24	0	5	7	0	0
Brightn	3	47	32	0	10	8	0	0
Bristol	2	14	76	0	6	1	0	0
Camb	2	47	37	0	0	0	0	14
Cardff	0	33	48	0	19	0	0	0
Carlis	0	77	15	0	2	6	0	0
Carsh	0	37	49	0	9	5	0	0
Chelms	0	80	0	1	5	13	0	0
Chestr	0	100	0	0	0	0	0	0
Clwyd	0	86	0	14	0	0	0	0
Covnt	0	80	0	0	20	0	0	0
D&Gall	0	87	0	0	0	13	0	0
Derby	1	74	0	0	21	4	0	0
Derry	0	100	0	0	0	0	0	0
Dorset	1	42	25	0	22	11	0	0
Dudley	0	54	14	0	32	0	0	0
Dundee	0	87	0	0	5	5	4	0
Dunfn	0	85	0	0	2	13	0	0
Edinb	0	81	0	0	11	8	0	0
Exeter	0	37	46	0	16	2	0	0
Glasgw	1	90	0	0	6	3	1	0
Glouc	0	88	0	0	7	5	0	0
Hull	1	45	45	0	6	3	0	0
Inverns	0	70	0	0	14	16	0	0
Ipswi	1	68	0	0	18	11	1	0
Klmarnk	0	85	0	0	10	6	0	0
L Barts	1	41	27	0	21	11	0	0
L Guys	2	22	63	0	6	0	7	0
L Kings	0	22	59	0	8	11	0	0
L Rfree	1	33	53	0	7	7	0	0
L West	0	19	77	0	1	3	0	0
Leeds	0	45	42	0	6	7	0	0
Leic	1	22	54	0	16	8	0	0
Liv Ain	0	81	19	0	0	0	0	0
Liv RI	0	50	33	0	10	6	0	0
ManWst	0	40	38	0	17	4	0	1
Middlbr	0	37	57	0	6	0	0	0
Newc	0	85	0	0	2	13	0	0
Newry	0	90	0	0	0	10	0	0
Norwch	1	60	24	0	12	2	1	1
Nottm	0	40	37	0	14	8	0	0
Oxford	2	75	1	0	16	5	0	0
Plymth	0	82	0	0	18	1	0	0
Ports	0	37	46	0	17	0	0	0
Prestn	1	28	55	0	12	5	1	0

Table E.2.5: (continued)

Centre	% home HD	% hospital HD	% satellite HD	% connect PD	% disconnect PD	% cycling PD $\geq 6$ nights	% cycling PD $\leq 6$ nights	% type of PD unknown
Redng	0	49	27	0	23	0	0	0
Sheff	1	39	43	0	17	0	0	0
Shrew	0	73	11	0	16	0	0	0
Stevng	0	38	51	0	11	0	0	0
Sthend	0	90	0	0	10	0	0	0
Sund	0	77	16	0	4	3	0	0
Swanse	1	56	24	0	19	0	0	0
Truro	1	43	43	0	12	2	0	0
Tyrone	2	94	0	2	0	2	0	0
Ulster	0	97	0	0	0	3	0	0
Wirral	0	63	16	8	3	9	0	0
Wolve	0	27	57	0	16	0	0	0
Wrexm	0	71	0	0	3	24	2	0
York	0	51	36	0	14	0	0	0
<b>England</b>	<b>1</b>	<b>44</b>	<b>40</b>	<b>0</b>	<b>11</b>	<b>4</b>	<b>0</b>	<b>0</b>
<b>N Ireland</b>	<b>1</b>	<b>88</b>	<b>0</b>	<b>1</b>	<b>5</b>	<b>5</b>	<b>0</b>	<b>0</b>
<b>Scotland</b>	<b>0</b>	<b>87</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>6</b>	<b>1</b>	<b>0</b>
<b>Wales</b>	<b>0</b>	<b>49</b>	<b>29</b>	<b>1</b>	<b>16</b>	<b>4</b>	<b>0</b>	<b>0</b>
<b>UK</b>	<b>1</b>	<b>50</b>	<b>34</b>	<b>0</b>	<b>11</b>	<b>4</b>	<b>0</b>	<b>0</b>

Table E.2.6: Age ranges by centre

Centre	Patient age range by centre (%)							
	18–24	25–34	35–44	45–54	55–64	65–74	75–84	85+
Abrdn	3	9	14	20	22	18	12	1
Airdrie	3	9	18	22	16	20	11	1
Antrim	2	5	9	17	19	26	19	6
B Heart	2	8	13	12	21	27	15	2
B QEH	3	9	16	20	19	20	11	1
Bangor	3	5	9	10	20	26	21	6
Basldn	4	10	8	16	22	23	19	1
Belfast	2	10	18	22	18	19	9	1
Bradfd	6	10	15	19	18	19	12	1
Brightn	4	5	13	17	20	22	15	4
Bristol	3	7	14	17	24	19	13	3
Camb	4	9	17	21	22	16	10	1
Cardff	3	9	16	20	23	16	11	2
Carlis	3	2	20	19	20	22	12	2
Carsh	2	7	18	16	23	20	13	3
Chelms	4	3	7	9	25	26	21	5
Chestr	–	5	7	12	19	26	26	7
Clwyd	3	3	13	11	25	26	16	4
Covnt	2	8	21	19	19	19	11	1
D&Gall	1	6	9	10	22	25	23	3
Derby	1	5	10	17	20	23	22	2
Derry	–	12	18	9	9	15	35	3
Dorset	2	4	13	17	26	22	14	2
Dudley	2	5	11	19	25	25	12	1
Dundee	2	6	18	14	21	21	17	2
Dunfn	1	8	10	22	22	19	14	3

Table E.2.6: (continued)

Centre	Patient age range by centre (%)							
	18–24	25–34	35–44	45–54	55–64	65–74	75–84	85+
Edinb	3	8	19	20	23	19	7	0
Exeter	3	6	15	17	20	18	17	4
Glasgw	2	8	19	22	20	19	9	1
Glouc	1	6	10	17	20	24	18	4
Hull	3	7	15	20	22	19	11	2
Inverns	3	9	20	19	19	21	10	2
Ipswi	2	6	16	23	22	20	11	0
Klmarnk	1	5	15	17	21	23	17	2
L Barts	2	10	19	24	21	18	6	0
L Guys	3	10	22	22	19	15	8	1
L Kings	1	8	20	20	18	20	12	1
L Rfree	3	11	17	21	20	18	9	2
L West	1	5	13	18	24	23	14	2
Leeds	4	10	16	19	21	18	10	1
Leic	2	8	18	18	23	19	10	1
Liv Ain	–	5	11	17	30	19	15	2
Liv RI	3	8	20	23	20	17	7	1
ManWst	2	11	19	20	21	18	8	0
Middlbr	3	7	18	20	21	20	10	1
Newc	4	9	15	23	24	17	8	1
Newry	1	8	13	16	23	20	17	3
Norwch	1	7	13	13	22	21	19	4
Nottm	5	8	16	20	20	18	12	1
Oxford	3	8	18	21	22	16	10	2
Plymth	3	6	15	17	20	22	13	3
Ports	3	8	17	21	22	18	11	1
Prestn	2	9	17	19	23	20	10	1
Redng	2	6	13	18	21	23	16	3
Sheff	3	7	15	21	22	20	10	1
Shrew	4	7	16	17	22	23	11	1
Stevng	2	5	16	18	21	24	12	2
Sthend	1	5	11	16	22	24	17	4
Sund	2	6	15	21	24	18	13	0
Swanse	2	4	11	16	22	25	17	3
Truro	1	5	9	13	19	24	21	6
Tyrone	2	10	15	14	21	17	19	3
Ulster	–	3	11	16	11	23	26	8
Wirral	1	4	9	15	18	28	21	4
Wolve	1	6	14	18	19	22	19	2
Wrexm	1	4	9	18	23	22	21	2
York	4	9	15	16	16	17	20	4
<b>England</b>	<b>3</b>	<b>8</b>	<b>16</b>	<b>19</b>	<b>21</b>	<b>19</b>	<b>12</b>	<b>2</b>
<b>N Ireland</b>	<b>2</b>	<b>9</b>	<b>16</b>	<b>19</b>	<b>19</b>	<b>20</b>	<b>14</b>	<b>2</b>
<b>Scotland</b>	<b>2</b>	<b>8</b>	<b>17</b>	<b>20</b>	<b>21</b>	<b>19</b>	<b>11</b>	<b>1</b>
<b>Wales</b>	<b>3</b>	<b>7</b>	<b>14</b>	<b>18</b>	<b>23</b>	<b>19</b>	<b>14</b>	<b>3</b>
<b>UK</b>	<b>3</b>	<b>8</b>	<b>16</b>	<b>19</b>	<b>21</b>	<b>19</b>	<b>12</b>	<b>2</b>

Table E.2.7: Dialysis modalities for non-diabetic patients (all ages)

Centre	% home HD	% hospital HD	% satellite HD	% connect PD	% disconnect PD	% cycling PD $\geq 6$ nights	% cycling PD $< 6$ nights	% unknown type of PD
Abrdn	4	83	0	0	13	1	0	0
Airdrie	0	85	0	0	6	9	0	0
Antrim	3	83	0	0	7	6	1	0
B Heart	4	81	6	0	8	2	0	0
B QEH	4	20	62	0	8	7	0	0
Bangor	4	60	0	1	15	20	0	0
Basldn	0	84	0	0	7	9	0	0
Belfast	2	77	0	1	4	14	0	1
Bradfd	0	56	21	0	9	13	0	0
Brightn	8	39	30	0	9	14	0	0
Bristol	6	14	67	0	10	3	0	0
Camb	2	51	32	0	0	0	0	16
Cardff	0	36	38	0	26	0	0	0
Carlisle	0	78	11	0	2	8	1	0
Carsh	0	36	43	0	10	11	0	0
Chelms	0	77	0	1	5	17	0	0
Covnt	3	76	0	0	21	0	0	0
D&Gall	0	83	0	0	6	9	2	0
Derby	4	68	0	0	22	6	0	0
Derry	0	100	0	0	0	0	0	0
Dorset	1	42	28	0	19	10	1	0
Dudley	2	49	24	0	25	0	0	0
Dundee	0	77	0	0	8	10	5	0
Dunfn	0	78	0	0	2	20	0	0
Edinb	2	75	0	0	11	12	0	0
Exeter	0	33	44	0	16	7	0	0
Glasgw	4	80	0	0	8	7	1	0
Glouc	0	83	0	0	9	8	0	0
Hull	3	45	36	0	9	7	0	0
Inverns	1	58	0	0	15	26	0	0
Ipswi	5	59	0	0	18	17	1	0
Klmarnk	1	74	0	0	11	12	1	0
L Barts	2	38	31	0	14	15	0	0
L Guys	7	23	56	0	5	0	9	0
L Kings	0	25	54	0	8	13	0	0
L West	1	22	67	1	3	6	0	0
Leeds	2	41	40	0	7	9	0	0
Leic	3	20	52	0	14	11	0	0
Liv RI	1	43	37	0	8	10	0	0
ManWst	1	36	31	0	19	12	0	1
Middlbr	1	39	48	0	10	3	0	0
Newc	4	75	0	0	5	16	0	0
Newry	1	80	0	0	0	17	0	1
Norweh	4	56	23	0	15	2	1	0
Nottm	2	36	32	0	13	17	0	0
Oxford	5	70	1	0	12	12	0	0
Plymth	1	77	0	0	21	1	0	0
Ports	0	39	39	0	22	0	0	0
Prestn	5	24	48	0	13	9	0	0
Redng	0	44	24	0	32	0	0	0
Sheff	7	32	43	0	19	0	0	0
Shrew	1	56	15	0	28	0	0	0
Stevng	0	36	52	0	12	0	0	0
Sthend	0	89	0	0	11	0	0	0

**Table E.2.7: (continued)**

Centre	% home HD	% hospital HD	% satellite HD	% connect PD	% disconnect PD	% cycling PD ≥6 nights	% cycling PD <6 nights	% unknown type of PD
Sund	1	72	18	0	2	7	0	0
Swanse	5	51	22	0	22	0	0	0
Truro	2	45	35	0	17	1	0	0
Tyrone	1	92	0	0	1	5	0	1
Ulster	2	96	0	0	0	2	0	0
Wolve	0	25	59	0	16	0	0	0
Wrexm	2	67	0	0	3	25	1	1
York	2	46	33	0	19	0	0	0
<b>England</b>	<b>2</b>	<b>42</b>	<b>35</b>	<b>0</b>	<b>12</b>	<b>7</b>	<b>0</b>	<b>0</b>
<b>N Ireland</b>	<b>2</b>	<b>83</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>11</b>	<b>0</b>	<b>1</b>
<b>Scotland</b>	<b>2</b>	<b>78</b>	<b>0</b>	<b>0</b>	<b>9</b>	<b>10</b>	<b>1</b>	<b>0</b>
<b>Wales</b>	<b>2</b>	<b>48</b>	<b>25</b>	<b>0</b>	<b>20</b>	<b>4</b>	<b>0</b>	<b>0</b>
<b>UK</b>	<b>2</b>	<b>48</b>	<b>30</b>	<b>0</b>	<b>12</b>	<b>7</b>	<b>0</b>	<b>0</b>

Note: Non-diabetic patients are calculated as all patients excluding diabetic patients and patients with a missing primary renal disease code.

**Table E.2.8: Number of non-diabetic patients by treatment modality**

	HD	PD	Transplant
England	10,750	2,648	12,782
N Ireland	530	95	529
Scotland	1,361	342	1,637
Wales	710	241	766
<b>UK</b>	<b>13,351</b>	<b>3,326</b>	<b>15,714</b>

Note: Non-diabetic patients are calculated as all patients excluding diabetic patients and patients with a missing primary renal disease code.

**Table E.2.9: Dialysis modalities for non-diabetic patients aged under 65**

Centre	% home HD	% hospital HD	% satellite HD	% connect PD	% disconnect PD	% cycling PD ≥6 nights	% cycling PD <6 nights	% type of PD unknown
Abrdn	7	76	0	0	16	1	0	0
Airdrie	0	80	0	0	9	11	0	0
Antrim	8	68	0	0	5	16	3	0
B Heart	7	76	6	0	8	3	0	0
B QEH	6	20	57	0	9	9	0	0
Bangor	7	56	0	0	15	22	0	0
Basldn	0	85	0	0	3	12	0	0
Belfast	3	73	0	1	3	20	0	2
Bradfd	0	54	12	0	14	20	0	0
Brightn	13	33	26	0	11	18	0	0
Bristol	12	15	52	0	15	6	0	0
Camb	2	52	30	0	0	0	0	17
Cardff	0	38	30	0	32	0	0	0
Carlisle	0	76	7	0	2	12	2	0
Carsh	0	37	38	0	11	15	0	0
Chelms	0	67	0	0	5	28	0	0
Covnt	6	75	0	0	19	0	0	0
D&Gall	0	75	0	0	13	8	4	0
Derby	7	62	0	0	24	7	0	0



Table E.2.9: (continued)

Centre	% home HD	% hospital HD	% satellite HD	% connect PD	% disconnect PD	% cycling PD $\geq 6$ nights	% cycling PD $< 6$ nights	% type of PD unknown
Derry	0	100	0	0	0	0	0	0
Dorset	1	49	26	0	16	6	1	0
Dudley	4	42	30	0	25	0	0	0
Dundee	0	63	0	0	13	17	8	0
Dunfn	0	71	0	0	3	26	0	0
Edinb	3	70	0	0	13	14	0	0
Exeter	1	33	34	0	17	14	0	0
Glasgw	7	72	0	0	9	10	2	0
Glouc	0	76	0	0	13	11	0	0
Hull	4	46	27	0	12	11	0	0
Inverns	2	52	0	0	14	32	0	0
Ipswi	8	54	0	0	17	21	0	0
Klmarnk	3	64	0	0	12	19	3	0
L Barts	2	39	30	0	12	17	0	0
L Guys	10	24	51	0	5	0	10	0
L Kings	0	29	49	0	7	14	0	0
L West	2	24	61	2	4	7	0	0
Leeds	4	43	30	0	10	12	0	0
Leic	5	19	53	0	10	14	0	0
Liv RI	2	38	39	0	7	13	0	0
ManWst	2	32	28	0	20	16	0	1
Middlbr	2	41	39	0	13	5	0	0
Newc	6	69	0	0	7	18	0	0
Newry	3	72	0	0	0	23	0	3
Norwch	7	54	19	0	19	2	0	0
Nottm	3	33	28	0	12	23	0	0
Oxford	7	65	1	0	9	18	0	0
Plymth	2	71	0	0	26	2	0	0
Ports	0	42	30	0	28	0	0	0
Prestn	9	24	41	0	13	12	0	0
Redng	0	35	25	0	40	0	0	0
Sheff	11	29	41	0	19	0	0	0
Shrew	1	47	18	0	34	0	0	0
Stevng	0	35	51	0	14	0	0	0
Sthend	0	86	0	0	14	0	0	0
Sund	1	70	19	0	1	9	0	0
Swanse	12	47	15	0	26	0	0	0
Truro	5	43	19	0	33	0	0	0
Tyrone	0	88	0	0	2	7	0	2
Ulster	6	94	0	0	0	0	0	0
Wolve	0	28	56	0	16	0	0	0
Wrexm	4	69	0	0	2	22	0	2
York	4	36	32	0	28	0	0	0
<b>England</b>	<b>4</b>	<b>40</b>	<b>33</b>	<b>0</b>	<b>13</b>	<b>9</b>	<b>0</b>	<b>0</b>
<b>N Ireland</b>	<b>3</b>	<b>76</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>16</b>	<b>0</b>	<b>2</b>
<b>Scotland</b>	<b>4</b>	<b>70</b>	<b>0</b>	<b>0</b>	<b>11</b>	<b>14</b>	<b>1</b>	<b>0</b>
<b>Wales</b>	<b>4</b>	<b>48</b>	<b>19</b>	<b>0</b>	<b>24</b>	<b>4</b>	<b>0</b>	<b>0</b>
<b>UK</b>	<b>4</b>	<b>45</b>	<b>27</b>	<b>0</b>	<b>13</b>	<b>10</b>	<b>0</b>	<b>0</b>

Note: Non-diabetic patients are calculated as all patients excluding diabetic patients and patients with a missing primary renal disease code.

**Table E.2.10: Number of non-diabetic patients aged under 65 by treatment modality**

	HD	PD	Transplants
England	5,425	1,628	10,779
N Ireland	237	63	435
Scotland	679	239	1,386
Wales	322	132	642
<b>UK</b>	<b>6,663</b>	<b>2,062</b>	<b>13,242</b>

Note: Non-diabetic patients are calculated as all patients excluding diabetic patients and patients with a missing primary renal disease code.

**Table E.2.11: Dialysis modalities for non-diabetic patients aged over 65**

Centre	% home HD	% hospital HD	% satellite HD	% connect PD	% disconnect PD	% cycling PD $\geq 6$ nights	% cycling PD $< 6$ nights	% type of PD unknown
Abrdn	0	91	0	0	9	0	0	0
Airdrie	0	92	0	0	2	6	0	0
Antrim	0	91	0	0	8	1	0	0
B Heart	1	85	5	0	7	1	0	0
B QEH	1	21	68	0	6	4	0	0
Bangor	0	63	0	2	16	19	0	0
Basldn	0	84	0	0	10	6	0	0
Belfast	2	83	0	1	7	8	0	0
Bradfd	0	58	32	0	4	6	0	0
Brightn	4	45	34	0	8	10	0	0
Bristol	2	13	78	0	7	1	0	0
Camb	2	49	34	0	0	0	0	15
Cardff	0	34	47	0	20	0	0	0
Carlisle	0	80	14	0	2	5	0	0
Carsh	0	35	48	0	10	7	0	0
Chelms	0	83	0	2	5	11	0	0
Covnt	0	76	0	0	24	0	0	0
D&Gall	0	90	0	0	0	10	0	0
Derby	2	75	0	0	19	4	0	0
Derry	0	100	0	0	0	0	0	0
Dorset	1	38	28	0	20	13	0	0
Dudley	0	58	16	0	26	0	0	0
Dundee	0	87	0	0	4	6	3	0
Dunfn	0	87	0	0	0	13	0	0
Edinb	0	83	0	0	9	8	0	0
Exeter	0	33	51	0	15	1	0	0
Glasgw	1	89	0	0	6	3	1	0
Glouc	0	86	0	0	8	6	0	0
Hull	1	45	46	0	6	2	0	0
Inverns	0	65	0	0	17	19	0	0
Ipswi	2	65	0	0	20	12	2	0
Klmarnk	0	86	0	0	10	4	0	0
L Barts	1	38	33	0	18	10	0	0
L Guys	2	22	63	0	5	0	8	0
L Kings	0	20	60	0	9	10	0	0
L West	0	21	73	0	2	4	0	0
Leeds	0	40	49	0	5	6	0	0
Leic	1	21	51	0	19	8	0	0
Liv RI	0	50	33	0	10	6	1	1
ManWst	0	42	35	0	18	4	0	1
Middlbr	0	36	57	0	7	0	0	0

Table E.2.11: (continued)

Centre	% home HD	% hospital HD	% satellite HD	% connect PD	% disconnect PD	% cycling PD $\geq 6$ nights	% cycling PD $< 6$ nights	% type of PD unknown
Newc	0	84	0	0	3	13	0	0
Newry	0	88	0	0	0	12	0	0
Norwch	1	58	26	0	12	1	1	1
Nottm	1	39	37	0	15	9	0	0
Oxford	3	76	1	0	15	5	0	0
Plymth	0	81	0	0	18	1	0	0
Ports	0	36	48	0	16	0	0	0
Prestn	1	24	57	0	12	6	0	0
Redng	0	53	23	0	23	0	0	0
Sheff	1	36	44	0	18	0	0	0
Shrew	0	70	11	0	18	0	0	0
Stevng	0	37	52	0	11	0	0	0
Sthend	0	92	0	0	8	0	0	0
Sund	0	75	18	0	4	4	0	0
Swanse	1	53	27	0	19	0	0	0
Truro	1	46	42	0	9	1	0	0
Tyrone	2	96	0	0	0	2	0	0
Ulster	0	96	0	0	0	4	0	0
Wolve	0	23	62	0	16	0	0	0
Wrexm	0	66	0	0	4	28	2	0
York	0	52	34	0	14	0	0	0
<b>England</b>	<b>1</b>	<b>45</b>	<b>38</b>	<b>0</b>	<b>11</b>	<b>4</b>	<b>0</b>	<b>0</b>
<b>N Ireland</b>	<b>1</b>	<b>89</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>5</b>	<b>0</b>	<b>0</b>
<b>Scotland</b>	<b>0</b>	<b>86</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>6</b>	<b>1</b>	<b>0</b>
<b>Wales</b>	<b>0</b>	<b>48</b>	<b>30</b>	<b>1</b>	<b>17</b>	<b>4</b>	<b>0</b>	<b>0</b>
<b>UK</b>	<b>1</b>	<b>51</b>	<b>33</b>	<b>0</b>	<b>11</b>	<b>4</b>	<b>0</b>	<b>0</b>

Note: Non-diabetic patients are calculated as all patients excluding diabetic patients and patients with a missing primary renal disease code.

Table E.2.12: Number of non-diabetic patients aged over 65 by treatment modality

	HD	PD	Transplant
England	5,325	1,020	2,003
N Ireland	293	32	94
Scotland	682	103	251
Wales	388	109	124
<b>UK</b>	<b>6,688</b>	<b>1,264</b>	<b>2,472</b>

Note: Non-diabetic patients are calculated as all patients excluding diabetic patients and patients with a missing primary renal disease code.

Table E.2.13: Dialysis modalities for diabetic patients

Centre	% home HD	% hospital HD	% satellite HD	% connect PD	% disconnect PD	% cycling PD $\geq 6$ nights	% cycling PD $< 6$ nights	% type of PD unknown
Abrdn	0.0	88	0	0.0	12	0	0	0
Airdrie	0.0	91	0	0.0	6	3	0	0
Antrim	2.3	74	2	0.0	16	5	0	0
B Heart	0.0	79	10	0.0	10	2	0	0
B QEH	0.0	25	60	0.0	7	7	0	0
Basldn	0.0	71	0	0.0	13	17	0	0
Belfast	3.6	88	2	0.0	2	5	0	0
Bradfd	0.0	70	9	0.0	11	11	0	0

Table E.2.13: (continued)

Centre	% home HD	% hospital HD	% satellite HD	% connect PD	% disconnect PD	% cycling PD ≥6 nights	% cycling PD <6 nights	% type of PD unknown
Brightn	5.7	36	26	0.0	15	17	0	0
Bristol	3.3	18	62	0.0	14	3	0	0
Camb	0.0	31	47	0.0	0	0	0	22
Cardff	0.0	31	46	0.0	23	0	0	0
Carlis	7.1	64	14	0.0	0	14	0	0
Carsh	0.0	35	44	0.0	14	7	0	0
Chelms	0.0	70	0	8.7	4	17	0	0
Covnt	0.0	91	0	0.0	9	0	0	0
Derby	0.0	71	0	0.0	24	6	0	0
Dorset	0.0	56	22	0.0	19	3	0	0
Dudley	0.0	43	16	0.0	41	0	0	0
Dundee	0.0	68	0	0.0	13	13	5	0
Edinb	0.0	72	0	0.0	19	9	0	0
Exeter	0.0	30	50	0.0	13	7	0	0
Glasgw	0.0	87	0	0.0	7	5	1	0
Glouc	0.0	77	0	0.0	7	17	0	0
Hull	0.0	41	35	0.0	6	17	0	0
Inverns	0.0	94	0	0.0	6	0	0	0
Ipswi	5.6	56	0	0.0	39	0	0	0
Klmarnk	0.0	69	0	0.0	4	23	4	0
L Barts	0.0	44	21	0.0	21	14	0	0
L Guys	0.0	25	62	0.0	7	0	5	0
L Kings	0.0	30	55	0.0	3	12	0	0
L West	0.0	23	73	0.0	2	3	0	0
Leeds	1.1	48	35	0.0	5	10	0	0
Leic	0.0	22	53	0.0	14	12	0	0
Liv RI	0.0	58	24	0.0	11	7	0	0
ManWst	0.0	25	65	0.0	10	0	0	0
Middlbr	0.0	41	52	0.0	7	0	0	0
Newc	0.0	86	0	0.0	4	11	0	0
Newry	0.0	89	0	0.0	0	11	0	0
Norwch	0.0	68	8	0.0	18	5	0	0
Nottm	0.0	37	35	0.0	13	14	0	0
Oxford	1.1	66	1	0.0	20	11	0	0
Plymth	0.0	75	0	0.0	25	0	0	0
Ports	0.0	44	33	0.0	23	0	0	0
Prestn	0.0	39	48	0.0	4	8	1	0
Redng	0.0	29	43	0.0	28	0	0	0
Sheff	0.9	34	38	0.0	27	0	0	0
Shrew	0.0	70	9	0.0	21	0	0	0
Stevng	0.0	39	53	0.0	8	0	0	0
Sthend	0.0	86	0	0.0	14	0	0	0
Sund	0.0	79	7	0.0	7	7	0	0
Swanse	1.6	59	16	0.0	24	0	0	0
Truro	0.0	39	48	0.0	13	0	0	0
Wolve	0.0	30	54	0.0	16	0	0	0
Wrexm	3.4	69	0	0.0	0	28	0	0
York	0.0	50	31	0.0	19	0	0	0
<b>England</b>	<b>0.4</b>	<b>43</b>	<b>37</b>	<b>0.1</b>	<b>13</b>	<b>6</b>	<b>0</b>	<b>0</b>
<b>N Ireland</b>	<b>2.0</b>	<b>85</b>	<b>1</b>	<b>0.7</b>	<b>5</b>	<b>5</b>	<b>0</b>	<b>0</b>
<b>Scotland</b>	<b>0.0</b>	<b>82</b>	<b>0</b>	<b>0.0</b>	<b>10</b>	<b>7</b>	<b>1</b>	<b>0</b>
<b>Wales</b>	<b>0.8</b>	<b>50</b>	<b>26</b>	<b>0.8</b>	<b>17</b>	<b>6</b>	<b>0</b>	<b>0</b>
<b>UK</b>	<b>0.4</b>	<b>49</b>	<b>31</b>	<b>0.1</b>	<b>12</b>	<b>6</b>	<b>0</b>	<b>0</b>

Note: Diabetic patients are patients with a primary renal disease code of diabetes.

**Table E.2.14: Number of diabetic patients by treatment modality**

	HD	PD	Transplant
England	2,360	573	1,110
N Ireland	132	17	47
Scotland	286	63	142
Wales	190	58	60
<b>UK</b>	<b>2,968</b>	<b>711</b>	<b>1,359</b>

Note:

Diabetic patients are patients with a primary renal disease code of diabetes.

Diabetes type 1: patients with a EDTA code of 1080.

Diabetes type 2: patients with a EDTA code of 1081.

Excludes diabetic patients without a treatment modality.

**Table E.2.15: Diabetics**

Centre	M:F ratio	Median age on 31/12/2006	Median age at start of treatment	Median time on RRT	
				Days	Years
Abrdn	1.1	61	57	935	2.6
Airdrie	3.0	50	49	619	1.7
Antrim	1.5	63	60	1,087	3.0
B Heart	2.0	65	63	681	1.9
B QEH	1.7	63	57	1,478	4.0
Basldn	3.0	60	58	744	2.0
Belfast	1.2	55	50	1,164	3.2
Bradfd	2.0	60	57	1,065	2.9
Brightn	1.6	62	57	1,034	2.8
Bristol	1.4	60	55	961	2.6
Camb	1.7	47	41	1,662	4.6
Cardff	1.9	60	56	767	2.1
Carlis	2.0	61	58	944	2.6
Carsh	1.3	62	58	1,041	2.9
Chelms	3.2	65	61	1,019	2.8
Covnt	1.5	61	57	1,336	3.7
Derby	1.9	64	60	654	1.8
Dorset	1.9	59	54	1,048	2.9
Dudley	4.7	63	59	616	1.7
Dundee	1.1	59	55	1,109	3.0
Edinb	1.7	57	53	878	2.4
Exeter	1.3	56	51	1,224	3.4
Glasgw	1.2	58	54	988	2.7
Glouc	1.1	56	52	774	2.1
Hull	2.0	60	55	939	2.6
Inverns	2.5	49	47	1,057	2.9
Ipswi	1.2	54	55	1,153	3.2
Klmarnk	2.4	55	50	687	1.9
L Barts	1.6	62	58	741	2.0
L Guys	1.2	53	48	1,338	3.7
L Kings	1.5	63	60	1,229	3.4
L West	1.7	64	60	999	2.7
Leeds	1.4	59	55	1,322	3.6
Leic	1.8	60	56	964	2.6
Liv RI	1.8	53	46	1,793	4.9
ManWst	1.5	60	55	1,601	4.4
Middlbr	1.2	51	46	1,131	3.1
Newc	1.9	50	44	1,377	3.8

Table E.2.15: (continued)

Centre	M:F ratio	Median age on 31/12/2006	Median age at start of treatment	Median time on RRT	
				Days	Years
Norwch	1.9	63	63	503	1.4
Nottm	1.2	57	53	1,067	2.9
Oxford	1.8	54	50	1,028	2.8
Plymth	1.6	56	52	1,077	2.9
Ports	1.8	54	51	1,145	3.1
Prestn	1.3	59	56	741	2.0
Redng	2.0	65	61	930	2.5
Sheff	2.0	57	52	1,150	3.1
Shrew	1.9	64	61	932	2.6
Stevng	1.8	59	54	1,063	2.9
Sthend	2.0	62	56	1,060	2.9
Sund	2.0	55	50	872	2.4
Swanse	1.9	63	58	499	1.4
Truro	1.8	63	62	956	2.6
Wolve	1.6	61	58	824	2.3
Wrexm	1.6	61	56	1,216	3.3
York	1.2	53	50	619	1.7
<b>England</b>	<b>1.6</b>	<b>59</b>	<b>55</b>	<b>1,054</b>	<b>2.9</b>
<b>N Ireland</b>	<b>1.3</b>	<b>60</b>	<b>55</b>	<b>1,083</b>	<b>3.0</b>
<b>Scotland</b>	<b>1.5</b>	<b>57</b>	<b>53</b>	<b>921</b>	<b>2.5</b>
<b>Wales</b>	<b>1.9</b>	<b>61</b>	<b>57</b>	<b>741</b>	<b>2.0</b>
<b>UK</b>	<b>1.6</b>	<b>59</b>	<b>55</b>	<b>1,024</b>	<b>2.8</b>

Note:

Diabetic patients are patients with a primary renal disease code of diabetes.

Patients with an initial treatment modality of transferred in or transferred out were excluded from the calculation of median age at start of treatment and median time on RRT, since their treatment start date is not accurately known.

Table E.2.16: Transplant gender ratios

	% males	% females	No males	No females	M:F ratio
England	60.7	39.3	8,938	5,780	1.5
N Ireland	62.0	38.0	358	219	1.6
Scotland	59.8	40.2	1,076	723	1.5
Wales	64.2	35.8	572	319	1.8
<b>UK</b>	<b>60.9</b>	<b>39.1</b>	<b>10,944</b>	<b>7,041</b>	<b>1.6</b>

Note: Excludes patients without a treatment modality.

## E:3 EDTA Primary Diagnosis Groups

**Table E.3.1: Collation of EDTA primary renal diagnoses**

Code	Title	Group
0	Chronic renal failure; aetiology uncertain unknown/unavailable	Uncertain
10	Glomerulonephritis; histologically NOT examined	Uncertain
11	Focal segmental glomerulosclerosis with nephrotic syndrome in children	Glomerulonephritis
12	IgA nephropathy (proven by immunofluorescence, not code 76 and not 85)	Glomerulonephritis
13	Dense deposit disease; membrano-proliferative GN; type II (proven by immunofluorescence and/or electron microscopy)	Glomerulonephritis
14	Membranous nephropathy	Glomerulonephritis
15	Membrano-proliferative GN; type I (proven by immunofluorescence and/or electron microscopy – not code 84 or 89)	Glomerulonephritis
16	Crescentic (extracapillary) glomerulonephritis (type I, II, III)	Glomerulonephritis
17	Focal segmental glomerulosclerosis with nephrotic syndrome in adults	Glomerulonephritis
19	Glomerulonephritis; histologically examined, not given above	Glomerulonephritis
20	Pyelonephritis – cause not specified	Pyelonephritis
21	Pyelonephritis associated with neurogenic bladder	Pyelonephritis
22	Pyelonephritis due to congenital obstructive uropathy with/without vesico-ureteric reflux	Pyelonephritis
23	Pyelonephritis due to acquired obstructive uropathy	Pyelonephritis
24	Pyelonephritis due to vesico-ureteric reflux without obstruction	Pyelonephritis
25	Pyelonephritis due to urolithiasis	Pyelonephritis
29	Pyelonephritis due to other cause	Pyelonephritis
30	Interstitial nephritis (not pyelonephritis) due to other cause, or unspecified (not mentioned above)	Interstitial
31	Nephropathy (interstitial) due to analgesic drugs	Interstitial
32	Nephropathy (interstitial) due to cis-platinum	Interstitial
33	Nephropathy (interstitial) due to cyclosporin A	Interstitial
34	Lead induced nephropathy (interstitial)	Interstitial
39	Drug induced nephropathy (interstitial) not mentioned above	Interstitial
40	Cystic kidney disease – type unspecified	Cystic/poly
41	Polycystic kidneys; adult type (dominant)	Cystic/poly
42	Polycystic kidneys; infantile (recessive)	Cystic/poly
43	Medullary cystic disease; including nephronophthisis	Other
49	Cystic kidney disease – other specified type	Other
50	Hereditary/Familial nephropathy – type unspecified	Other
51	Hereditary nephritis with nerve deafness (Alport's Syndrome)	Other
52	Cystinosis	Other
53	Primary oxalosis	Other
54	Fabry's disease	Other
59	Hereditary nephropathy – other specified type	Other
60	Renal hypoplasia (congenital) – type unspecified	Other
61	Oligomeganephronic hypoplasia	Other
63	Congenital renal dysplasia with or without urinary tract malformation	Other
66	Syndrome of agenesis of abdominal muscles (Prune Belly)	Other
70	Renal vascular disease – type unspecified	Renal vascular disease
71	Renal vascular disease due to malignant hypertension	Renal vascular disease
72	Renal vascular disease due to hypertension	Renal vascular disease
73	Renal vascular disease due to polyarteritis	Renal vascular disease
74	Wegener's granulomatosis	Other
75	Ischaemic renal disease/cholesterol embolism	Renal vascular disease
76	Glomerulonephritis related to liver cirrhosis	Other
78	Cryoglobulinemic glomerulonephritis	Other
79	Renal vascular disease – due to other cause (not given above and not code 84–88)	Renal vascular disease
80	Type 1 diabetes with diabetic nephropathy	Diabetes
81	Type 2 diabetes with diabetic nephropathy	Diabetes

**Table E.3.1: (continued)**

<b>Code</b>	<b>Title</b>	<b>Group</b>
82	Myelomatosis/light chain deposit disease	Other
83	Amyloid	Other
84	Lupus erythematosus	Other
85	Henoch-Schoenlein purpura	Other
86	Goodpasture's Syndrome	Other
87	Systemic sclerosis (scleroderma)	Other
88	Haemolytic Uraemic Syndrome (including Moschowitz Syndrome)	Other
89	Multi-system disease – other (not mentioned above)	Other
90	Tubular necrosis (irreversible) or cortical necrosis (different from 88)	Other
91	Tuberculosis	Other
92	Gout nephropathy (urate)	Other
93	Nephrocalcinosis and hypercalcaemic nephropathy	Other
94	Balkan nephropathy	Other
95	Kidney tumour	Other
96	Traumatic or surgical loss of kidney	Other
98	Not known	Missing
99	Other identified renal disorders	Other
199	Code not sent	Missing